


This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

BRANCH IDENTIFIER	
RW01:10	SECTION IDENTIFIER
SECTION BOUNDARY	
	PCI 86-100 GOOD
	PCI 71-85 SATISFACTORY
	PCI 56-70 FAIR
	PCI 41-55 POOR
	PCI 26-40 VERY POOR
	PCI 11-25 SERIOUS
	PCI 0-10 FAILED

CURRENT 2024 PAVEMENT CONDITION INDEX


Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW06	01	Runway 06-24	AC	348,750	28.4	8/1/1996	10/9/2024	60	Fair
RW06	02	Runway 06-24	AC	47,625	28.4	8/1/1996	10/9/2024	62	Fair
TW	01	Taxiway	AC	7,611	28.4	8/1/1996	10/9/2024	65	Fair
TW	03	Taxiway	AC	13,750	28.4	8/1/1996	10/9/2024	65	Fair
TW	02	Taxiway	AC	39,600	28.4	8/1/1996	10/9/2024	43	Poor
TW	04	Taxiway	AC	66,573	21.5	7/1/2003	10/9/2024	84	Satisfactory
TW	05	Taxiway	AC	35,020	21.4	8/1/2003	10/9/2024	84	Satisfactory
TW	06	Taxiway	AAC	5,692	1.5	7/1/2023	7/1/2023	100	Good
AP	01	Apron	AAC	40,000	1.5	7/1/2023	7/1/2023	100	Good
AP	02	Apron	AAC	23,750	1.5	7/1/2023	7/1/2023	100	Good
AP	03	Apron	AC	24,664	1.5	7/1/2023	7/1/2023	100	Good

AIRFIELD PAVEMENT WORK HISTORY

1. FROST, POOR DRAINAGE AIP-001-1984
2. AIP-002-1996, RECONSTRUCT AND EXTEND RUNWAY 6/24; RECONSTRUCT TAXIWAY (TW:01); CONSTRUCT CONNECTING TAXIWAY; OVERLAY TAXIWAY (TW:02); RECONSTRUCT APRON.
3. AIP-003-2003, CONSTRUCT PARTIAL PARALLEL TAXIWAY, TURNAROUND (TW:04), AND HANGAR ACCESS TAXIWAYS (TW:05); FOG SEAL AND REMARK REMAINING PAVEMENTS.
4. AIP-004-2010, CRACK SEAL, SEAL COAT, AND REMARK ALL PAVEMENTS.
5. AIP-009-2014, CRACK SEAL, SURFACE SEAL AND REMARK ALL PAVEMENTS.
6. AIP-012-2019, CRACK SEAL, SURFACE SEAL, AND REMARK ALL PAVEMENTS
7. AIP-017-2023, EXPAND APRON (AP:03) AND REHABILITATE APRON (AP:01, AP:02).




This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



FORECASTED PAVEMENT CONDITION INDEX

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW06	01	AC	60	59	57	54	51	47
RW06	02	AC	62	62	59	57	54	50
TW	01	AC	65	65	64	62	61	59
TW	02	AC	43	42	39	35	31	27
TW	03	AC	65	65	64	62	61	59
TW	04	AC	84	84	82	80	79	78
TW	05	AC	84	84	82	80	79	78
TW	06	AAC	100	95	92	90	87	85
AP	01	AAC	100	93	89	86	83	80
AP	02	AAC	100	93	89	86	83	80
AP	03	AC	100	95	92	90	87	85

This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

— BRANCH IDENTIFIER	
— SECTION IDENTIFIER	
— SECTION BOUNDARY	
MAJOR REHABILITATION	
2025	2026
2027	2028
2029	
GLOBAL TREATMENT	

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	RW06	01	AC	348,750	59	Mill and Overlay	Major Rehabilitation
2025	RW06	02	AC	47,625	62	Mill and Overlay	Major Rehabilitation
2025	TW	01	AC	7,611	65	Mill and Overlay	Major Rehabilitation
2025	TW	02	AC	39,600	42	Full-Depth Reconstruction	Major Rehabilitation
2025	TW	03	AC	13,750	65	Mill and Overlay	Major Rehabilitation
2025	TW	04	AC	66,573	84	Crack Seal and Seal Coat	Global Treatment
2025	TW	05	AC	35,020	84	Crack Seal and Seal Coat	Global Treatment
2028	TW	06	AAC	5,692	87	Crack Seal and Seal Coat	Global Treatment
2028	AP	01	AAC	40,000	83	Crack Seal and Seal Coat	Global Treatment
2028	AP	02	AAC	23,750	83	Crack Seal and Seal Coat	Global Treatment
2028	AP	03	AC	24,664	87	Crack Seal and Seal Coat	Global Treatment

Runway



RW06-01-20: L&T Cracking



RW06-01-68: Alligator Cracking

Taxiway



TW-02-02: L&T Cracking



TW-02-07: Alligator Cracking

Re-Inspection Report

MDT SASP 2024

Generated Date 1/7/2025

Page 1 of 11

Network: 6S0 **Name:** Big Timber Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 88,414 SqFt

Section: 01 of 3 **From:** ENTIRE APRON **To:** **Last Const.:** 7/1/2023

Surface: AAC **Family:** _MDT2024 - AP AAC **Zone:** BTIM **Category:** D **Rank:** P

Area: 40,000 SqFt **Length:** 200 Ft **Width:** 200 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACN **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 7/15/1983 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 8/1/1996 **Work Type:** Surface Reconstruction - AC **Code:** SR-AC **Is Major M&R:** True

Work Date: 1/1/2019 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2019 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Work Date: 7/1/2023 **Work Type:** Mill and Overlay **Code:** ML-OL **Is Major M&R:** True

Last Insp. Date: 8/16/2021 **TotalSamples:** 8 **Surveyed:** 4

Conditions: PCI: 66 **NOTE: *** Pre-Construction PCI *****

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 5000.00 SqFt **PCI:** 67

Sample Comments:

48 L & T CR L 321.00 Ft
 48 L & T CR M 50.00 Ft
 52 RAVELING L 500.00 SqFt
 57 WEATHERING L 4500.00 SqFt

Sample Number: 03 **Type:** R **Area:** 5000.00 SqFt **PCI:** 66

Sample Comments:

48 L & T CR L 355.00 Ft
 48 L & T CR M 50.00 Ft
 52 RAVELING L 500.00 SqFt
 57 WEATHERING L 4500.00 SqFt

Sample Number: 05 **Type:** R **Area:** 4040.00 SqFt **PCI:** 66

Sample Comments:

48 L & T CR L 292.00 Ft
 48 L & T CR M 85.00 Ft
 52 RAVELING L 404.00 SqFt
 57 WEATHERING L 3636.00 SqFt

Sample Number: 06 **Type:** R **Area:** 4949.00 SqFt **PCI:** 63

Sample Comments:

48 L & T CR L 439.00 Ft
 48 L & T CR M 50.00 Ft
 52 RAVELING L 495.00 SqFt
 57 WEATHERING L 4454.00 SqFt

Network: 6S0 **Name:** Big Timber Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 88,414 SqFt

Section: 02 of 3 **From:** A-1 **To:** T-2 **Last Const.:** 7/1/2023

Surface: AAC **Family:** _MDT2024 - AP AAC **Zone:** BTIM **Category:** E **Rank:** P

Area: 23,750 SqFt **Length:** 475 Ft **Width:** 50 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACN **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/1996 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2019 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2019 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Work Date: 7/1/2023 **Work Type:** Mill and Overlay **Code:** ML-OL **Is Major M&R:** True

Last Insp. Date: 8/16/2021 **TotalSamples:** 5 **Surveyed:** 3

Conditions: PCI: 62 **NOTE: *** Pre-Construction PCI *****

Inspection Comments:

Sample Number: 02 **Type:** R **Area:** 4977.00 SqFt **PCI:** 68

Sample Comments:

42 BLEEDING N 25.00 SqFt
48 L & T CR L 227.00 Ft
48 L & T CR M 50.00 Ft
52 RAVELING L 498.00 SqFt
57 WEATHERING L 4479.00 SqFt

Sample Number: 04 **Type:** R **Area:** 5279.00 SqFt **PCI:** 67

Sample Comments:

42 BLEEDING N 132.00 SqFt
48 L & T CR L 223.00 Ft
48 L & T CR M 50.00 Ft
52 RAVELING L 528.00 SqFt
57 WEATHERING L 4751.00 SqFt

Sample Number: 05 **Type:** R **Area:** 3324.00 SqFt **PCI:** 44

Sample Comments:

42 BLEEDING N 395.00 SqFt
48 L & T CR L 121.00 Ft
52 RAVELING L 499.00 SqFt
57 WEATHERING L 2825.00 SqFt

Network:	6S0		Name:	Big Timber Airport					
Branch:	RW06	Name:	Runway 06-24	Use:	RUNWAY	Area:	396,375 SqFt		
Section:	01	of	2	From:	STA 0+00, BEGIN RWY 6-24	To:	STA 46+50, END RWY 6-24	Last Const.:	8/1/1996
Surface:	AC	Family:	_MDT2024 - RW AC AAC	Zone:	BTIM	Category:	D	Rank:	P
Area:	348,750 SqFt	Length:	4,650 Ft	Width:	75 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACR	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	7/15/1983	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/1996	Work Type:	Surface Reconstruction - AC		Code:	SR-AC	Is Major M&R:	True	
Work Date:	1/1/2019	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	1/1/2019	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	10/9/2024	TotalSamples:	137	Surveyed:	7				
Conditions:	PCI:	60							
Inspection Comments:									
Sample Number:	09	Type:	R	Area:	4875.00 SqFt	PCI:	65		
Sample Comments:									
48	L & T CR	L	390.00	Ft					
48	L & T CR	M	140.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	20	Type:	R	Area:	4875.00 SqFt	PCI:	65		
Sample Comments:									
48	L & T CR	L	358.00	Ft					
48	L & T CR	M	155.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	31	Type:	R	Area:	4875.00 SqFt	PCI:	68		
Sample Comments:									
48	L & T CR	L	265.00	Ft					
48	L & T CR	M	110.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	42	Type:	R	Area:	4875.00 SqFt	PCI:	69		
Sample Comments:									
48	L & T CR	L	250.00	Ft					
48	L & T CR	M	95.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	53	Type:	R	Area:	4875.00 SqFt	PCI:	66		
Sample Comments:									
48	L & T CR	L	339.00	Ft					
48	L & T CR	M	110.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	64	Type:	R	Area:	4875.00 SqFt	PCI:	44		
Sample Comments:									
41	ALLIGATOR CR	L	100.00	SqFt					
41	ALLIGATOR CR	M	50.00	SqFt					
48	L & T CR	L	295.00	Ft					
48	L & T CR	M	115.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					

Sample Number: 68

Type: R

Area: 4875.00 SqFt

PCI: 46

Sample Comments:

41	ALLIGATOR CR	L	200.00 SqFt
48	L & T CR	L	375.00 Ft
48	L & T CR	M	125.00 Ft
57	WEATHERING	L	4387.00 SqFt
57	WEATHERING	M	488.00 SqFt

Network:	6S0	Name:	Big Timber Airport						
Branch:	RW06	Name:	Runway 06-24	Use:	RUNWAY	Area:	396,375 SqFt		
Section:	02	of 2	From:	R-1	To:	T-3	Last Const.: 8/1/1996		
Surface:	AC	Family:	_MDT2024 - RW AC AAC	Zone:	BTIM	Category:	E	Rank:	P
Area:	47,625 SqFt	Length:	635 Ft	Width:	75 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACR	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	8/1/1996	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2019	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	1/1/2019	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	10/9/2024	TotalSamples:	14	Surveyed:	4				
Conditions:	PCI: 62								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4875.00 SqFt	PCI:	66		
Sample Comments:									
48	L & T CR	L	360.00	Ft					
48	L & T CR	M	65.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	04	Type:	R	Area:	4875.00 SqFt	PCI:	61		
Sample Comments:									
48	L & T CR	L	529.00	Ft					
48	L & T CR	M	65.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	07	Type:	R	Area:	4875.00 SqFt	PCI:	60		
Sample Comments:									
48	L & T CR	L	540.00	Ft					
48	L & T CR	M	35.00	Ft					
57	WEATHERING	L	4387.00	SqFt					
57	WEATHERING	M	488.00	SqFt					
Sample Number:	09	Type:	R	Area:	4125.00 SqFt	PCI:	59		
Sample Comments:									
48	L & T CR	L	395.00	Ft					
48	L & T CR	M	25.00	Ft					
52	RAVELING	L	438.00	SqFt					
57	WEATHERING	L	3503.00	SqFt					
57	WEATHERING	M	184.00	SqFt					

Network: 6S0 **Name:** Big Timber Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 168,246 SqFt

Section: 01 of 6 **From:** R-1 **To:** APRON **Last Const.:** 8/1/1996

Surface: AC **Family:** _MDT2024 - TW AC **Zone:** BTIM **Category:** E **Rank:** P

Area: 7,611 SqFt **Length:** 155 Ft **Width:** 30 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 7/15/1983 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 8/1/1996 **Work Type:** Surface Reconstruction - AC **Code:** SR-AC **Is Major M&R:** True

Work Date: 1/1/2019 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2019 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Last Insp. Date: 10/9/2024 **TotalSamples:** 1 **Surveyed:** 1

Conditions: PCI: 65

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 7611.00 SqFt **PCI:** 65

Sample Comments:

48 L & T CR L 595.00 Ft
48 L & T CR M 75.00 Ft
52 RAVELING L 1903.00 SqFt
57 WEATHERING L 5708.00 SqFt

Network:	6S0		Name:	Big Timber Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	168,246 SqFt		
Section:	02	of 6	From:	RUNWAY STATION 19+50	To:	NORTH	Last Const.:	8/1/1996	
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:	BTIM	Category:	E	Rank:	P
Area:	39,600 SqFt	Length:	1,320 Ft	Width:	30 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACR	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	7/15/1983	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True		
Work Date:	8/1/1996	Work Type:	Surface Reconstruction - AC	Code:	SR-AC	Is Major M&R:	True		
Work Date:	1/1/2019	Work Type:	Surface Seal	Code:	SS-LO	Is Major M&R:	False		
Work Date:	1/1/2019	Work Type:	Crack Sealing - AC	Code:	CS-AC	Is Major M&R:	False		
Last Insp. Date:	10/9/2024	TotalSamples:	10	Surveyed:	4				
Conditions:	PCI:	43							
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5894.00 SqFt	PCI:	65		
Sample Comments:									
48	L & T CR	L	448.00	Ft					
48	L & T CR	M	80.00	Ft					
52	RAVELING	L	589.00	SqFt					
57	WEATHERING	L	5305.00	SqFt					
Sample Number:	04	Type:	R	Area:	4500.00 SqFt	PCI:	31		
Sample Comments:									
41	ALLIGATOR CR	L	140.00	SqFt					
42	BLEEDING	N	1120.00	SqFt					
48	L & T CR	L	416.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
Sample Number:	06	Type:	R	Area:	4500.00 SqFt	PCI:	42		
Sample Comments:									
41	ALLIGATOR CR	L	54.00	SqFt					
42	BLEEDING	N	240.00	SqFt					
48	L & T CR	L	651.00	Ft					
48	L & T CR	M	28.00	Ft					
52	RAVELING	L	450.00	SqFt					
57	WEATHERING	L	4050.00	SqFt					
Sample Number:	07	Type:	R	Area:	4760.00 SqFt	PCI:	29		
Sample Comments:									
41	ALLIGATOR CR	L	32.00	SqFt					
41	ALLIGATOR CR	M	99.00	SqFt					
42	BLEEDING	N	498.00	SqFt					
48	L & T CR	L	542.00	Ft					
48	L & T CR	M	40.00	Ft					
52	RAVELING	L	10.00	SqFt					
57	WEATHERING	L	4750.00	SqFt					

Network:	6S0		Name:	Big Timber Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	168,246 SqFt		
Section:	03	of 6	From:	Turnarounds	To:		Last Const.: 8/1/1996		
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:	BTIM	Category:	E	Rank:	P
Area:	13,750 SqFt	Length:	275 Ft	Width:	50 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/1/1996	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2019	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2019	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	10/9/2024	TotalSamples:	5	Surveyed:	3				
Conditions:	PCI: 65								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	3513.00 SqFt	PCI:	66		
Sample Comments:									
48	L & T CR	L	255.00	Ft					
48	L & T CR	M	45.00	Ft					
57	WEATHERING	L	3162.00	SqFt					
57	WEATHERING	M	351.00	SqFt					
Sample Number:	03	Type:	R	Area:	3442.00 SqFt	PCI:	62		
Sample Comments:									
48	L & T CR	L	367.00	Ft					
48	L & T CR	M	45.00	Ft					
57	WEATHERING	L	3270.00	SqFt					
57	WEATHERING	M	172.00	SqFt					
Sample Number:	04	Type:	R	Area:	4644.00 SqFt	PCI:	66		
Sample Comments:									
48	L & T CR	L	284.00	Ft					
48	L & T CR	M	20.00	Ft					
52	RAVELING	L	34.00	SqFt					
57	WEATHERING	L	4146.00	SqFt					
57	WEATHERING	M	464.00	SqFt					

Network:	6S0	Name:	Big Timber Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	168,246 SqFt		
Section:	04	of 6	From:	R-1	To:	A-1	Last Const.: 7/1/2003		
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:	BTIM	Category:	D	Rank:	P
Area:	66,573 SqFt	Length:	2,439 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACR	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	7/1/2003	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2019	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	1/1/2019	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	10/9/2024	TotalSamples:	29	Surveyed:	4				
Conditions:	PCI: 84								
Inspection Comments:									
Sample Number:	03	Type:	R	Area:	5040.00 SqFt	PCI:	82		
Sample Comments:									
48	L & T CR	L	144.00	Ft					
57	WEATHERING	L	4788.00	SqFt					
57	WEATHERING	M	252.00	SqFt					
Sample Number:	07	Type:	R	Area:	5075.00 SqFt	PCI:	82		
Sample Comments:									
48	L & T CR	L	140.00	Ft					
57	WEATHERING	L	4788.00	SqFt					
57	WEATHERING	M	252.00	SqFt					
Sample Number:	11	Type:	R	Area:	5040.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L	15.00	Ft					
57	WEATHERING	L	4788.00	SqFt					
57	WEATHERING	M	252.00	SqFt					
Sample Number:	15	Type:	R	Area:	5722.00 SqFt	PCI:	86		
Sample Comments:									
48	L & T CR	L	72.00	Ft					
57	WEATHERING	L	4788.00	SqFt					
57	WEATHERING	M	252.00	SqFt					

Network: 6S0 **Name:** Big Timber Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 168,246 SqFt

Section: 05 of 6 **From:** T-2 **To:** Hangars **Last Const.:** 8/1/2003

Surface: AC **Family:** _MDT2024 - TW AC **Zone:** BTIM **Category:** D **Rank:** P

Area: 35,020 SqFt **Length:** 1,350 Ft **Width:** 25 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACR **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2003 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2019 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2019 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Last Insp. Date: 10/9/2024 **TotalSamples:** 9 **Surveyed:** 3

Conditions: PCI: 84

Inspection Comments:

Sample Number: 02 **Type:** R **Area:** 5144.00 SqFt **PCI:** 84

Sample Comments:

48 L & T CR L 72.00 Ft

57 WEATHERING L 4630.00 SqFt

57 WEATHERING M 514.00 SqFt

Sample Number: 03 **Type:** R **Area:** 5144.00 SqFt **PCI:** 84

Sample Comments:

48 L & T CR L 74.00 Ft

57 WEATHERING L 4630.00 SqFt

57 WEATHERING M 514.00 SqFt

Sample Number: 05 **Type:** R **Area:** 5144.00 SqFt **PCI:** 83

Sample Comments:

48 L & T CR L 91.00 Ft

57 WEATHERING L 4630.00 SqFt

57 WEATHERING M 514.00 SqFt

Network:	6S0	Name:	Big Timber Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	168,246 SqFt		
Section:	06	of 6	From:	-	To:	-	Last Const.: 7/1/2023		
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	BTIM	Category:	D	Rank:	P
Area:	5,692 SqFt	Length:	150 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACR	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	7/1/2003	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2019	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	1/1/2019	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	7/1/2023	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Last Insp. Date:	8/16/2021	TotalSamples:	17	Surveyed:	5				
Conditions:	PCI: 89	NOTE: *** Pre-Construction PCI ***							
Inspection Comments:									
Sample Number:	03	Type:	R	Area:	5040.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	41.00	Ft					
57	WEATHERING	L	5040.00	SqFt					
Sample Number:	07	Type:	R	Area:	5075.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L	115.00	Ft					
57	WEATHERING	L	5075.00	SqFt					
Sample Number:	11	Type:	R	Area:	5040.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L	6.00	Ft					
57	WEATHERING	L	5040.00	SqFt					
Sample Number:	14	Type:	R	Area:	5216.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	81.00	Ft					
57	WEATHERING	L	5216.00	SqFt					
Sample Number:	15	Type:	R	Area:	5722.00 SqFt	PCI:	86		
Sample Comments:									
48	L & T CR	L	72.00	Ft					
52	RAVELING	L	58.00	SqFt					
57	WEATHERING	L	5722.00	SqFt					