


This document, together with the concepts and designs presented herein, is an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.





**CURRENT 2024 PAVEMENT CONDITION INDEX**

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW04	04	Runway 04-22	AC	390,000	24.3	8/1/2000	10/10/2024	82	Satisfactory
RW14	05	Runway 14-32	AC	180,000	5.6	3/31/2019	10/10/2024	91	Good
TW	01	Taxiway	AC	85,680	36.3	7/31/1988	10/10/2024	52	Poor
TW	02	Taxiway	AC	51,566	36.3	7/31/1988	10/10/2024	46	Poor
TW	05	Taxiway	AC	31,340	22	11/1/2002	10/10/2024	93	Good
TW	06	Taxiway	AC	28,520	22	11/1/2002	10/10/2024	95	Good
TW	08	Taxiway	AC	98,550	24.3	8/1/2000	10/10/2024	81	Satisfactory
TW	09	Taxiway	AC	67,060	23.3	8/1/2001	10/10/2024	79	Satisfactory
TW	10	Taxiway	AC	32,750	22	11/1/2002	10/10/2024	88	Good
TW	11	Taxiway	AC	42,162	5.6	3/31/2019	10/10/2024	95	Good
AP	03	Apron	AC	171,360	23.3	8/1/2001	10/10/2024	78	Satisfactory

**AIRFIELD PAVEMENT WORK HISTORY**

1. FAAP, 1967
2. ADAP-01, 1980
3. ADAP-02, 1981
4. AIP-001-1983
5. AIP-002-1988
6. AIP-006-2000, CONSTRUCT RUNWAY 4/22 AND TAXIWAY (TW:08).
7. AIP-007-2001, CONSTRUCT TAXIWAY A "WEST" (TW:09); EXPAND APRON (AP:03).
8. AIP-008-2002, RECONSTRUCT TAXILANES (TW:05,TW:06); CONSTRUCT TAXILANES (TW:10); CRACK SEAL, FOG SEAL, AND REMARK TAXIWAYS (TW:01,TW:02).
9. AIP-012-2007, CRACK SEAL AND REMARK PAVEMENTS.
10. AIP-013-2012, CRACK SEAL, FOG SEAL, AND REMARK PAVEMENTS.
11. AIP-018-2017, CONSTRUCT RUNWAY 14-32 (RW14:05), CONSTRUCT TAXIWAY A EXTENSION (TW:11).
12. AIP-020-2020, CRACK SEAL, SURFACE SEAL, REMARK ALL PAVEMENTS EXCEPT RW14 AND TW:11.
13. AIP-025-2024, CRACK SEAL, SURFACE SEAL, REMARK ALL PAVEMENTS. [INSPECTED AFTER MAINTENANCE PROJECT]

This document, together with the concepts and designs presented herein, is an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



**LEGEND**



- BRANCH IDENTIFIER
- SECTION IDENTIFIER
- SECTION BOUNDARY
- PCI 86-100 GOOD
- PCI 71-85 SATISFACTORY
- PCI 56-70 FAIR
- PCI 41-55 POOR
- PCI 26-40 VERY POOR
- PCI 11-25 SERIOUS
- PCI 0-10 FAILED

**FORECASTED PAVEMENT CONDITION INDEX**

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW04	04	AC	82	82	80	79	78	77
RW14	05	AC	91	90	88	86	84	82
TW	01	AC	52	51	49	46	43	39
TW	02	AC	46	45	42	39	35	31
TW	05	AC	93	92	90	88	85	84
TW	06	AC	95	94	92	89	87	85
TW	08	AC	81	81	79	78	77	76
TW	09	AC	79	79	78	76	75	75
TW	10	AC	88	88	85	84	82	80
TW	11	AC	95	94	92	89	87	85
AP	03	AC	78	78	76	75	74	72



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



**LEGEND**

— BRANCH IDENTIFIER	
— SECTION IDENTIFIER	
— SECTION BOUNDARY	
<b>RW01:10</b>	
MAJOR REHABILITATION	GLOBAL TREATMENT
2025	2025
2026	2026
2027	2027
2028	2028
2029	2029

**5-YEAR PAVEMENT NEEDS BY SECTION**


Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	TW	01	AC	85,680	51	Full-Depth Reconstruction	Major Rehabilitation
2025	TW	02	AC	51,566	45	Full-Depth Reconstruction	Major Rehabilitation
2029	RW04	04	AC	390,000	77	Crack Seal and Seal Coat	Global Treatment
2029	RW14	05	AC	180,000	82	Crack Seal and Seal Coat	Global Treatment
2029	TW	05	AC	31,340	84	Crack Seal and Seal Coat	Global Treatment
2029	TW	06	AC	28,520	85	Crack Seal and Seal Coat	Global Treatment
2029	TW	08	AC	98,550	76	Crack Seal and Seal Coat	Global Treatment
2029	TW	09	AC	67,060	75	Crack Seal and Seal Coat	Global Treatment
2029	TW	10	AC	32,750	80	Crack Seal and Seal Coat	Global Treatment
2029	TW	11	AC	42,162	85	Crack Seal and Seal Coat	Global Treatment
2029	AP	03	AC	171,360	72	Crack Seal and Seal Coat	Global Treatment



Runway



*RW04-04-50: L&T Cracking*



*RW14-05-06: Weathering*



Taxiway



*TW-02-06: Overview*



*TW-10-02: Weathering*



*TW-01-07: Overview*

Apron



*AP-03-21: Overview*

# Re-Inspection Report

MDT SASP 2024

Generated Date

1/7/2025

Page 1 of 11

<b>Network:</b> 6S8	<b>Name:</b> Laurel Municipal Airport			
<b>Branch:</b> AP	<b>Name:</b> Apron	<b>Use:</b> APRON	<b>Area:</b> 171,360 SqFt	
<b>Section:</b> 03	of 1	<b>From:</b> T-1 & T-9	<b>To:</b> HANGARS	<b>Last Const.:</b> 8/1/2001
<b>Surface:</b> AC	<b>Family:</b> _MDT2024 - AP AC	<b>Zone:</b> LAUR	<b>Category:</b> D	<b>Rank:</b> P
<b>Area:</b> 171,360 SqFt	<b>Length:</b> 680 Ft	<b>Width:</b> 243 Ft		
<b>Slabs:</b>	<b>Slab Length:</b> Ft	<b>Slab Width:</b> Ft	<b>Joint Length:</b> Ft	
<b>Shoulder:</b>	<b>Street Type:</b> ACN	<b>Grade:</b> 0	<b>Lanes:</b> 0	

**Section Comments:**

<b>Work Date:</b> 8/1/2001	<b>Work Type:</b> New Construction - Initial	<b>Code:</b> NU-IN	<b>Is Major M&amp;R:</b> True
<b>Work Date:</b> 1/1/2020	<b>Work Type:</b> Surface Seal	<b>Code:</b> SS-LO	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b> 1/1/2020	<b>Work Type:</b> Crack Sealing - AC	<b>Code:</b> CS-AC	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b> 7/1/2024	<b>Work Type:</b> Surface Seal - Seal Coat	<b>Code:</b> SS-SC	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b> 7/1/2024	<b>Work Type:</b> Crack Sealing - AC	<b>Code:</b> CS-AC	<b>Is Major M&amp;R:</b> False

**Last Insp. Date:** 10/10/2024      **TotalSamples:** 37      **Surveyed:** 5

**Conditions:** PCI: 78

**Inspection Comments:**

<b>Sample Number:</b> 05	<b>Type:</b> R	<b>Area:</b> 4705.00 SqFt	<b>PCI:</b> 77
<b>Sample Comments:</b>			
48	L & T CR	L	463.00 Ft
<b>Sample Number:</b> 13	<b>Type:</b> R	<b>Area:</b> 4705.00 SqFt	<b>PCI:</b> 79
<b>Sample Comments:</b>			
48	L & T CR	L	393.00 Ft
<b>Sample Number:</b> 21	<b>Type:</b> R	<b>Area:</b> 4705.00 SqFt	<b>PCI:</b> 76
<b>Sample Comments:</b>			
48	L & T CR	L	503.00 Ft
<b>Sample Number:</b> 29	<b>Type:</b> R	<b>Area:</b> 4705.00 SqFt	<b>PCI:</b> 77
<b>Sample Comments:</b>			
48	L & T CR	L	470.00 Ft
<b>Sample Number:</b> 37	<b>Type:</b> R	<b>Area:</b> 7709.00 SqFt	<b>PCI:</b> 81
<b>Sample Comments:</b>			
48	L & T CR	L	536.00 Ft



<b>Network:</b>	6S8	<b>Name:</b>	Laurel Municipal Airport						
<b>Branch:</b>	RW04	<b>Name:</b>	Runway 04-22	<b>Use:</b>	RUNWAY	<b>Area:</b>	390,000 SqFt		
<b>Section:</b>	04	of 1	<b>From:</b>	STA 10+00	<b>To:</b>	STA 62+00	<b>Last Const.:</b> 8/1/2000		
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - RW AC AAC	<b>Zone:</b>	LAUR	<b>Category:</b>	D	<b>Rank:</b>	P
<b>Area:</b>	390,000 SqFt	<b>Length:</b>	5,200 Ft	<b>Width:</b>	75 Ft				
<b>Slabs:</b>	<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft			
<b>Shoulder:</b>	<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0			
<b>Section Comments:</b>									
<b>Work Date:</b>	8/1/2000	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	1/1/2020	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	1/1/2020	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Surface Seal - Seal Coat		<b>Code:</b>	SS-SC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	10/10/2024	<b>TotalSamples:</b>	80	<b>Surveyed:</b>	7				
<b>Conditions:</b>	PCI:	82							
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	84		
<b>Sample Comments:</b>									
48	L & T CR	L	270.00	Ft					
<b>Sample Number:</b>	14	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	82		
<b>Sample Comments:</b>									
48	L & T CR	L	315.00	Ft					
<b>Sample Number:</b>	26	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	81		
<b>Sample Comments:</b>									
48	L & T CR	L	360.00	Ft					
<b>Sample Number:</b>	38	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	81		
<b>Sample Comments:</b>									
48	L & T CR	L	360.00	Ft					
<b>Sample Number:</b>	50	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	82		
<b>Sample Comments:</b>									
48	L & T CR	L	321.00	Ft					
<b>Sample Number:</b>	62	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	82		
<b>Sample Comments:</b>									
48	L & T CR	L	324.00	Ft					
<b>Sample Number:</b>	77	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	83		
<b>Sample Comments:</b>									
48	L & T CR	L	300.00	Ft					



<b>Network:</b>	6S8	<b>Name:</b>	Laurel Municipal Airport						
<b>Branch:</b>	RW14	<b>Name:</b>	Runway 14-32	<b>Use:</b>	RUNWAY	<b>Area:</b>	180,000 SqFt		
<b>Section:</b>	05	of	1	<b>From:</b>	TW A	<b>To:</b>	RW14 End	<b>Last Const.:</b>	3/31/2019
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - RW AC AAC		<b>Zone:</b>	<b>Category:</b>	<b>Rank:</b> P		
<b>Area:</b>	180,000 SqFt	<b>Length:</b>	3,000 Ft	<b>Width:</b>	60 Ft				
<b>Slabs:</b>	<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft			
<b>Shoulder:</b>	<b>Street Type:</b>	<b>Grade:</b>	0	<b>Lanes:</b>	0				
<b>Section Comments:</b>									
<b>Work Date:</b>	3/31/2019	<b>Work Type:</b>	New Construction - AC		<b>Code:</b>	NC-AC	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Surface Seal - Seal Coat		<b>Code:</b>	SS-SC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	10/10/2024	<b>TotalSamples:</b>	38	<b>Surveyed:</b>	6				
<b>Conditions:</b>	PCI: 91	<b>Inspection Comments:</b>							
<b>Sample Number:</b>	06	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	90		
<b>Sample Comments:</b>									
48	L & T CR	L	145.00	Ft					
<b>Sample Number:</b>	11	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	88		
<b>Sample Comments:</b>									
48	L & T CR	L	179.00	Ft					
<b>Sample Number:</b>	20	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	92		
<b>Sample Comments:</b>									
48	L & T CR	L	105.00	Ft					
<b>Sample Number:</b>	26	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	93		
<b>Sample Comments:</b>									
48	L & T CR	L	80.00	Ft					
<b>Sample Number:</b>	30	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	91		
<b>Sample Comments:</b>									
48	L & T CR	L	133.00	Ft					
<b>Sample Number:</b>	34	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	92		
<b>Sample Comments:</b>									
48	L & T CR	L	112.00	Ft					

**Network:** 6S8 **Name:** Laurel Municipal Airport

**Branch:** TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

**Section:** 01 of 8 **From:** RWY 13-31 AND T-2 **To:** A-1 AND T-2 **Last Const.:** 7/31/1988

**Surface:** AC **Family:** \_MDT2024 - TW AC **Zone:** LAUR **Category:** D **Rank:** P

**Area:** 85,680 SqFt **Length:** 2,380 Ft **Width:** 36 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** ACM **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 7/31/1988 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

**Work Date:** 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

**Work Date:** 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Last Insp. Date:** 10/10/2024 **TotalSamples:** 16 **Surveyed:** 4

**Conditions:** PCI: 52

**Inspection Comments:**

**Sample Number:** 07 **Type:** R **Area:** 4894.00 SqFt **PCI:** 45

**Sample Comments:**

41 ALLIGATOR CR L 95.00 SqFt  
41 ALLIGATOR CR M 80.00 SqFt  
45 DEPRESSION L 45.00 SqFt  
48 L & T CR L 411.00 Ft

**Sample Number:** 10 **Type:** R **Area:** 4894.00 SqFt **PCI:** 45

**Sample Comments:**

41 ALLIGATOR CR M 272.00 SqFt  
45 DEPRESSION L 15.00 SqFt  
48 L & T CR L 290.00 Ft

**Sample Number:** 13 **Type:** R **Area:** 4894.00 SqFt **PCI:** 59

**Sample Comments:**

41 ALLIGATOR CR M 94.00 SqFt  
48 L & T CR L 341.00 Ft

**Sample Number:** 15 **Type:** R **Area:** 4894.00 SqFt **PCI:** 57

**Sample Comments:**

41 ALLIGATOR CR M 111.00 SqFt  
48 L & T CR L 227.00 Ft

**Network:** 6S8 **Name:** Laurel Municipal Airport

**Branch:** TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

**Section:** 02 of 8 **From:** T-3 @R-1 STA 14+50, END **To:** T-1 @R-1 STA21+50, END **Last Const.:** 7/31/1988

**Surface:** AC **Family:** \_MDT2024 - TW AC **Zone:** LAUR **Category:** D **Rank:** P

**Area:** 51,566 SqFt **Length:** 1,357 Ft **Width:** 38 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** ACM **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 7/31/1988 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

**Work Date:** 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

**Work Date:** 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Last Insp. Date:** 10/10/2024 **TotalSamples:** 6 **Surveyed:** 3

**Conditions:** PCI: 46

**Inspection Comments:**

**Sample Number:** 02 **Type:** R **Area:** 4899.00 SqFt **PCI:** 35

**Sample Comments:**

41 ALLIGATOR CR L 221.00 SqFt  
41 ALLIGATOR CR M 269.00 SqFt  
52 RAVELING L 75.00 SqFt  
53 RUTTING L 720.00 SqFt

**Sample Number:** 04 **Type:** R **Area:** 4899.00 SqFt **PCI:** 70

**Sample Comments:**

41 ALLIGATOR CR M 32.00 SqFt  
48 L & T CR L 355.00 Ft

**Sample Number:** 06 **Type:** R **Area:** 3600.00 SqFt **PCI:** 28

**Sample Comments:**

41 ALLIGATOR CR L 152.00 SqFt  
41 ALLIGATOR CR M 80.00 SqFt  
42 BLEEDING N 46.00 SqFt  
43 BLOCK CR L 2010.00 SqFt  
45 DEPRESSION L 4.00 SqFt  
48 L & T CR L 200.00 Ft  
50 PATCHING L 646.00 SqFt



<b>Network:</b>	6S8	<b>Name:</b>	Laurel Municipal Airport				
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	437,628 SqFt
<b>Section:</b>	05	of 8	<b>From:</b>	T-2	<b>To:</b>	HANGARS	<b>Last Const.:</b> 11/1/2002
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>		<b>Category:</b>	<b>Rank:</b> P
<b>Area:</b>	31,340 SqFt	<b>Length:</b>	1,567 Ft	<b>Width:</b>	20 Ft		
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft
<b>Shoulder:</b>		<b>Street Type:</b>		<b>Grade:</b>	0	<b>Lanes:</b>	0
<b>Section Comments:</b>							
<b>Work Date:</b>	11/1/2002	<b>Work Type:</b>	New Construction - AC		<b>Code:</b>	NC-AC	<b>Is Major M&amp;R:</b> True
<b>Work Date:</b>	1/1/2020	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b>	1/1/2020	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Surface Seal - Seal Coat		<b>Code:</b>	SS-SC	<b>Is Major M&amp;R:</b> False
<b>Last Insp. Date:</b>	10/10/2024	<b>TotalSamples:</b>	7	<b>Surveyed:</b>	4		
<b>Conditions:</b>	PCI: 93						
<b>Inspection Comments:</b>							
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	5100.00 SqFt	<b>PCI:</b>	94
<b>Sample Comments:</b>							
48	L & T CR		L	74.00	Ft		
<b>Sample Number:</b>	03	<b>Type:</b>	R	<b>Area:</b>	4250.00 SqFt	<b>PCI:</b>	95
<b>Sample Comments:</b>							
48	L & T CR		L	42.00	Ft		
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	4250.00 SqFt	<b>PCI:</b>	89
<b>Sample Comments:</b>							
48	L & T CR		L	139.00	Ft		
<b>Sample Number:</b>	07	<b>Type:</b>	R	<b>Area:</b>	4620.00 SqFt	<b>PCI:</b>	94
<b>Sample Comments:</b>							
45	DEPRESSION		L	9.00	SqFt		
48	L & T CR		L	56.00	Ft		

**Network:** 6S8 **Name:** Laurel Municipal Airport

**Branch:** TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

**Section:** 06 of 8 **From:** T-2 **To:** HANGARS **Last Const.:** 11/1/2002

**Surface:** AC **Family:** \_MDT2024 - TW AC **Zone:** **Category:** **Rank:** P

**Area:** 28,520 SqFt **Length:** 1,426 Ft **Width:** 20 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 11/1/2002 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

**Work Date:** 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

**Work Date:** 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Last Insp. Date:** 10/10/2024 **TotalSamples:** 6 **Surveyed:** 3

**Conditions:** PCI: 95

**Inspection Comments:**

**Sample Number:** 02 **Type:** R **Area:** 5280.00 SqFt **PCI:** 95

**Sample Comments:**

48 L & T CR L 50.00 Ft

**Sample Number:** 04 **Type:** R **Area:** 5280.00 SqFt **PCI:** 96

**Sample Comments:**

48 L & T CR L 25.00 Ft

**Sample Number:** 05 **Type:** R **Area:** 3784.00 SqFt **PCI:** 95

**Sample Comments:**

48 L & T CR L 43.00 Ft

**Network:** 6S8 **Name:** Laurel Municipal Airport

**Branch:** TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

**Section:** 08 of 8 **From:** R-4 **To:** T-1 **Last Const.:** 8/1/2000

**Surface:** AC **Family:** \_MDT2024 - TW AC **Zone:** LAUR **Category:** D **Rank:** P

**Area:** 98,550 SqFt **Length:** 2,700 Ft **Width:** 35 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** ACM **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 8/1/2000 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

**Work Date:** 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Last Insp. Date:** 10/10/2024 **TotalSamples:** 20 **Surveyed:** 4

**Conditions:** PCI: 81

**Inspection Comments:**

**Sample Number:** 03 **Type:** R **Area:** 4235.00 SqFt **PCI:** 80

**Sample Comments:**

48 L & T CR L 336.00 Ft

**Sample Number:** 07 **Type:** R **Area:** 4900.00 SqFt **PCI:** 83

**Sample Comments:**

48 L & T CR L 291.00 Ft

**Sample Number:** 11 **Type:** R **Area:** 4900.00 SqFt **PCI:** 84

**Sample Comments:**

48 L & T CR L 275.00 Ft

**Sample Number:** 15 **Type:** R **Area:** 4800.00 SqFt **PCI:** 77

**Sample Comments:**

48 L & T CR L 454.00 Ft



<b>Network:</b>	6S8	<b>Name:</b>	Laurel Municipal Airport						
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	437,628 SqFt		
<b>Section:</b>	09	of 8	<b>From:</b>	R-4	<b>To:</b>	A-3 & T-1	<b>Last Const.:</b> 8/1/2001		
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>	LAUR	<b>Category:</b>	D	<b>Rank:</b>	P
<b>Area:</b>	67,060 SqFt	<b>Length:</b>	1,891 Ft	<b>Width:</b>	35 Ft				
<b>Slabs:</b>	<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft			
<b>Shoulder:</b>	<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0			
<b>Section Comments:</b>									
<b>Work Date:</b>	8/1/2001	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	1/1/2020	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	1/1/2020	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2024	<b>Work Type:</b>	Surface Seal - Seal Coat		<b>Code:</b>	SS-SC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	10/10/2024	<b>TotalSamples:</b>	13	<b>Surveyed:</b>	4				
<b>Conditions:</b>	PCI:	79							
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	4388.00 SqFt	<b>PCI:</b>	82		
<b>Sample Comments:</b>									
48	L & T CR	L	281.00	Ft					
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	4900.00 SqFt	<b>PCI:</b>	83		
<b>Sample Comments:</b>									
48	L & T CR	L	300.00	Ft					
<b>Sample Number:</b>	09	<b>Type:</b>	R	<b>Area:</b>	3597.00 SqFt	<b>PCI:</b>	69		
<b>Sample Comments:</b>									
41	ALLIGATOR CR	L	10.00	SqFt					
42	BLEEDING	N	14.00	SqFt					
48	L & T CR	L	370.00	Ft					
<b>Sample Number:</b>	13	<b>Type:</b>	R	<b>Area:</b>	5618.00 SqFt	<b>PCI:</b>	80		
<b>Sample Comments:</b>									
48	L & T CR	L	443.00	Ft					

**Network:** 6S8 **Name:** Laurel Municipal Airport

**Branch:** TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

**Section:** 10 of 8 **From:** T-1 **To:** HANGARS **Last Const.:** 11/1/2002

**Surface:** AC **Family:** \_MDT2024 - TW AC **Zone:** **Category:** **Rank:** P

**Area:** 32,750 SqFt **Length:** 1,637 Ft **Width:** 20 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 11/1/2002 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

**Work Date:** 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 1/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

**Last Insp. Date:** 10/10/2024 **TotalSamples:** 7 **Surveyed:** 4

**Conditions:** PCI: 88

**Inspection Comments:**

**Sample Number:** 02 **Type:** R **Area:** 4650.00 SqFt **PCI:** 87

**Sample Comments:**

48 L & T CR L 205.00 Ft

**Sample Number:** 04 **Type:** R **Area:** 4650.00 SqFt **PCI:** 87

**Sample Comments:**

48 L & T CR L 205.00 Ft

**Sample Number:** 06 **Type:** R **Area:** 4750.00 SqFt **PCI:** 91

**Sample Comments:**

48 L & T CR L 129.00 Ft

**Sample Number:** 07 **Type:** R **Area:** 4750.00 SqFt **PCI:** 87

**Sample Comments:**

48 L & T CR L 196.00 Ft

**Network:** 6S8 **Name:** Laurel Municipal Airport

**Branch:** TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 437,628 SqFt

**Section:** 11 of 8 **From:** RW14 **To:** - **Last Const.:** 3/31/2019

**Surface:** AC **Family:** \_MDT2024 - TW AC **Zone:** **Category:** **Rank:** P

**Area:** 42,162 SqFt **Length:** 800 Ft **Width:** 35 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 3/31/2019 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

**Work Date:** 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 1/1/2020 **Work Type:** Surface Treatment- Single Chip Seal **Code:** ST-SC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

**Work Date:** 7/1/2024 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

**Last Insp. Date:** 10/10/2024 **TotalSamples:** 3 **Surveyed:** 3

**Conditions:** PCI: 95

**Inspection Comments:**

**Sample Number:** 01 **Type:** R **Area:** 5800.00 SqFt **PCI:** 95

**Sample Comments:**

48 L & T CR L 55.00 Ft

**Sample Number:** 02 **Type:** R **Area:** 5800.00 SqFt **PCI:** 96

**Sample Comments:**

48 L & T CR L 43.00 Ft

**Sample Number:** 03 **Type:** R **Area:** 5800.00 SqFt **PCI:** 95

**Sample Comments:**

48 L & T CR L 63.00 Ft