


This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

—	BRANCH IDENTIFIER
—	SECTION IDENTIFIER
—	SECTION BOUNDARY
■ (Green)	PCI 86-100 GOOD
■ (Light Green)	PCI 71-85 SATISFACTORY
■ (Yellow)	PCI 56-70 FAIR
■ (Orange)	PCI 41-55 POOR
■ (Pink)	PCI 26-40 VERY POOR
■ (Red)	PCI 11-25 SERIOUS
■ (Grey)	PCI 0-10 FAILED

CURRENT 2024 PAVEMENT CONDITION INDEX


Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW17	01	Runway 17-35	AC	390,000	3.9	1/1/2021	10/5/2024	94	Good
TW	01	Taxiway	AC	146,978	3.9	1/1/2021	10/5/2024	94	Good
TW	02	Taxiway	AC	73,908	3.9	1/1/2021	10/5/2024	93	Good
TW	03	Taxiway	AC	115,744	3.9	1/1/2021	10/5/2024	94	Good
TW	04	Taxiway	AAC	77,957	6.9	1/1/2018	10/5/2024	88	Good
TW	05	Taxiway	AAC	32,277	22.3	8/1/2002	10/5/2024	69	Fair
TW	06	Taxiway	AC	69,862	3.9	1/1/2021	10/5/2024	93	Good
TW	07	Taxiway	AC	6,034	3.9	1/1/2021	10/5/2024	89	Good
TW	08	Taxiway	AC	11,614	3.9	1/1/2021	10/5/2024	92	Good
TW	09	Taxiway	AC	14,786	3.9	1/1/2021	10/5/2024	93	Good
TW	10	Taxiway	AC	26,488	3.9	1/1/2021	10/5/2024	93	Good
TW	11	Taxiway	AC	21,003	3.9	1/1/2021	10/5/2024	91	Good
TW	12	Taxiway	AC	14,694	3.9	1/1/2021	10/5/2024	94	Good
TW	13	Taxiway	AC	46,962	3.9	1/1/2021	10/5/2024	91	Good
TW	14	Taxiway	AC	84,000	3.9	1/1/2021	10/5/2024	94	Good
AP	01	Apron	AC	18,807	3.9	1/1/2021	10/5/2024	94	Good
AP	02	Apron	AAC	211,752	4.9	1/1/2021	10/5/2024	94	Good
AP	03	Apron	AC	158,181	3.9	1/1/2021	10/5/2024	94	Good

AIRFIELD PAVEMENT WORK HISTORY

- A. INFORMATION PROVIDED BY JOHN W. STYBA, FAA HLN ADO, AUG. 1988
1. TAKEN FROM 5320-1 DATED 9/11/68
 2. STABILIZATION FABRIC
 3. 1980
 4. AIP-001-1983, CONSTRUCT TAXIWAY (TW:03) AND APRON (AP:02).
 5. AIP-002-1992, RUNWAY RECONSTRUCTION (RW1A, RW2).
 6. NON-AIP BY COUNTY, 1994
 7. AIP-004-2002, CONSTRUCT TAXIWAY (TW:05).
 8. AIP-006-2205, CONSTRUCT TAXIWAY (TW:06); FOG SEAL TAXIWAY (TW:05).
 9. AIP-012-2014, CRACK SEAL, SEAL COAT, AND REMARK RUNWAY (RW1A, RW2) AND TAXIWAYS (TW:05, TW:06).
 10. AIP-019-2020, CRACK SEAL, SURFACE SEAL, AND REMARK APRON (AP:01, AP:02) AND TAXIWAY (TW:02). [2020]
 11. AIP-020-2020, CONSTRUCT RUNWAY (RW17:01) AND TAXIWAY (TW:01, TW:06, TW:07, TW:10, TW:11, TW:12, TW:14). RECONSTRUCT TAXIWAY (TW:02, TW:03, TW:08, TW:09, TW:13) AND APRON (AP:01, AP:03). SURFACE SEAL AND REMARK TAXIWAY (TW:05). [2021]



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

— BRANCH IDENTIFIER
RW01:10 — SECTION IDENTIFIER
 — SECTION BOUNDARY


- PCI 86-100 GOOD
- PCI 71-85 SATISFACTORY
- PCI 56-70 FAIR
- PCI 41-55 POOR
- PCI 26-40 VERY POOR
- PCI 11-25 SERIOUS
- PCI 0-10 FAILED

FORECASTED PAVEMENT CONDITION INDEX

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW17	01	AC	94	93	91	88	86	84
TW	01	AC	94	93	91	88	86	84
TW	02	AC	93	92	90	88	85	84
TW	03	AC	94	93	91	88	86	84
TW	04	AAC	88	87	85	83	81	80
TW	05	AAC	69	69	68	67	66	65
TW	06	AC	93	92	90	88	85	84
TW	07	AC	89	88	86	84	83	81
TW	08	AC	92	91	89	87	85	83
TW	09	AC	93	92	90	88	85	84
TW	10	AC	93	92	90	88	85	84
TW	11	AC	91	90	88	86	84	82
TW	12	AC	94	93	91	88	86	84
TW	13	AC	91	90	88	86	84	82
TW	14	AC	94	93	91	88	86	84
AP	01	AC	94	93	91	88	86	84
AP	02	AAC	94	93	89	86	83	80
AP	03	AC	94	93	91	88	86	84



This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

— BRANCH IDENTIFIER
RW01:10 SECTION IDENTIFIER
 — SECTION BOUNDARY

MAJOR REHABILITATION		GLOBAL TREATMENT	
	2025		GLOBAL TREATMENT
	2026		GLOBAL TREATMENT
	2027		GLOBAL TREATMENT
	2028		GLOBAL TREATMENT
	2029		GLOBAL TREATMENT

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	TW	04	AAC	77,957	87	Crack Seal and Seal Coat	Global Treatment
2025	TW	05	AAC	32,277	69	Crack Seal and Seal Coat	Global Treatment
2026	RW17	01	AC	390,000	91	Crack Seal and Seal Coat	Global Treatment
2026	TW	01	AC	146,978	91	Crack Seal and Seal Coat	Global Treatment
2026	TW	02	AC	73,908	90	Crack Seal and Seal Coat	Global Treatment
2026	TW	03	AC	115,744	91	Crack Seal and Seal Coat	Global Treatment
2026	TW	06	AC	69,862	90	Mill and Overlay	Major Rehabilitation
2026	TW	07	AC	6,034	86	Crack Seal and Seal Coat	Global Treatment
2026	TW	08	AC	11,614	89	Crack Seal and Seal Coat	Global Treatment
2026	TW	09	AC	14,786	90	Crack Seal and Seal Coat	Global Treatment
2026	TW	10	AC	26,488	90	Crack Seal and Seal Coat	Global Treatment
2026	TW	11	AC	21,003	88	Crack Seal and Seal Coat	Global Treatment
2026	TW	12	AC	14,694	91	Crack Seal and Seal Coat	Global Treatment
2026	TW	13	AC	46,962	88	Crack Seal and Seal Coat	Global Treatment
2026	TW	14	AC	84,000	91	Crack Seal and Seal Coat	Global Treatment
2026	AP	01	AC	18,807	91	Crack Seal and Seal Coat	Global Treatment
2026	AP	02	AAC	211,752	89	Crack Seal and Seal Coat	Global Treatment
2026	AP	03	AC	158,181	91	Crack Seal and Seal Coat	Global Treatment



Runway



RW17-01-27: Weathering



RW17-01-71: Overview

Taxiway



TW-05-03: L&T Cracking



TW-11-01: L&T Cracking

Apron



AP-02-27: Weathering



AP-03-16: Weathering

Re-Inspection Report

MDT SASP 2024

Generated Date 1/7/2025

Page 1 of 18

Network: HRF **Name:** Ravalli County Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 388,740 SqFt

Section: 01 of 3 **From:** STA 0+00 A1 **To:** STA 3+80 A1 **Last Const.:** 1/1/2021

Surface: AC **Family:** _MDT2024 - AP AC **Zone:** HAMI **Category:** D **Rank:** O

Area: 18,807 SqFt **Length:** 287 Ft **Width:** 88 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACN **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 7/30/1980 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2020 **Work Type:** Surface Seal - Seal Coat **Code:** SS-SC **Is Major M&R:** False

Work Date: 1/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2021 **Work Type:** Complete Reconstruction - AC **Code:** CR-AC **Is Major M&R:** True

Last Insp. Date: 10/5/2024 **TotalSamples:** 3 **Surveyed:** 2

Conditions: PCI: 94

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 6225.00 SqFt **PCI:** 94

Sample Comments:

57 WEATHERING L 6225.00 SqFt

Sample Number: 03 **Type:** R **Area:** 6025.00 SqFt **PCI:** 94

Sample Comments:

57 WEATHERING L 6025.00 SqFt

Network:	HRF	Name:	Ravalli County Airport						
Branch:	AP	Name:	Apron	Use:	APRON	Area:	388,740 SqFt		
Section:	02	of 3	From:	STA 0+00 A2	To:	STA 6+60 A2	Last Const.:	1/1/2021	
Surface:	AAC	Family:	_MDT2024 - AP AAC	Zone:	HAMI	Category:	A	Rank:	O
Area:	211,752 SqFt	Length:	948 Ft	Width:	246 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	STA	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	7/30/1983	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Treatment - Seal Coat		Code:	ST-SC	Is Major M&R:	False	
Work Date:	1/1/2021	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	36	Surveyed:	5				
Conditions:	PCI: 94								
Inspection Comments:									
Sample Number:	08	Type:	R	Area:	7180.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		7180.00	SqFt				
Sample Number:	13	Type:	R	Area:	5514.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		5514.00	SqFt				
Sample Number:	20	Type:	R	Area:	6788.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		6788.00	SqFt				
Sample Number:	27	Type:	R	Area:	5514.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L		2.00	Ft				
57	WEATHERING	L		5514.00	SqFt				
Sample Number:	33	Type:	R	Area:	5575.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		5575.00	SqFt				

Network:	HRF	Name:	Ravalli County Airport					
Branch:	AP	Name:	Apron	Use:	APRON	Area:	388,740 SqFt	
Section:	03	of 3	From:	TW-01	To:	TW-02	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - AP AC	Zone:		Category:	Rank:	P
Area:	158,181 SqFt	Length:	705 Ft	Width:	209 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/5/2024	TotalSamples:	31	Surveyed:	5			
Conditions:	PCI: 94							
Inspection Comments:								
Sample Number:	04	Type:	R	Area:	5000.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	5000.00	SqFt			
Sample Number:	11	Type:	R	Area:	5473.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	5473.00	SqFt			
Sample Number:	16	Type:	R	Area:	5000.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	5000.00	SqFt			
Sample Number:	23	Type:	R	Area:	5473.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	5473.00	SqFt			
Sample Number:	28	Type:	R	Area:	5000.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	5000.00	SqFt			

Network:	HRF	Name:	Ravalli County Airport						
Branch:	RW17	Name:	Runway 17-35	Use:	RUNWAY	Area:	390,000 SqFt		
Section:	01	of	1	From:	End	To:	End	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - RW AC AAC		Zone:	Category:	Rank: P		
Area:	390,000 SqFt	Length:	5,200 Ft	Width:	75 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	Grade:	0	Lanes:	0				
Section Comments:									
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	80	Surveyed:	7				
Conditions:	PCI: 94	Inspection Comments:							
Sample Number:	05	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					
Sample Number:	16	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					
Sample Number:	27	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					
Sample Number:	38	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					
Sample Number:	49	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					
Sample Number:	60	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					
Sample Number:	71	Type:	R	Area:	4875.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4875.00	SqFt					

Network:	HRF	Name:	Ravalli County Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt	
Section:	01	of 14	From:	TW-08	To:	TW-02/TW-12	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	146,978 SqFt	Length:	4,200 Ft	Width:	35 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:	Previously a runway							
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/5/2024	Total Samples:	30		Surveyed:	5		
Conditions:	PCI: 94							
Inspection Comments:								
Sample Number:	03	Type:	R	Area:	4900.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4900.00	SqFt			
Sample Number:	09	Type:	R	Area:	4900.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4900.00	SqFt			
Sample Number:	15	Type:	R	Area:	4900.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4900.00	SqFt			
Sample Number:	21	Type:	R	Area:	4900.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4900.00	SqFt			
Sample Number:	27	Type:	R	Area:	4900.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4900.00	SqFt			

Network:	HRF	Name:	Ravalli County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt		
Section:	02	of 14	From:	STA 0+00 T2	To:	STA 14+30 T2	Last Const.:	1/1/2021	
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:	HAMI	Category:	D	Rank:	O
Area:	73,908 SqFt	Length:	1,750 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	9/30/1994	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	1/1/2020	Work Type:	Surface Treatment - Seal Coat		Code:	ST-SC	Is Major M&R:	False	
Work Date:	1/1/2021	Work Type:	Reconstruct with AC		Code:	RC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	14	Surveyed:	4				
Conditions:	PCI: 93								
Inspection Comments:									
Sample Number:	03	Type:	R	Area:	5256.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		5256.00	SqFt				
Sample Number:	07	Type:	R	Area:	5251.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L		3.00	Ft				
57	WEATHERING	L		5251.00	SqFt				
Sample Number:	10	Type:	R	Area:	5564.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		5564.00	SqFt				
Sample Number:	13	Type:	R	Area:	5515.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L		5.00	Ft				
57	WEATHERING	L		5515.00	SqFt				

Network:	HRF	Name:	Ravalli County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt		
Section:	03	of 14	From:	End	To:	TW-02	Last Const.:	1/1/2021	
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:	HAMI	Category:	D	Rank:	O
Area:	115,744 SqFt	Length:	2,735 Ft	Width:	30 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	STA	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	7/30/1983	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2021	Work Type:	Complete Reconstruction - AC		Code:	CR-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	23	Surveyed:	5				
Conditions:	PCI: 94								
Inspection Comments:									
Sample Number:	04	Type:	R	Area:	4900.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4900.00	SqFt				
Sample Number:	08	Type:	R	Area:	4900.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4900.00	SqFt				
Sample Number:	13	Type:	R	Area:	4900.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4900.00	SqFt				
Sample Number:	18	Type:	R	Area:	4871.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4871.00	SqFt				
Sample Number:	21	Type:	R	Area:	6714.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		6714.00	SqFt				

Network:	HRF	Name:	Ravalli County Airport				
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt
Section:	04	of 14	From:	-	To:	-	Last Const.: 1/1/2018
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	HAMI	Category:	D
Area:	77,957 SqFt	Length:	2,400 Ft	Width:	35 Ft	Rank:	N
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:	Street Type:	Grade:	0	Lanes:	0		
Section Comments:							
Work Date:	9/30/1992	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R: True
Work Date:	1/1/2018	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R: True
Last Insp. Date:	10/5/2024	TotalSamples:	15	Surveyed:	5		
Conditions:	PCI: 88						
Inspection Comments:							
Sample Number:	02	Type:	R	Area:	6142.00 SqFt	PCI:	87
Sample Comments:							
48	L & T CR	M	25.00 Ft				
57	WEATHERING	L	6142.00 SqFt				
Sample Number:	05	Type:	R	Area:	4800.00 SqFt	PCI:	90
Sample Comments:							
48	L & T CR	L	25.00 Ft				
57	WEATHERING	L	4800.00 SqFt				
Sample Number:	08	Type:	R	Area:	4866.00 SqFt	PCI:	88
Sample Comments:							
48	L & T CR	L	93.00 Ft				
57	WEATHERING	L	4866.00 SqFt				
Sample Number:	11	Type:	R	Area:	6748.00 SqFt	PCI:	86
Sample Comments:							
48	L & T CR	L	48.00 Ft				
57	WEATHERING	L	6411.00 SqFt				
57	WEATHERING	M	337.00 SqFt				
Sample Number:	14	Type:	R	Area:	5520.00 SqFt	PCI:	91
Sample Comments:							
57	WEATHERING	L	5244.00 SqFt				
57	WEATHERING	M	276.00 SqFt				

Network: HRF **Name:** Ravalli County Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 742,307 SqFt

Section: 05 of 14 **From:** R-2 **To:** T-3 **Last Const.:** 8/1/2002

Surface: AAC **Family:** _MDT2024 - TW AAC **Zone:** HAMI **Category:** D **Rank:** O

Area: 32,277 SqFt **Length:** 1,100 Ft **Width:** 25 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2002 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 1/1/2005 **Work Type:** Fog Seal - Global M&R **Code:** FS-GMR **Is Major M&R:** False

Work Date: 1/1/2014 **Work Type:** Surface Treatment - Seal Coat **Code:** ST-SC **Is Major M&R:** False

Work Date: 1/1/2014 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 1/1/2021 **Work Type:** Surface Treatment - Seal Coat **Code:** ST-SC **Is Major M&R:** False

Work Date: 1/1/2021 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Last Insp. Date: 10/5/2024 **TotalSamples:** 7 **Surveyed:** 3

Conditions: PCI: 69

Inspection Comments:

Sample Number: 03 **Type:** R **Area:** 6612.00 SqFt **PCI:** 69

Sample Comments:

48 L & T CR L 550.00 Ft
57 WEATHERING L 5951.00 SqFt
57 WEATHERING M 661.00 SqFt

Sample Number: 06 **Type:** R **Area:** 4245.00 SqFt **PCI:** 70

Sample Comments:

48 L & T CR L 332.00 Ft
57 WEATHERING L 3821.00 SqFt
57 WEATHERING M 424.00 SqFt

Sample Number: 11 **Type:** R **Area:** 3672.00 SqFt **PCI:** 68

Sample Comments:

48 L & T CR L 327.00 Ft
57 WEATHERING L 3305.00 SqFt
57 WEATHERING M 367.00 SqFt

Network:	HRF	Name:	Ravalli County Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt	
Section:	06	of 14	From:	End	To:	TW-02	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	69,862 SqFt	Length:	1,900 Ft	Width:	25 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/2021	Work Type:	New Construction - AC	Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	13	Surveyed:	4			
Conditions:	PCI: 93							
Inspection Comments:								
Sample Number:	02	Type:	R	Area:	5001.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L		5001.00	SqFt			
Sample Number:	04	Type:	R	Area:	5208.00 SqFt	PCI:	90	
Sample Comments:								
48	L & T CR	L		17.00	Ft			
57	WEATHERING	L		5208.00	SqFt			
Sample Number:	10	Type:	R	Area:	4914.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L		4914.00	SqFt			
Sample Number:	12	Type:	R	Area:	4834.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L		4834.00	SqFt			

Network:	HRF	Name:	Ravalli County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt		
Section:	07	of 14	From:	End	To:	TW-05	Last Const.:	1/1/2021	
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:		Rank:	P
Area:	6,034 SqFt	Length:	550 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	Total Samples:	3		Surveyed:	2			
Conditions:	PCI: 89	Inspection Comments:							
Sample Number:	01	Type:	R	Area:	6135.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING		L		6135.00 SqFt				
Sample Number:	03	Type:	R	Area:	6035.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR		L		351.00 Ft				

Network:	HRF	Name:	Ravalli County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt		
Section:	08	of 14	From:	TW-03	To:	TW-01	Last Const.:	1/1/2021	
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:		Rank:	P
Area:	11,614 SqFt	Length:	212 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/1983	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	1/1/2015	Work Type:	Surface Treatment - Seal Coat		Code:	ST-SC	Is Major M&R:	False	
Work Date:	1/1/2021	Work Type:	Reconstruct with AC		Code:	RC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	2		Surveyed:	2			
Conditions:	PCI:	92							
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	6124.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	23.00 Ft						
57	WEATHERING	L	6124.00 SqFt						
Sample Number:	02	Type:	R	Area:	5490.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5490.00 SqFt						

Network:	HRF	Name:	Ravalli County Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt	
Section:	09	of 14	From:	TW-03	To:	TW-01	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	14,786 SqFt	Length:	212 Ft	Width:	35 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/1983	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Work Date:	1/1/2021	Work Type:	Reconstruct with AC		Code:	RC-AC	Is Major M&R:	True
Last Insp. Date:	10/5/2024	TotalSamples:	3	Surveyed:	2			
Conditions:	PCI: 93							
Inspection Comments:								
Sample Number:	01	Type:	R	Area:	5157.00 SqFt	PCI:	92	
Sample Comments:								
48	L & T CR	L	6.00	Ft				
57	WEATHERING	L	5157.00	SqFt				
Sample Number:	02	Type:	R	Area:	4294.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L	4294.00	SqFt				

Network:	HRF	Name:	Ravalli County Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt	
Section:	10	of 14	From:	TW-01	To:	RW17-01	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	26,488 SqFt	Length:	348 Ft	Width:	40 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/5/2024	TotalSamples:	5	Surveyed:	3			
Conditions:	PCI: 93							
Inspection Comments:								
Sample Number:	02	Type:	R	Area:	5830.00 SqFt	PCI:	91	
Sample Comments:								
48	L & T CR	L	10.00 Ft					
57	WEATHERING	L	5830.00 SqFt					
Sample Number:	03	Type:	R	Area:	5804.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L	5804.00 SqFt					
Sample Number:	05	Type:	R	Area:	3964.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L	3964.00 SqFt					

Network:	HRF	Name:	Ravalli County Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt	
Section:	11	of 14	From:	TW-12	To:	RW17-01	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	21,003 SqFt	Length:	184 Ft	Width:	60 Ft			
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:	Street Type:		Grade:	0	Lanes:	0		
Section Comments:								
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/5/2024	TotalSamples:	4	Surveyed:	3			
Conditions:	PCI: 91							
Inspection Comments:								
Sample Number:	01	Type:	R	Area:	4180.00 SqFt	PCI:	89	
Sample Comments:								
48	L & T CR	L	35.00 Ft					
57	WEATHERING	L	4180.00 SqFt					
Sample Number:	03	Type:	R	Area:	6785.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING	L	6785.00 SqFt					
Sample Number:	04	Type:	R	Area:	6044.00 SqFt	PCI:	90	
Sample Comments:								
48	L & T CR	L	34.00 Ft					
57	WEATHERING	L	6044.00 SqFt					

Network:	HRF	Name:	Ravalli County Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt	
Section:	12	of 14	From:	RW17-01	To:	TW-14	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	14,694 SqFt	Length:	185 Ft	Width:	60 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/5/2024	Total Samples:	3		Surveyed:	2		
Conditions:	PCI: 94							
Inspection Comments:								
Sample Number:	01	Type:	R	Area:	4926.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4926.00	SqFt			
Sample Number:	02	Type:	R	Area:	4494.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	4494.00	SqFt			

Network:	HRF	Name:	Ravalli County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt		
Section:	13	of	14	From:	End	To:	TW-03/04	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:		Rank:	P
Area:	46,962 SqFt	Length:	1,870 Ft	Width:	25 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/1983	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	1/1/2021	Work Type:	Reconstruct with AC		Code:	RC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	8	Surveyed:	4				
Conditions:	PCI: 91								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	6179.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L	20.00	Ft					
57	WEATHERING	L	5870.00	SqFt					
57	WEATHERING	M	309.00	SqFt					
Sample Number:	03	Type:	R	Area:	4877.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	4877.00	SqFt					
Sample Number:	04	Type:	R	Area:	6641.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L	8.00	Ft					
57	WEATHERING	L	6641.00	SqFt					
Sample Number:	08	Type:	R	Area:	6860.00 SqFt	PCI:	91		
Sample Comments:									
57	WEATHERING	L	6517.00	SqFt					
57	WEATHERING	M	343.00	SqFt					

Network:	HRF	Name:	Ravalli County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	742,307 SqFt		
Section:	14	of	14	From:	TW-01	To:	RW17-01	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:		Rank:	P
Area:	84,000 SqFt	Length:	2,400 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/5/2024	TotalSamples:	20		Surveyed:	4			
Conditions:	PCI: 94	Inspection Comments:							
Sample Number:	01	Type:	R	Area:	6573.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING		L	6573.00	SqFt				
Sample Number:	05	Type:	R	Area:	4900.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING		L	4900.00	SqFt				
Sample Number:	11	Type:	R	Area:	4900.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING		L	4900.00	SqFt				
Sample Number:	18	Type:	R	Area:	4900.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING		L	4900.00	SqFt				