



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.




CURRENT 2024 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW07	01	Runway 07-25	AAC	382,500	3.9	1/1/2021	10/11/2024	93	Good
TW	01	Taxiway	AAC	2,169	3.9	1/1/2021	10/11/2024	92	Good
TW	03	Taxiway	AAC	15,800	3.9	1/1/2021	10/11/2024	93	Good
TW	04	Taxiway	AC	75,483	11.3	8/1/2013	10/11/2024	79	Satisfactory
TW	05	Taxiway	AC	6,692	3.9	1/1/2021	10/11/2024	94	Good
TW	06	Taxiway	AC	6,554	3.9	1/1/2021	10/11/2024	92	Good
TW	07	Taxiway	AC	36,924	3.9	1/1/2021	10/11/2024	92	Good
TW	08	Taxiway	AC	16,186	11.3	8/1/2013	10/11/2024	77	Satisfactory
TW	09	Taxiway	AC	74,821	3.9	1/1/2021	10/11/2024	91	Good
TW	10	Taxiway	AC	8,824	3.9	1/1/2021	10/11/2024	94	Good
TW	11	Taxiway	AC	6,692	3.9	1/1/2021	10/11/2024	94	Good
AP	01	Apron	AAC	35,388	3.9	1/1/2021	10/11/2024	91	Good
AP	02	Apron	AAC	15,390	3.9	1/1/2021	10/11/2024	94	Good

AIRFIELD PAVEMENT WORK HISTORY

- ADAP-01, 1980, CONSTRUCT RUNWAY, TAXIWAY, AND APRON.
- AIP-001-1987, REHABILITATE RUNWAY, TAXIWAY, AND APRON.
- AIP-003-2002, CONSTRUCT HANGAR ACCESS TAXIWAY (TW:03); OVERLAY RUNWAY (RW07:01), AND APRON (AP:01, AP:02).
- AIP-004-2004, RUNWAY (RW07:01) PAVEMENT MAINTENANCE.
- AIP-007-2007, CRACK SEAL, FOG SEAL, AND REMARK ALL PAVEMENTS.
- AIP-011-2013, CONSTRUCT TAXIWAY (TW:04).
- AIP-013-2016, CRACK SEAL, SURFACE SEAL AND REMARK ALL PAVEMENTS.
- AIP-015-2020, CONSTRUCT TAXIWAY (TW:05, TW:06, TW:07, TW:09, TW:10, TW:11); REHABILITATE APRON (AP:01, AP:02), RUNWAY (RW07:01), AND TAXIWAY (TW:01, TW:03).

This document, together with the concepts and designs presented herein, is an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.




LEGEND

- BRANCH IDENTIFIER
- SECTION IDENTIFIER
- SECTION BOUNDARY
- PCI 86-100 GOOD
- PCI 71-85 SATISFACTORY
- PCI 56-70 FAIR
- PCI 41-55 POOR
- PCI 26-40 VERY POOR
- PCI 11-25 SERIOUS
- PCI 0-10 FAILED

FORECASTED PAVEMENT CONDITION INDEX

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW07	01	AAC	93	92	90	87	85	83
TW	01	AAC	92	91	89	87	84	83
TW	03	AAC	93	92	90	87	85	83
TW	04	AC	79	79	78	76	75	75
TW	05	AC	94	93	91	88	86	84
TW	06	AC	92	91	89	87	85	83
TW	07	AC	92	91	89	87	85	83
TW	08	AC	77	77	76	75	74	73
TW	09	AC	91	90	88	86	84	82
TW	10	AC	94	93	91	88	86	84
TW	11	AC	94	93	91	88	86	84
AP	01	AAC	91	90	87	84	81	79
AP	02	AAC	94	93	89	86	83	80

This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

— BRANCH IDENTIFIER
 — SECTION IDENTIFIER
 — SECTION BOUNDARY

MAJOR REHABILITATION	GLOBAL TREATMENT
2025	2025
2026	2026
2027	2027
2028	2028
2029	2029

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2026	AP	01	AAC	35,388	87	Crack Seal and Seal Coat	Global Treatment
2026	AP	02	AAC	15,390	89	Crack Seal and Seal Coat	Global Treatment
2026	RW07	01	AAC	382,500	90	Crack Seal and Seal Coat	Global Treatment
2026	TW	01	AAC	2,169	89	Crack Seal and Seal Coat	Global Treatment
2026	TW	03	AAC	15,800	90	Crack Seal and Seal Coat	Global Treatment
2025	TW	04	AC	75,483	79	Crack Seal and Seal Coat	Global Treatment
2026	TW	05	AC	6,692	91	Crack Seal and Seal Coat	Global Treatment
2026	TW	06	AC	6,554	89	Crack Seal and Seal Coat	Global Treatment
2026	TW	07	AC	36,924	89	Crack Seal and Seal Coat	Global Treatment
2025	TW	08	AC	16,186	77	Crack Seal and Seal Coat	Global Treatment
2026	TW	09	AC	74,821	88	Crack Seal and Seal Coat	Global Treatment
2026	TW	10	AC	8,824	91	Crack Seal and Seal Coat	Global Treatment
2026	TW	11	AC	6,692	91	Crack Seal and Seal Coat	Global Treatment

Runway



RW07-01-02: Weathering



RW07-01-34: L&T Cracking

Taxiway



TW-04-11: L&T Cracking



TW-07-01: L&T Cracking

Apron



AP-01-01: L&T Cracking



AP-01-07: Weathering

Re-Inspection Report

MDT SASP 2024

Generated Date

1/7/2025

Page 1 of 13

Network:	RPX	Name:	Roundup Airport						
Branch:	AP	Name:	Apron	Use:	APRON	Area:	50,778 SqFt		
Section:	01	of 2	From:	T-1	To:	T-2	Last Const.:	1/1/2021	
Surface:	AAC	Family:	_MDT2024 - AP AAC	Zone:	ROUN	Category:	D	Rank:	O
Area:	35,388 SqFt	Length:	0 Ft	Width:	0 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACN	Grade:	0	Lanes:	0			

Section Comments:

Work Date:	7/31/1976	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True
Work Date:	8/1/2002	Work Type:	Overlay - AC Thin	Code:	OL-AT	Is Major M&R:	True
Work Date:	1/1/2021	Work Type:	Mill and Overlay	Code:	M_OL	Is Major M&R:	True

Last Insp. Date: 10/11/2024 **TotalSamples:** 7 **Surveyed:** 4

Conditions: PCI: 91

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 5570.00 SqFt **PCI:** 90

Sample Comments:

48 L & T CR L 18.00 Ft
57 WEATHERING L 5570.00 SqFt

Sample Number: 03 **Type:** R **Area:** 5570.00 SqFt **PCI:** 94

Sample Comments:

57 WEATHERING L 5570.00 SqFt

Sample Number: 04 **Type:** R **Area:** 5570.00 SqFt **PCI:** 90

Sample Comments:

48 L & T CR L 17.00 Ft
57 WEATHERING L 5570.00 SqFt

Sample Number: 07 **Type:** R **Area:** 4011.00 SqFt **PCI:** 89

Sample Comments:

48 L & T CR L 42.00 Ft
57 WEATHERING L 4011.00 SqFt

Network:	RPX	Name:	Roundup Airport				
Branch:	AP	Name:	Apron	Use:	APRON	Area:	50,778 SqFt
Section:	02	of 2	From:	NORTHEAST CORNER OF APRON	To:		Last Const.: 1/1/2021
Surface:	AAC	Family:	_MDT2024 - AP AAC	Zone:	ROUN	Category:	D
Area:	15,390 SqFt	Length:	171 Ft	Width:	90 Ft	Rank:	O
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft
Shoulder:		Street Type:	ACN	Grade:	0	Lanes:	0
Section Comments:							
Work Date:	7/31/1987	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R: True
Work Date:	8/1/2002	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R: True
Work Date:	1/1/2021	Work Type:	Mill and Overlay		Code:	M_OL	Is Major M&R: True
Last Insp. Date:	10/11/2024	TotalSamples:	3	Surveyed:	2		
Conditions:	PCI: 94						
Inspection Comments:							
Sample Number:	01	Type:	R	Area:	5130.00 SqFt	PCI:	94
Sample Comments:							
57	WEATHERING	L		5130.00	SqFt		
Sample Number:	03	Type:	R	Area:	5130.00 SqFt	PCI:	94
Sample Comments:							
57	WEATHERING	L		5130.00	SqFt		

Network:	RPX	Name:	Roundup Airport						
Branch:	RW07	Name:	Runway 07-25	Use:	RUNWAY	Area:	382,500 SqFt		
Section:	01	of	1	From:	RWY 6-24 STA 0+00	To:	RWY 6-24 STA 51+00	Last Const.:	1/1/2021
Surface:	AAC	Family:	_MDT2024 - RW AC AAC	Zone:	ROUN	Category:	D	Rank:	O
Area:	382,500 SqFt	Length:	5,100 Ft	Width:	75 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACR	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	7/31/1987	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2002	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Work Date:	1/1/2021	Work Type:	Mill and Overlay		Code:	M_OL	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	TotalSamples:	79	Surveyed:	7				
Conditions:	PCI: 93								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	4874.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4874.00	SqFt				
Sample Number:	12	Type:	R	Area:	4874.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4874.00	SqFt				
Sample Number:	23	Type:	R	Area:	4874.00 SqFt	PCI:	91		
Sample Comments:									
48	L & T CR	L		8.00	Ft				
57	WEATHERING	L		4874.00	SqFt				
Sample Number:	34	Type:	R	Area:	4874.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L		3.00	Ft				
57	WEATHERING	L		4874.00	SqFt				
Sample Number:	46	Type:	R	Area:	4874.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4874.00	SqFt				
Sample Number:	68	Type:	R	Area:	4874.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4874.00	SqFt				
Sample Number:	79	Type:	R	Area:	4874.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4874.00	SqFt				

Network:	RPX	Name:	Roundup Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt		
Section:	01	of	10	From:	RWY 6-24 STA 8+25	To:	APRON (A-1)	Last Const.:	1/1/2021
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	ROUN	Category:	D	Rank:	O
Area:	2,169 SqFt	Length:	918 Ft	Width:	40 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACR	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	7/31/1976	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2002	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Work Date:	1/1/2021	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	TotalSamples:	8	Surveyed:	4				
Conditions:	PCI: 92								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5000.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	79.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	04	Type:	R	Area:	5000.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	06	Type:	R	Area:	5003.00 SqFt	PCI:	91		
Sample Comments:									
48	L & T CR	L	10.00	Ft					
57	WEATHERING	L	5003.00	SqFt					
Sample Number:	07	Type:	R	Area:	5065.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5065.00	SqFt					

Network:	RPX	Name:	Roundup Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt		
Section:	03	of 10	From:	T-1	To:	HANGARS	Last Const.:	1/1/2021	
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	ROUN	Category:	D	Rank:	O
Area:	15,800 SqFt	Length:	632 Ft	Width:	25 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACR	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	10/1/2002	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2021	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	TotalSamples:	4	Surveyed:	3				
Conditions:	PCI: 93								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	3956.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		3956.00	SqFt				
Sample Number:	03	Type:	R	Area:	3935.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		3935.00	SqFt				
Sample Number:	04	Type:	R	Area:	3935.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L		3.00	Ft				
57	WEATHERING	L		3935.00	SqFt				

Network:	RPX	Name:	Roundup Airport				
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt
Section:	04	of 10	From:	T-1	To:	R-1	Last Const.: 8/1/2013
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	D
Area:	75,483 SqFt	Length:	2,360 Ft	Width:	35 Ft	Rank:	O
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft
Shoulder:		Street Type:	ACR	Grade:	0	Lanes:	0
Section Comments:							
Work Date:	8/1/2013	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R: True
Last Insp. Date:	10/11/2024	TotalSamples:	15	Surveyed:	5		
Conditions:	PCI: 79	Inspection Comments:					
Sample Number:	02	Type:	R	Area:	4935.00 SqFt	PCI:	85
Sample Comments:							
42	BLEEDING	N	5.00	SqFt			
48	L & T CR	L	22.00	Ft			
57	WEATHERING	L	4441.00	SqFt			
57	WEATHERING	M	494.00	SqFt			
Sample Number:	05	Type:	R	Area:	4935.00 SqFt	PCI:	75
Sample Comments:							
48	L & T CR	L	150.00	Ft			
48	L & T CR	M	20.00	Ft			
57	WEATHERING	L	4441.00	SqFt			
57	WEATHERING	M	494.00	SqFt			
Sample Number:	08	Type:	R	Area:	4935.00 SqFt	PCI:	76
Sample Comments:							
48	L & T CR	L	132.00	Ft			
48	L & T CR	M	20.00	Ft			
57	WEATHERING	L	4441.00	SqFt			
57	WEATHERING	M	494.00	SqFt			
Sample Number:	11	Type:	R	Area:	4935.00 SqFt	PCI:	73
Sample Comments:							
48	L & T CR	L	193.00	Ft			
48	L & T CR	M	20.00	Ft			
57	WEATHERING	L	4441.00	SqFt			
57	WEATHERING	M	494.00	SqFt			
Sample Number:	15	Type:	R	Area:	4935.00 SqFt	PCI:	87
Sample Comments:							
48	L & T CR	L	5.00	Ft			
57	WEATHERING	L	4441.00	SqFt			
57	WEATHERING	M	494.00	SqFt			

Network:	RPX	Name:	Roundup Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt		
Section:	05	of	10	From:	RW07	To:	TW06	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:		Rank:	P
Area:	6,692 SqFt	Length:	125 Ft	Width:	43 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	TotalSamples:	1		Surveyed:	1			
Conditions:	PCI: 94								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	6692.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	6692.00 SqFt						

Network:	RPX	Name:	Roundup Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt	
Section:	06	of 10	From:	TW05	To:	TW07	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	6,554 SqFt	Length:	113 Ft	Width:	58 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/11/2024	Total Samples:	2	Surveyed:	2			
Conditions:	PCI: 92							
Inspection Comments:								
Sample Number:	01	Type:	R	Area:	3092.00 SqFt	PCI:	94	
Sample Comments:								
57	WEATHERING		L	3092.00	SqFt			
Sample Number:	02	Type:	R	Area:	4029.00 SqFt	PCI:	91	
Sample Comments:								
48	L & T CR		L	7.00	Ft			
57	WEATHERING		L	4029.00	SqFt			

Network:	RPX	Name:	Roundup Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt		
Section:	07	of	10	From:	TW06	To:	TW01	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC		Zone:	Category:	Rank: P		
Area:	36,924 SqFt	Length:	753 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	Grade:	0	Lanes:	0				
Section Comments:									
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	TotalSamples:	7	Surveyed:	4				
Conditions:	PCI: 92	Inspection Comments:							
Sample Number:	01	Type:	R	Area:	5142.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	29.00 Ft						
57	WEATHERING	L	5142.00 SqFt						
Sample Number:	03	Type:	R	Area:	5303.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5303.00 SqFt						
Sample Number:	05	Type:	R	Area:	3484.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	3484.00 SqFt						
Sample Number:	06	Type:	R	Area:	6377.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	25.00 Ft						
57	WEATHERING	L	6377.00 SqFt						

Network:	RPX	Name:	Roundup Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt	
Section:	08	of 10	From:	RW07	To:	TW09	Last Const.:	8/1/2013
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank:	P
Area:	16,186 SqFt	Length:	245 Ft	Width:	40 Ft			
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft	
Shoulder:		Street Type:		Grade:	0	Lanes:	0	
Section Comments:								
Work Date:	8/1/2013	Work Type:	New Construction - AC	Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	Total Samples:	3	Surveyed:	2			
Conditions:	PCI: 77							
Inspection Comments:								
Sample Number:	01	Type:	R	Area:	6733.00 SqFt	PCI:	75	
Sample Comments:								
48	L & T CR	L	5.00	Ft				
50	PATCHING	L	520.00	SqFt				
57	WEATHERING	L	6060.00	SqFt				
57	WEATHERING	M	673.00	SqFt				
Sample Number:	03	Type:	R	Area:	4881.00 SqFt	PCI:	81	
Sample Comments:								
48	L & T CR	L	15.00	Ft				
48	L & T CR	M	15.00	Ft				
57	WEATHERING	L	4393.00	SqFt				
57	WEATHERING	M	488.00	SqFt				

Network:	RPX	Name:	Roundup Airport				
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt
Section:	09	of 10	From:	TW04	To:	TW10	Last Const.: 1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:	Rank: P
Area:	74,821 SqFt	Length:	2,157 Ft	Width:	35 Ft		
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft
Shoulder:		Street Type:		Grade:	0	Lanes:	0
Section Comments:							
Work Date:	1/1/2021	Work Type:	New Construction - AC	Code:	NC-AC	Is Major M&R:	True
Last Insp. Date:	10/11/2024	TotalSamples:	14	Surveyed:	4		
Conditions:	PCI: 91						
Inspection Comments:							
Sample Number:	02	Type:	R	Area:	5250.00 SqFt	PCI:	94
Sample Comments:							
57	WEATHERING	L		5250.00 SqFt			
Sample Number:	06	Type:	R	Area:	5250.00 SqFt	PCI:	94
Sample Comments:							
57	WEATHERING	L		5250.00 SqFt			
Sample Number:	10	Type:	R	Area:	5250.00 SqFt	PCI:	88
Sample Comments:							
48	L & T CR	L		102.00 Ft			
57	WEATHERING	L		5250.00 SqFt			
Sample Number:	14	Type:	R	Area:	6571.00 SqFt	PCI:	90
Sample Comments:							
48	L & T CR	L		30.00 Ft			
57	WEATHERING	L		6571.00 SqFt			

Network:	RPX	Name:	Roundup Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt		
Section:	10	of	10	From:	TW09	To:	TW11	Last Const.:	1/1/2021
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:		Category:		Rank:	P
Area:	8,824 SqFt	Length:	120 Ft	Width:	43 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	10/11/2024	TotalSamples:	2		Surveyed:	2			
Conditions:	PCI: 94								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4762.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4762.00	SqFt				
Sample Number:	02	Type:	R	Area:	4062.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4062.00	SqFt				

Network:	RPX	Name:	Roundup Airport							
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	250,145 SqFt			
Section:	11	of	10	From:	RW07	To:	TW10	Last Const.:	1/1/2021	
Surface:	AC	Family:	_MDT2024 - TW AC		Zone:		Category:		Rank:	P
Area:	6,692 SqFt	Length:	125 Ft	Width:	43 Ft					
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:		Street Type:		Grade:	0	Lanes:	0			
Section Comments:										
Work Date:	1/1/2021	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True		
Last Insp. Date:	10/11/2024	TotalSamples:	1	Surveyed:	1					
Conditions:	PCI: 94									
Inspection Comments:										
Sample Number:	01	Type:	R	Area:	6692.00 SqFt	PCI:	94			
Sample Comments:										
57	WEATHERING	L	6692.00	SqFt						