


This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



**LEGEND**

BRANCH IDENTIFIER	
RW01:10	SECTION IDENTIFIER
—	SECTION BOUNDARY
<span style="display:inline-block; width:15px; height:15px; background-color:darkgreen; border:1px solid black;"></span>	PCI 86-100 GOOD
<span style="display:inline-block; width:15px; height:15px; background-color:lightgreen; border:1px solid black;"></span>	PCI 71-85 SATISFACTORY
<span style="display:inline-block; width:15px; height:15px; background-color:yellow; border:1px solid black;"></span>	PCI 56-70 FAIR
<span style="display:inline-block; width:15px; height:15px; background-color:orange; border:1px solid black;"></span>	PCI 41-55 POOR
<span style="display:inline-block; width:15px; height:15px; background-color:lightcoral; border:1px solid black;"></span>	PCI 26-40 VERY POOR
<span style="display:inline-block; width:15px; height:15px; background-color:firebrick; border:1px solid black;"></span>	PCI 11-25 SERIOUS
<span style="display:inline-block; width:15px; height:15px; background-color:gray; border:1px solid black;"></span>	PCI 0-10 FAILED

**CURRENT 2024 PAVEMENT CONDITION INDEX**


Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW01	01	Runway 01-19	AAC	1,012,500	21.3	8/1/2003	10/7/2024	70	Fair
RW01	02	Runway 01-19	AAC	247,500	21.3	8/1/2003	10/7/2024	66	Fair
TW	02	Taxiway	AC	7,000	31.1	9/30/1993	10/7/2024	68	Fair
TW	11	Taxiway	AAC	750,000	8	11/4/2016	10/7/2024	91	Good
AP	01	Apron	AAC	195,680	7.4	7/1/2017	10/7/2024	91	Good
AP	02	Apron	AAC	125,000	7.4	7/1/2017	10/7/2024	92	Good
AP	03	Apron	AAC	122,630	7.4	7/1/2017	10/7/2024	92	Good
AP	04	Apron	AAC	75,000	7.4	7/1/2017	10/7/2024	93	Good
AP	05	Apron	PCC	4,320	36.1	9/30/1988	10/7/2024	75	Satisfactory

**AIRFIELD PAVEMENT WORK HISTORY**

- SEPT. 1969, CRITICAL AIRCRAFT IS 100,000 LBS. (737) ON DUAL GEAR. ESTIMATED SINGLE WHEEL LOADING.
- AIP-003-1991, CONSTRUCT ACCESS TAXIWAY (TW:02); REHABILITATE APRON (AP:04).
- AIP-005-2003, OVERLAY AND GROOVE RUNWAY 1/19 (RW01:01,RW01:02).
- AIP-014-2013, CRACK SEAL, FOG SEAL, AND REMARK PAVEMENTS; RESEAL CONCRETE JOINTS (AP:05).
- AIP-018-2016, MILL AND OVERLAY APRON (AP:01,AP:02,AP:03,AP:04) AND TAXIWAY (TW:11). [APRONS NOT INSPECTED 2018].



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.




**LEGEND**

- BRANCH IDENTIFIER
- RW01:10** — SECTION IDENTIFIER
- SECTION BOUNDARY
- PCI 86-100 GOOD
- PCI 71-85 SATISFACTORY
- PCI 56-70 FAIR
- PCI 41-55 POOR
- PCI 26-40 VERY POOR
- PCI 11-25 SERIOUS
- PCI 0-10 FAILED

**FORECASTED PAVEMENT CONDITION INDEX**

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW01	01	AAC	70	70	69	67	66	64
RW01	02	AAC	66	66	64	62	60	57
TW	02	AC	68	68	67	66	65	64
TW	11	AAC	91	90	88	86	84	82
AP	01	AAC	91	90	87	84	81	79
AP	02	AAC	92	91	87	84	82	79
AP	03	AAC	92	91	87	84	82	79
AP	04	AAC	93	92	88	85	82	80
AP	05	PCC	75	75	73	72	71	70

This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

— BRANCH IDENTIFIER  
**RW01:10** SECTION IDENTIFIER  
 — SECTION BOUNDARY

MAJOR REHABILITATION		GLOBAL TREATMENT
	2025	
	2026	
	2027	
	2028	
	2029	

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	RW01	01	AAC	1,012,500	70	Mill and Overlay	Major Rehabilitation
2025	RW01	02	AAC	247,500	66	Mill and Overlay	Major Rehabilitation
2025	TW	02	AC	7,000	68	Mill and Overlay	Major Rehabilitation
2025	TW	11	AAC	750,000	90	Crack Seal and Seal Coat	Global Treatment
2025	AP	01	AAC	195,680	90	Crack Seal and Seal Coat	Global Treatment
2025	AP	02	AAC	125,000	91	Crack Seal and Seal Coat	Global Treatment
2025	AP	03	AAC	122,630	91	Crack Seal and Seal Coat	Global Treatment
2025	AP	04	AAC	75,000	92	Crack Seal and Seal Coat	Global Treatment

Runway



*RW01-01-85: L&T Cracking*



*RW01-02-28: L&T Cracking*

Taxiway



*TW-02-02: L&T Cracking*



*TW-11-145: L&T Cracking*

Apron



*AP-03-02: Weathering*



*AP-05-01: Corner Break*

# Re-Inspection Report

MDT SASP 2024

Generated Date 1/7/2025

Page 1 of 9

---

**Network:** WYS **Name:** Yellowstone Airport

---

**Branch:** AP **Name:** Apron **Use:** APRON **Area:** 522,630 SqFt

---

**Section:** 01 of 5 **From:** STA 5+00A **To:** STA 14+00A **Last Const.:** 7/1/2017

**Surface:** AAC **Family:** \_MDT2024 - AP AAC **Zone:** YELL **Category:** I **Rank:** P

**Area:** 195,680 SqFt **Length:** 800 Ft **Width:** 250 Ft

**Slabs:** **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

**Shoulder:** **Street Type:** ACS **Grade:** 0 **Lanes:** 0

**Section Comments:**

---

**Work Date:** 7/30/1980 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

---

**Work Date:** 7/1/2017 **Work Type:** Mill and Overlay **Code:** ML-OL **Is Major M&R:** True

---

**Last Insp. Date:** 10/7/2024 **TotalSamples:** 107 **Surveyed:** 5

**Conditions:** PCI: 91

**Inspection Comments:**

---

**Sample Number:** 16 **Type:** R **Area:** 5000.00 SqFt **PCI:** 87

**Sample Comments:**

53 RUTTING L 4.00 SqFt  
57 WEATHERING L 5000.00 SqFt

---

**Sample Number:** 18 **Type:** R **Area:** 5000.00 SqFt **PCI:** 94

**Sample Comments:**

57 WEATHERING L 5000.00 SqFt

---

**Sample Number:** 21 **Type:** R **Area:** 5000.00 SqFt **PCI:** 90

**Sample Comments:**

48 L & T CR L 37.00 Ft  
57 WEATHERING L 5000.00 SqFt

---

**Sample Number:** 31 **Type:** R **Area:** 5000.00 SqFt **PCI:** 88

**Sample Comments:**

48 L & T CR L 83.00 Ft  
57 WEATHERING L 5000.00 SqFt

---

**Sample Number:** 35 **Type:** R **Area:** 5200.00 SqFt **PCI:** 94

**Sample Comments:**

57 WEATHERING L 5200.00 SqFt

<b>Network:</b>	WYS	<b>Name:</b>	Yellowstone Airport						
<b>Branch:</b>	AP	<b>Name:</b>	Apron	<b>Use:</b>	APRON	<b>Area:</b>	522,630 SqFt		
<b>Section:</b>	02	of	5	<b>From:</b>	STA 13+00A	<b>To:</b>	STA 18+00A	<b>Last Const.:</b>	7/1/2017
<b>Surface:</b>	AAC	<b>Family:</b>	_MDT2024 - AP AAC	<b>Zone:</b>	YELL	<b>Category:</b>	F	<b>Rank:</b>	P
<b>Area:</b>	125,000 SqFt	<b>Length:</b>	500 Ft	<b>Width:</b>	250 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACS	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	7/30/1980	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2017	<b>Work Type:</b>	Mill and Overlay		<b>Code:</b>	ML-OL	<b>Is Major M&amp;R:</b>	True	
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	63	<b>Surveyed:</b>	6				
<b>Conditions:</b>	PCI: 92								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	89		
<b>Sample Comments:</b>									
48	L & T CR	L	65.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
<b>Sample Number:</b>	04	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	89		
<b>Sample Comments:</b>									
48	L & T CR	L	74.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
<b>Sample Number:</b>	08	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L	5000.00	SqFt					
<b>Sample Number:</b>	17	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	92		
<b>Sample Comments:</b>									
48	L & T CR	L	3.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
<b>Sample Number:</b>	19	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L	5000.00	SqFt					
<b>Sample Number:</b>	23	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	92		
<b>Sample Comments:</b>									
48	L & T CR	L	3.00	Ft					
57	WEATHERING	L	5000.00	SqFt					



<b>Network:</b>	WYS	<b>Name:</b>	Yellowstone Airport						
<b>Branch:</b>	AP	<b>Name:</b>	Apron	<b>Use:</b>	APRON	<b>Area:</b>	522,630 SqFt		
<b>Section:</b>	03	of	5	<b>From:</b>	STA 0+00A	<b>To:</b>	STA 5+00A	<b>Last Const.:</b>	7/1/2017
<b>Surface:</b>	AAC	<b>Family:</b>	_MDT2024 - AP AAC	<b>Zone:</b>	YELL	<b>Category:</b>	I	<b>Rank:</b>	P
<b>Area:</b>	122,630 SqFt	<b>Length:</b>	492 Ft	<b>Width:</b>	250 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACS	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	7/30/1980	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2017	<b>Work Type:</b>	Mill and Overlay		<b>Code:</b>	ML-OL	<b>Is Major M&amp;R:</b>	True	
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	63	<b>Surveyed:</b>	6				
<b>Conditions:</b>	PCI: 92								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	4400.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L		4400.00	SqFt				
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	4400.00 SqFt	<b>PCI:</b>	87		
<b>Sample Comments:</b>									
50	PATCHING	L		144.00	SqFt				
57	WEATHERING	L		4256.00	SqFt				
<b>Sample Number:</b>	08	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L		5000.00	SqFt				
<b>Sample Number:</b>	12	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L		5000.00	SqFt				
<b>Sample Number:</b>	16	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	91		
<b>Sample Comments:</b>									
48	L & T CR	L		10.00	Ft				
57	WEATHERING	L		5000.00	SqFt				
<b>Sample Number:</b>	23	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L		5000.00	SqFt				

<b>Network:</b>	WYS	<b>Name:</b>	Yellowstone Airport						
<b>Branch:</b>	AP	<b>Name:</b>	Apron	<b>Use:</b>	APRON	<b>Area:</b>	522,630 SqFt		
<b>Section:</b>	04	of	5	<b>From:</b>	STA 18+00A	<b>To:</b>	STA 21+00A	<b>Last Const.:</b>	7/1/2017
<b>Surface:</b>	AAC	<b>Family:</b>	_MDT2024 - AP AAC	<b>Zone:</b>	YELL	<b>Category:</b>	D	<b>Rank:</b>	P
<b>Area:</b>	75,000 SqFt	<b>Length:</b>	300 Ft	<b>Width:</b>	250 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACS	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	7/30/1980	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2017	<b>Work Type:</b>	Mill and Overlay		<b>Code:</b>	ML-OL	<b>Is Major M&amp;R:</b>	True	
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	35	<b>Surveyed:</b>	5				
<b>Conditions:</b>	PCI: 93								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING		L	5000.00	SqFt				
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING		L	5000.00	SqFt				
<b>Sample Number:</b>	08	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING		L	5000.00	SqFt				
<b>Sample Number:</b>	11	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	88		
<b>Sample Comments:</b>									
50	PATCHING		L	144.00	SqFt				
57	WEATHERING		L	4856.00	SqFt				
<b>Sample Number:</b>	14	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING		L	5000.00	SqFt				

**Network:** WYS **Name:** Yellowstone Airport

**Branch:** AP **Name:** Apron **Use:** APRON **Area:** 522,630 SqFt

**Section:** 05 of 5 **From:** Fueling Station **To:** **Last Const.:** 9/30/1988

**Surface:** PCC **Family:** \_MDT2024 - All PCC **Zone:** YELL **Category:** P **Rank:** P

**Area:** 4,320 SqFt **Length:** 72 Ft **Width:** 60 Ft

**Slabs:** 30 **Slab Length:** 12 Ft **Slab Width:** 12 Ft **Joint Length:** 588 Ft

**Shoulder:** **Street Type:** PCA **Grade:** 0 **Lanes:** 0

**Section Comments:**

**Work Date:** 9/30/1988 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

**Last Insp. Date:** 10/7/2024 **TotalSamples:** 2 **Surveyed:** 2

**Conditions:** PCI: 75

**Inspection Comments:**

**Sample Number:** 01 **Type:** R **Area:** 15.00 Slabs **PCI:** 72

**Sample Comments:**

62 CORNER BREAK L 1.00 Slabs

63 LINEAR CR L 2.00 Slabs

65 JT SEAL DMG M 15.00 Slabs

67 LARGE PATCH L 1.00 Slabs

73 SHRINKAGE CR N 3.00 Slabs

**Sample Number:** 02 **Type:** R **Area:** 15.00 Slabs **PCI:** 78

**Sample Comments:**

63 LINEAR CR L 2.00 Slabs

65 JT SEAL DMG M 15.00 Slabs

73 SHRINKAGE CR N 2.00 Slabs

74 JOINT SPALL L 2.00 Slabs

<b>Network:</b>	WYS		<b>Name:</b>	Yellowstone Airport					
<b>Branch:</b>	RW01	<b>Name:</b>	Runway 01-19	<b>Use:</b>	RUNWAY	<b>Area:</b>	1,260,000 SqFt		
<b>Section:</b>	01	of	2	<b>From:</b>	STA 5+00 /29+50 /57+50	<b>To:</b>	STA 26+50 /54+50 /78+50	<b>Last Const.:</b>	8/1/2003
<b>Surface:</b>	AAC	<b>Family:</b>	_MDT2024 - RW AC AAC	<b>Zone:</b>	YELL	<b>Category:</b>	I	<b>Rank:</b>	P
<b>Area:</b>	1,012,500 SqFt	<b>Length:</b>	6,750 Ft	<b>Width:</b>	150 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACS	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	7/30/1980	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	8/1/2003	<b>Work Type:</b>	Overlay - AC Structural		<b>Code:</b>	OL-AS	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	1/1/2021	<b>Work Type:</b>	Surface Seal - Seal Coat		<b>Code:</b>	SS-SC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	589	<b>Surveyed:</b>	7				
<b>Conditions:</b>	PCI:	70							
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	112	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	71		
<b>Sample Comments:</b>									
48	L & T CR	L	351.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	143	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	75		
<b>Sample Comments:</b>									
48	L & T CR	L	256.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	172	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	69		
<b>Sample Comments:</b>									
48	L & T CR	L	428.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	190	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	71		
<b>Sample Comments:</b>									
48	L & T CR	L	361.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	27	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	66		
<b>Sample Comments:</b>									
48	L & T CR	L	378.00	Ft					
48	L & T CR	M	9.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	56	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	65		
<b>Sample Comments:</b>									
48	L & T CR	L	378.00	Ft					
48	L & T CR	M	10.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	85	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	70		
<b>Sample Comments:</b>									
48	L & T CR	L	282.00	Ft					
48	L & T CR	M	7.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					

<b>Network:</b>	WYS	<b>Name:</b>	Yellowstone Airport						
<b>Branch:</b>	RW01	<b>Name:</b>	Runway 01-19	<b>Use:</b>	RUNWAY	<b>Area:</b>	1,260,000 SqFt		
<b>Section:</b>	02	of	2	<b>From:</b>	STA0+00/26+50/54+50/78+50	<b>To:</b>	STA5+00/29+50/57+50/84+00	<b>Last Const.:</b>	8/1/2003
<b>Surface:</b>	AAC	<b>Family:</b>	_MDT2024 - RW AC AAC	<b>Zone:</b>	YELL	<b>Category:</b>	I	<b>Rank:</b>	P
<b>Area:</b>	247,500 SqFt	<b>Length:</b>	1,650 Ft	<b>Width:</b>	150 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACS	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	7/30/1980	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	8/1/2003	<b>Work Type:</b>	Overlay - AC Structural		<b>Code:</b>	OL-AS	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	1/1/2021	<b>Work Type:</b>	Surface Seal - Seal Coat		<b>Code:</b>	SS-SC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	130	<b>Surveyed:</b>	7				
<b>Conditions:</b>	PCI: 66								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	07	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	66		
<b>Sample Comments:</b>									
48	L & T CR	L	349.00	Ft					
48	L & T CR	M	27.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	14	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	69		
<b>Sample Comments:</b>									
48	L & T CR	L	421.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	19	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	68		
<b>Sample Comments:</b>									
48	L & T CR	L	444.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	28	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	60		
<b>Sample Comments:</b>									
45	DEPRESSION	L	12.00	SqFt					
48	L & T CR	L	537.00	Ft					
48	L & T CR	M	7.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	35	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	68		
<b>Sample Comments:</b>									
48	L & T CR	L	439.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	43	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	69		
<b>Sample Comments:</b>									
48	L & T CR	L	429.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					
<b>Sample Number:</b>	44	<b>Type:</b>	R	<b>Area:</b>	5000.00 SqFt	<b>PCI:</b>	64		
<b>Sample Comments:</b>									
48	L & T CR	L	613.00	Ft					
57	WEATHERING	L	4500.00	SqFt					
57	WEATHERING	M	500.00	SqFt					

<b>Network:</b>	WYS	<b>Name:</b>	Yellowstone Airport				
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	757,000 SqFt
<b>Section:</b>	02	of 2	<b>From:</b>	NE CORNER OF MAIN RAMP	<b>To:</b>		<b>Last Const.:</b> 9/30/1993
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>	YELL	<b>Category:</b>	E
<b>Area:</b>	7,000 SqFt	<b>Length:</b>	280 Ft	<b>Width:</b>	25 Ft	<b>Rank:</b>	P
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft
<b>Shoulder:</b>		<b>Street Type:</b>	ACS	<b>Grade:</b>	0	<b>Lanes:</b>	0
<b>Section Comments:</b>							
<b>Work Date:</b>	9/30/1993	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b> True
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	2	<b>Surveyed:</b>	2		
<b>Conditions:</b>	PCI: 68						
<b>Inspection Comments:</b>							
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	3650.00 SqFt	<b>PCI:</b>	60
<b>Sample Comments:</b>							
48	L & T CR	L	40.00	Ft			
48	L & T CR	M	2.00	Ft			
50	PATCHING	L	750.00	SqFt			
57	WEATHERING	L	2400.00	SqFt			
57	WEATHERING	M	500.00	SqFt			
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	3322.00 SqFt	<b>PCI:</b>	76
<b>Sample Comments:</b>							
48	L & T CR	L	36.00	Ft			
48	L & T CR	M	4.00	Ft			
57	WEATHERING	L	2492.00	SqFt			
57	WEATHERING	M	830.00	SqFt			

<b>Network:</b>	WYS		<b>Name:</b>	Yellowstone Airport					
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	757,000 SqFt		
<b>Section:</b>	11	of 2	<b>From:</b>	STA. 0+00	<b>To:</b>	STA. 84+00	<b>Last Const.:</b>	11/4/2016	
<b>Surface:</b>	AAC	<b>Family:</b>	_MDT2024 - TW AAC	<b>Zone:</b>		<b>Category:</b>		<b>Rank:</b>	P
<b>Area:</b>	750,000 SqFt	<b>Length:</b>	8,400 Ft	<b>Width:</b>	75 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>		<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	11/4/2016	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Last Insp. Date:</b>	10/7/2024	<b>TotalSamples:</b>	484		<b>Surveyed:</b>	7			
<b>Conditions:</b>	PCI: 91	<b>Inspection Comments:</b>							
<b>Sample Number:</b>	120	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	90		
<b>Sample Comments:</b>									
48	L & T CR	L	24.00	Ft					
57	WEATHERING	L	4875.00	SqFt					
<b>Sample Number:</b>	145	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	89		
<b>Sample Comments:</b>									
48	L & T CR	L	76.00	Ft					
57	WEATHERING	L	4875.00	SqFt					
<b>Sample Number:</b>	24	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	88		
<b>Sample Comments:</b>									
48	L & T CR	L	87.00	Ft					
57	WEATHERING	L	4875.00	SqFt					
<b>Sample Number:</b>	48	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L	4875.00	SqFt					
<b>Sample Number:</b>	53	<b>Type:</b>	R	<b>Area:</b>	4725.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L	4725.00	SqFt					
<b>Sample Number:</b>	72	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	89		
<b>Sample Comments:</b>									
48	L & T CR	L	78.00	Ft					
57	WEATHERING	L	4875.00	SqFt					
<b>Sample Number:</b>	96	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	94		
<b>Sample Comments:</b>									
57	WEATHERING	L	4875.00	SqFt					