


This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



CURRENT 2021 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection (Years)	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
AP	03	Apron	AC	47,400	19.3	8/1/2002	8/30/2021	58	Fair
AP	04	Apron	PCC	5,250	35.3	8/15/1986	8/30/2021	63	Fair
AP	06	Apron	PCC	12,800	21.3	8/1/2000	8/30/2021	72	Satisfactory
AP	07	Apron	AC	68,675	19.3	8/1/2002	8/30/2021	63	Fair
RW08	13	Runway 08-26	AAC	101,250	18.3	8/1/2003	8/30/2021	79	Satisfactory
RW08	14	Runway 08-26	AC	298,125	18.3	8/1/2003	8/30/2021	77	Satisfactory
RW12	15	Runway 12-30	AC	500,100	9.2	9/1/2012	8/30/2021	82	Satisfactory
TW	01	Taxiway	AAC	58,500	35.3	8/15/1986	8/30/2021	46	Poor
TW	03	Taxiway	AAC	70,900	25.3	8/1/1996	8/30/2021	43	Poor
TW	05	Taxiway	AAC	74,250	25.3	8/1/1996	8/30/2021	52	Poor
TW	10	Taxiway	AC	11,200	21.3	8/1/2000	8/30/2021	75	Satisfactory
TW	11	Taxiway	AC	16,000	18.3	8/1/2003	8/30/2021	86	Good
TW	12	Taxiway	AC	22,500	9.2	9/1/2012	8/30/2021	86	Good
TW	14	Taxiway	AC	38,964	5	11/4/2016	8/30/2021	88	Good
TW	17	Taxiway	AC	36,750	5	11/4/2016	8/30/2021	91	Good
TW	19	Taxiway	AC	17,020	5	11/4/2016	8/30/2021	90	Good

AIRFIELD PAVEMENT WORK HISTORY

- 1980
- CENTER 100' OVERLAY WITH OPEN-GRADED EMULSIFIED AC; PRIOR TO OVERLAY, CRACKS SEALED, STRESS-RELIEF CRACKS WERE CONSTRUCTED AND PETRO MAT LAID AND TACKED; OVERLAY ALSO INCLUDES P-609 (SINGLE APPLICATION).
- AIP-001-1986
- AIP-002-1987
- NON-AIP, 1993, CONSTRUCT HANGAR ACCESS TAXIWAYS AND CONCRETE PARKING PAD.
- AIP-004-1996, REHABILITATE RUNWAY 12/30 AND TAXIWAYS; CONSTRUCT RUNWAY 30 TURNAROUND.
- AIP-004-1997, 45'-WIDTH, CENTERLINE ONLY 2" OVERLAY.
- AIP-006-2000, CONSTRUCT HEAVY APRON (AP:06) AND CONNECTIONS.
- AIP-007-2001, CRACK SEAL, FOG SEAL, AND REMARK.
- AIP-008/009-2002/2003, RECONSTRUCT 4000'(W), MILL AND OVERLAY 1000'(E) RUNWAY 8/26; MILL AND OVERLAY FUELING APRON (A-3); RECONSTRUCT APRON (AP:07).
- AIP-010-2005, CRACK SEAL.
- AIP-011-2006, GROOVE RUNWAY 8/26 (RW08:13,RW08:14); FOG SEAL AND REMARK OTHER AIRPORT PAVEMENTS.
- AIP-013-2008, CRACK SEAL, FOG SEAL, AND REMARK.
- AIP-017-2012, RECONSTRUCT RUNWAY 12/30 (R-W12:5); RECONSTRUCT TURNAROUND (TW:12); CRACK SEAL, FOG SEAL, AND REMARK TAXIWAYS; CRACK SEAL RUNWAY 8/26 (RW08:13,RW08:14) AND APRON (AP:07).
- AIP-019-2015, RECONSTRUCT TAXIWAYS (TW:14,TW:17,TW:19); CRACK SEAL, SURFACE SEAL AND REMARK RUNWAYS, TURNAROUNDS AND APRONS.

MONTANA AVIATION SYSTEM PLAN
2021 PAVEMENT CONDITION INDEX
PREPARED FOR
Montana Department of Transportation
Division of Aeronautics



Pavement Condition Index Map
GGW - WOKAL FIELD/
GLASGOW-VALLEY COUNTY AIRPORT

Runway



RW08-14: Depression



RW12-15: L&T Cracking

Taxiway



TW01-03: Weathering



TW01-07: L&T Cracking



TW03-19: Alligator Cracking



TW05-03: Bleeding

Apron



AP03-08: Shoving



AP04-01: Faulting



AP07-06: Patching



AP07-13: L&T Cracking

Re-Inspection Report

MDT SASP 2021

Generated Date 12/2/2021

Page 1 of 16

Network: GGW **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 134,125 SqFt
Section: 03 of 4 **From:** APRON STA 4+20 **To:** APRON STA 7+00 **Last Const.:** 8/1/2002
Surface: AC **Family:** DEFAULT **Zone:** GLAS **Category:** D **Rank:** P
Area: 47,400 SqFt **Length:** 395 Ft **Width:** 120 Ft
Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft
Shoulder: **Street Type:** ACN **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/15/1980 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 8/1/2002 **Work Type:** Overlay - AC Thin **Code:** OL-AT **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **TotalSamples:** 2 **Surveyed:** 2

Conditions: PCI: 58

Inspection Comments:

Sample Number: 07 **Type:** R **Area:** 6219.00 SqFt **PCI:** 65

Sample Comments:

48	L & T CR	L	117.00 Ft
50	PATCHING	L	1259.00 SqFt
52	RAVELING	L	187.00 SqFt
57	WEATHERING	L	3554.00 SqFt

Sample Number: 08 **Type:** R **Area:** 5000.00 SqFt **PCI:** 50

Sample Comments:

48	L & T CR	L	340.00 Ft
48	L & T CR	M	7.00 Ft
50	PATCHING	L	1144.00 SqFt
54	SHOVING	L	23.00 SqFt
56	SWELLING	L	200.00 SqFt
57	WEATHERING	L	3278.00 SqFt
57	WEATHERING	M	578.00 SqFt

Network: GGW **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 134,125 SqFt

Section: 04 of 4 **From:** APRON STA 3+20 **To:** APRON STA 4+25 **Last Const.:** 8/15/1986

Surface: PCC **Family:** DEFAULT **Zone:** GLAS **Category:** P **Rank:** P

Area: 5,250 SqFt **Length:** 105 Ft **Width:** 50 Ft

Slabs: 28 **Slab Length:** 15 Ft **Slab Width:** 12 Ft **Joint Length:** 615 Ft

Shoulder: **Street Type:** PCA **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/15/1986 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **Total Samples:** 1 **Surveyed:** 1

Conditions: PCI: 63

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 28.00 Slabs **PCI:** 63

Sample Comments:

63	LINEAR CR	L	3.00	Slabs
63	LINEAR CR	L	2.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	H	28.00	Slabs
71	FAULTING	L	2.00	Slabs
73	SHRINKAGE CR	N	2.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
74	JOINT SPALL	M	1.00	Slabs
75	CORNER SPALL	L	3.00	Slabs

Network: GGW **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 134,125 SqFt

Section: 06 of 4 **From:** T-10 **To:** A-3 **Last Const.:** 8/1/2000

Surface: PCC **Family:** DEFAULT **Zone:** **Category:** P **Rank:** P

Area: 12,800 SqFt **Length:** 160 Ft **Width:** 80 Ft

Slabs: 50 **Slab Length:** 16 Ft **Slab Width:** 16 Ft **Joint Length:** 1,360 Ft

Shoulder: **Street Type:** PCA **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2000 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **TotalSamples:** 2 **Surveyed:** 2

Conditions: PCI: 72

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 25.00 Slabs **PCI:** 67

Sample Comments:

62	CORNER BREAK	L	1.00	Slabs
62	CORNER BREAK	M	1.00	Slabs
63	LINEAR CR	L	2.00	Slabs
65	JT SEAL DMG	H	25.00	Slabs
72	SHAT. SLAB	L	1.00	Slabs
73	SHRINKAGE CR	N	2.00	Slabs
74	JOINT SPALL	L	1.00	Slabs

Sample Number: 02 **Type:** R **Area:** 25.00 Slabs **PCI:** 76

Sample Comments:

62	CORNER BREAK	L	1.00	Slabs
65	JT SEAL DMG	H	25.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
74	JOINT SPALL	H	1.00	Slabs
75	CORNER SPALL	L	1.00	Slabs

Network: GWG **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 134,125 SqFt

Section: 07 of 4 **From:** T-1, T-3 **To:** T-4 **Last Const.:** 8/1/2002

Surface: AC **Family:** DEFAULT **Zone:** **Category:** D **Rank:** P

Area: 68,675 SqFt **Length:** 335 Ft **Width:** 205 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACN **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2002 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **TotalSamples:** 14 **Surveyed:** 5

Conditions: PCI: 63

Inspection Comments:

Sample Number: 03 **Type:** R **Area:** 4896.00 SqFt **PCI:** 62

Sample Comments:

48 L & T CR L 136.00 Ft
48 L & T CR M 150.00 Ft
50 PATCHING L 54.00 SqFt
57 WEATHERING L 4116.00 SqFt
57 WEATHERING M 726.00 SqFt

Sample Number: 06 **Type:** R **Area:** 4896.00 SqFt **PCI:** 61

Sample Comments:

45 DEPRESSION L 14.00 SqFt
48 L & T CR L 170.00 Ft
48 L & T CR M 144.00 Ft
50 PATCHING L 45.00 SqFt
57 WEATHERING L 4366.00 SqFt
57 WEATHERING M 485.00 SqFt

Sample Number: 09 **Type:** R **Area:** 4896.00 SqFt **PCI:** 69

Sample Comments:

48 L & T CR L 212.00 Ft
48 L & T CR M 67.00 Ft
50 PATCHING L 27.00 SqFt
57 WEATHERING L 4139.00 SqFt
57 WEATHERING M 730.00 SqFt

Sample Number: 11 **Type:** R **Area:** 4896.00 SqFt **PCI:** 64

Sample Comments:

48 L & T CR L 108.00 Ft
48 L & T CR M 122.00 Ft
50 PATCHING L 36.00 SqFt
57 WEATHERING L 4131.00 SqFt
57 WEATHERING M 729.00 SqFt

Sample Number: 13 **Type:** R **Area:** 4896.00 SqFt **PCI:** 59

Sample Comments:

48 L & T CR L 153.00 Ft
48 L & T CR M 204.00 Ft
50 PATCHING L 27.00 SqFt
57 WEATHERING L 4139.00 SqFt
57 WEATHERING M 730.00 SqFt

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	RW08	Name:	Runway 08-26	Use:	RUNWAY	Area:	399,375 SqFt		
Section:	13	of 2	From:	STA 50+00 RWY 8-26	To:	STA 62+00 RWY 8-26	Last Const.:	8/1/2003	
Surface:	AAC	Family:	DEFAULT	Zone:	GLAS	Category:	E	Rank:	P
Area:	101,250 SqFt	Length:	1,350 Ft	Width:	75 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2003	Work Type:	Overlay - AC Structural		Code:	OL-AS	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	TotalSamples:	15	Surveyed:	6				
Conditions:	PCI: 79								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	4875.00 SqFt	PCI:	75		
Sample Comments:									
48	L & T CR	L	105.00	Ft					
48	L & T CR	M	55.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	05	Type:	R	Area:	4875.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	95.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	08	Type:	R	Area:	4875.00 SqFt	PCI:	75		
Sample Comments:									
48	L & T CR	L	169.00	Ft					
48	L & T CR	M	23.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	11	Type:	R	Area:	4875.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L	75.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	14	Type:	R	Area:	4875.00 SqFt	PCI:	74		
Sample Comments:									
48	L & T CR	L	196.00	Ft					
48	L & T CR	M	8.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	15	Type:	R	Area:	6600.00 SqFt	PCI:	80		
Sample Comments:									
48	L & T CR	L	228.00	Ft					
57	WEATHERING	L	6270.00	SqFt					
57	WEATHERING	M	330.00	SqFt					

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	RW08	Name:	Runway 08-26	Use:	RUNWAY	Area:	399,375 SqFt		
Section:	14	of	2	From:	STA 10+25 RWY 8-26	To:	STA 50+00 RWY 8-26	Last Const.:	8/1/2003
Surface:	AC	Family:	DEFAULT	Zone:	GLAS	Category:	D	Rank:	P
Area:	298,125 SqFt	Length:	3,975 Ft	Width:	75 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2003	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	TotalSamples:	61	Surveyed:	7				
Conditions:	PCI: 77								
Inspection Comments:									
Sample Number:	09	Type:	R	Area:	4875.00 SqFt	PCI:	79		
Sample Comments:									
48	L & T CR	L	119.00	Ft					
48	L & T CR	M	6.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	18	Type:	R	Area:	4875.00 SqFt	PCI:	76		
Sample Comments:									
48	L & T CR	L	140.00	Ft					
48	L & T CR	M	46.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	27	Type:	R	Area:	4875.00 SqFt	PCI:	77		
Sample Comments:									
45	DEPRESSION	L	18.00	SqFt					
48	L & T CR	L	196.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	36	Type:	R	Area:	4875.00 SqFt	PCI:	75		
Sample Comments:									
48	L & T CR	L	88.00	Ft					
48	L & T CR	M	54.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	45	Type:	R	Area:	4875.00 SqFt	PCI:	80		
Sample Comments:									
48	L & T CR	L	181.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	54	Type:	R	Area:	4875.00 SqFt	PCI:	83		
Sample Comments:									
48	L & T CR	L	114.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					
Sample Number:	56	Type:	R	Area:	4875.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	137.00	Ft					
48	L & T CR	M	75.00	Ft					
57	WEATHERING	L	4631.00	SqFt					
57	WEATHERING	M	244.00	SqFt					

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	RW12	Name:	Runway 12-30	Use:	RUNWAY	Area:	500,100 SqFt		
Section:	15	of	1	From:	RW 12 AT T-5	To:	RW 30 AT T-8	Last Const.:	9/1/2012
Surface:	AC	Family:	DEFAULT	Zone:	GLAS	Category:	G	Rank:	P
Area:	500,100 SqFt	Length:	5,001 Ft	Width:	100 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACH	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	9/1/2012	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	TotalSamples:	100		Surveyed:	7			
Conditions:	PCI: 82								
Inspection Comments:									
Sample Number:	07	Type:	R	Area:	5000.00 SqFt	PCI:	81		
Sample Comments:									
48	L & T CR	L	233.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	22	Type:	R	Area:	5000.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L	119.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	37	Type:	R	Area:	5000.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	73.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	52	Type:	R	Area:	5000.00 SqFt	PCI:	72		
Sample Comments:									
48	L & T CR	L	127.00	Ft					
48	L & T CR	M	66.00	Ft					
52	RAVELING	L	250.00	SqFt					
57	WEATHERING	L	4750.00	SqFt					
Sample Number:	67	Type:	R	Area:	5000.00 SqFt	PCI:	80		
Sample Comments:									
48	L & T CR	L	250.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	82	Type:	R	Area:	5000.00 SqFt	PCI:	81		
Sample Comments:									
48	L & T CR	L	229.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	96	Type:	R	Area:	5000.00 SqFt	PCI:	81		
Sample Comments:									
48	L & T CR	L	223.00	Ft					
57	WEATHERING	L	5000.00	SqFt					

Network: GGW **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 346,084 SqFt

Section: 01 of 9 **From:** NORTH END OF APRON **To:** INTERSECTION W/ RWY 7-25 **Last Const.:** 8/15/1986

Surface: AAC **Family:** DEFAULT **Zone:** GLAS **Category:** H **Rank:** P

Area: 58,500 SqFt **Length:** 900 Ft **Width:** 65 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACH **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/15/1986 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **TotalSamples:** 12 **Surveyed:** 3

Conditions: PCI: 46

Inspection Comments:

Sample Number: 03 **Type:** R **Area:** 5250.00 SqFt **PCI:** 52

Sample Comments:

42 BLEEDING N 320.00 SqFt

48 L & T CR L 396.00 Ft

48 L & T CR M 44.00 Ft

57 WEATHERING L 4200.00 SqFt

57 WEATHERING M 1050.00 SqFt

Sample Number: 05 **Type:** R **Area:** 5250.00 SqFt **PCI:** 44

Sample Comments:

42 BLEEDING N 476.00 SqFt

48 L & T CR L 425.00 Ft

48 L & T CR M 16.00 Ft

57 WEATHERING L 3506.00 SqFt

57 WEATHERING M 619.00 SqFt

Sample Number: 07 **Type:** R **Area:** 5250.00 SqFt **PCI:** 42

Sample Comments:

42 BLEEDING N 544.00 SqFt

48 L & T CR L 351.00 Ft

48 L & T CR M 23.00 Ft

57 WEATHERING L 3506.00 SqFt

57 WEATHERING M 619.00 SqFt

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	346,084 SqFt		
Section:	03	of 9	From:	T-1	To:	HANGAR TW'S	Last Const.:	8/1/1996	
Surface:	AAC	Family:	DEFAULT	Zone:	GLAS	Category:	H	Rank:	P
Area:	70,900 SqFt	Length:	900 Ft	Width:	65 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACH	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/1/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/1996	Work Type:	Overlay - AC Structural		Code:	OL-AS	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	TotalSamples:	20	Surveyed:	5				
Conditions:	PCI: 43								
Inspection Comments:									
Sample Number:	03	Type:	R	Area:	4224.00 SqFt	PCI:	54		
Sample Comments:									
42	BLEEDING	N	300.00	SqFt					
48	L & T CR	L	192.00	Ft					
57	WEATHERING	L	3802.00	SqFt					
57	WEATHERING	M	422.00	SqFt					
Sample Number:	07	Type:	R	Area:	4224.00 SqFt	PCI:	42		
Sample Comments:									
42	BLEEDING	N	422.00	SqFt					
48	L & T CR	L	150.00	Ft					
48	L & T CR	M	27.00	Ft					
57	WEATHERING	L	3590.00	SqFt					
57	WEATHERING	M	634.00	SqFt					
Sample Number:	11	Type:	R	Area:	4224.00 SqFt	PCI:	30		
Sample Comments:									
41	ALLIGATOR CR	L	12.00	SqFt					
42	BLEEDING	N	825.00	SqFt					
48	L & T CR	L	162.00	Ft					
57	WEATHERING	L	3590.00	SqFt					
57	WEATHERING	M	634.00	SqFt					
Sample Number:	15	Type:	R	Area:	4224.00 SqFt	PCI:	41		
Sample Comments:									
42	BLEEDING	N	600.00	SqFt					
48	L & T CR	L	332.00	Ft					
57	WEATHERING	L	3590.00	SqFt					
57	WEATHERING	M	634.00	SqFt					
Sample Number:	19	Type:	R	Area:	4224.00 SqFt	PCI:	45		
Sample Comments:									
41	ALLIGATOR CR	L	82.00	SqFt					
42	BLEEDING	N	280.00	SqFt					
48	L & T CR	L	218.00	Ft					
48	L & T CR	M	43.00	Ft					
57	WEATHERING	L	3590.00	SqFt					
57	WEATHERING	M	634.00	SqFt					

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	346,084 SqFt		
Section:	05	of 9	From:	RWY 7-25 STA 11+50	To:	RWY 12-30 STA 7+00	Last Const.:	8/1/1996	
Surface:	AAC	Family:	DEFAULT	Zone:	GLAS	Category:	H	Rank:	P
Area:	74,250 SqFt	Length:	1,650 Ft	Width:	45 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACH	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/1996	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	TotalSamples:	15	Surveyed:	5				
Conditions:	PCI: 52								
Inspection Comments:									
Sample Number:	03	Type:	R	Area:	3850.00 SqFt	PCI:	49		
Sample Comments:									
41	ALLIGATOR CR	L	15.00	SqFt					
42	BLEEDING	N	208.00	SqFt					
48	L & T CR	L	380.00	Ft					
48	L & T CR	M	36.00	Ft					
57	WEATHERING	L	3465.00	SqFt					
57	WEATHERING	M	385.00	SqFt					
Sample Number:	06	Type:	R	Area:	3850.00 SqFt	PCI:	51		
Sample Comments:									
41	ALLIGATOR CR	L	16.00	SqFt					
48	L & T CR	L	393.00	Ft					
48	L & T CR	M	27.00	Ft					
50	PATCHING	L	455.00	SqFt					
57	WEATHERING	L	3055.00	SqFt					
57	WEATHERING	M	340.00	SqFt					
Sample Number:	09	Type:	R	Area:	3850.00 SqFt	PCI:	52		
Sample Comments:									
41	ALLIGATOR CR	L	6.00	SqFt					
42	BLEEDING	N	84.00	SqFt					
48	L & T CR	L	429.00	Ft					
48	L & T CR	M	25.00	Ft					
57	WEATHERING	L	3658.00	SqFt					
57	WEATHERING	M	192.00	SqFt					
Sample Number:	12	Type:	R	Area:	3850.00 SqFt	PCI:	52		
Sample Comments:									
41	ALLIGATOR CR	L	12.00	SqFt					
42	BLEEDING	N	123.00	SqFt					
48	L & T CR	L	368.00	Ft					
48	L & T CR	M	21.00	Ft					
57	WEATHERING	L	3465.00	SqFt					
57	WEATHERING	M	385.00	SqFt					
Sample Number:	15	Type:	R	Area:	3850.00 SqFt	PCI:	54		
Sample Comments:									
42	BLEEDING	N	244.00	SqFt					
48	L & T CR	L	449.00	Ft					
48	L & T CR	M	2.00	Ft					
57	WEATHERING	L	3658.00	SqFt					
57	WEATHERING	M	192.00	SqFt					

Network: GGW **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 346,084 SqFt

Section: 10 of 9 **From:** T-1 **To:** A-6 **Last Const.:** 8/1/2000

Surface: AC **Family:** DEFAULT **Zone:** GLAS **Category:** G **Rank:** P

Area: 11,200 SqFt **Length:** 160 Ft **Width:** 70 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACH **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2000 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **TotalSamples:** 2 **Surveyed:** 2

Conditions: PCI: 75

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 5600.00 SqFt **PCI:** 73

Sample Comments:

45 DEPRESSION L 36.00 SqFt

48 L & T CR L 351.00 Ft

57 WEATHERING L 5600.00 SqFt

Sample Number: 02 **Type:** R **Area:** 5600.00 SqFt **PCI:** 77

Sample Comments:

45 DEPRESSION L 16.00 SqFt

48 L & T CR L 207.00 Ft

48 L & T CR M 63.00 Ft

57 WEATHERING L 5600.00 SqFt

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	346,084 SqFt		
Section:	11	of 9	From:	R-13	To:	TURNAROUND	Last Const.:	8/1/2003	
Surface:	AC	Family:	DEFAULT	Zone:	GLAS	Category:	D	Rank:	P
Area:	16,000 SqFt	Length:	200 Ft	Width:	80 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/1/2003	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True		
Last Insp. Date:	8/30/2021	Total Samples:	4	Surveyed:	3				
Conditions:	PCI: 86								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4000.00 SqFt	PCI:	78		
Sample Comments:									
48	L & T CR	L	57.00 Ft						
48	L & T CR	M	44.00 Ft						
57	WEATHERING	L	4000.00 SqFt						
Sample Number:	03	Type:	R	Area:	4000.00 SqFt	PCI:	92		
Sample Comments:									
52	RAVELING	L	30.00 SqFt						
57	WEATHERING	L	3970.00 SqFt						
Sample Number:	04	Type:	R	Area:	4000.00 SqFt	PCI:	88		
Sample Comments:									
48	L & T CR	L	16.00 Ft						
52	RAVELING	L	24.00 SqFt						
57	WEATHERING	L	3976.00 SqFt						

Network: GGW **Name:** Wokal Field/Glasgow-Valley County (Glasgow) Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 346,084 SqFt

Section: 12 of 9 **From:** R-15 **To:** R/W 12-30 TA **Last Const.:** 9/1/2012

Surface: AC **Family:** DEFAULT **Zone:** **Category:** **Rank:** P

Area: 22,500 SqFt **Length:** 225 Ft **Width:** 100 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 9/1/2012 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

Last Insp. Date: 8/30/2021 **TotalSamples:** 6 **Surveyed:** 3

Conditions: PCI: 86

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 3750.00 SqFt **PCI:** 86

Sample Comments:

48 L & T CR L 40.00 Ft
57 WEATHERING L 3562.00 SqFt
57 WEATHERING M 188.00 SqFt

Sample Number: 03 **Type:** R **Area:** 3750.00 SqFt **PCI:** 86

Sample Comments:

48 L & T CR L 24.00 Ft
57 WEATHERING L 3562.00 SqFt
57 WEATHERING M 188.00 SqFt

Sample Number: 04 **Type:** R **Area:** 3750.00 SqFt **PCI:** 87

Sample Comments:

48 L & T CR L 15.00 Ft
57 WEATHERING L 3562.00 SqFt
57 WEATHERING M 188.00 SqFt

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	346,084 SqFt		
Section:	14	of 9	From:	T-3	To:	HANGARS	Last Const.:	11/4/2016	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	38,964 SqFt	Length:	920 Ft	Width:	52 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/4/2016	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	Total Samples:	6		Surveyed:	3			
Conditions:	PCI: 88								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	7974.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L		28.00	Ft				
57	WEATHERING	L		7974.00	SqFt				
Sample Number:	03	Type:	R	Area:	5367.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L		158.00	Ft				
57	WEATHERING	L		5367.00	SqFt				
Sample Number:	05	Type:	R	Area:	6262.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L		13.00	Ft				
57	WEATHERING	L		5949.00	SqFt				
57	WEATHERING	M		313.00	SqFt				

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	346,084 SqFt		
Section:	17	of 9	From:	T-3	To:	HANGARS	Last Const.:	11/4/2016	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	36,750 SqFt	Length:	1,225 Ft	Width:	30 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/4/2016	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	TotalSamples:	10		Surveyed:	4			
Conditions:	PCI: 91	Inspection Comments:							
Sample Number:	03	Type:	R	Area:	3810.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING		L	3810.00	SqFt				
Sample Number:	06	Type:	R	Area:	4290.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR		L	41.00	Ft				
57	WEATHERING		L	4290.00	SqFt				
Sample Number:	09	Type:	R	Area:	6264.00 SqFt	PCI:	91		
Sample Comments:									
57	WEATHERING		L	5951.00	SqFt				
57	WEATHERING		M	313.00	SqFt				
Sample Number:	10	Type:	R	Area:	4250.00 SqFt	PCI:	91		
Sample Comments:									
57	WEATHERING		L	4038.00	SqFt				
57	WEATHERING		M	212.00	SqFt				

Network:	GGW	Name:	Wokal Field/Glasgow-Valley County (Glasgow) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	346,084 SqFt		
Section:	19	of 9	From:	T-4	To:	HANGARS	Last Const.:	11/4/2016	
Surface:	AC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	17,020 SqFt	Length:	372 Ft	Width:	50 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/4/2016	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	8/30/2021	Total Samples:	6		Surveyed:	3			
Conditions:	PCI: 90								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	3704.00 SqFt	PCI:	85		
Sample Comments:									
45	DEPRESSION	L		30.00	SqFt				
48	L & T CR	L		18.00	Ft				
57	WEATHERING	L		3704.00	SqFt				
Sample Number:	03	Type:	R	Area:	4650.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		4650.00	SqFt				
Sample Number:	04	Type:	R	Area:	4016.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L		20.00	Ft				
57	WEATHERING	L		4016.00	SqFt				