


This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

—	BRANCH IDENTIFIER
—	SECTION IDENTIFIER
—	SECTION BOUNDARY
■ (Dark Green)	PCI 86-100 GOOD
■ (Light Green)	PCI 71-85 SATISFACTORY
■ (Yellow)	PCI 56-70 FAIR
■ (Orange)	PCI 41-55 POOR
■ (Pink)	PCI 26-40 VERY POOR
■ (Red)	PCI 11-25 SERIOUS
■ (Grey)	PCI 0-10 FAILED

CURRENT 2021 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
AP	01	Apron	AAC	145,700	18.3	8/2/2003	8/26/2021	79	Satisfactory
AP	02	Apron	AC	50,000	19.3	8/1/2002	8/26/2021	66	Fair
RW02	03	Runway 02-20	AC	174,000	18.3	8/1/2003	8/26/2021	73	Satisfactory
RW12	01	Runway 12-30	AC	465,000	14.3	8/1/2007	8/26/2021	70	Fair
RW12	02	Runway 12-30	AC	105,400	14.3	8/1/2007	8/26/2021	71	Satisfactory
TW	01	Taxiway	AC	31,000	14.3	8/1/2007	8/26/2021	75	Satisfactory
TW	02	Taxiway	AC	38,000	19.3	8/1/2002	8/26/2021	67	Fair
TW	04	Taxiway	AAC	52,850	19	11/1/2002	8/26/2021	30	Very Poor
TW	05	Taxiway	AAC	59,220	14.3	8/1/2007	8/26/2021	89	Good
TW	06	Taxiway	AAC	20,545	14.3	8/1/2007	8/26/2021	75	Satisfactory
TW	07	Taxiway	AC	85,400	9.2	8/15/2012	8/26/2021	92	Good

AIRFIELD PAVEMENT WORK HISTORY

- ADAP 03-R-1, TW:01, AP:01, ALL HEATER SCARIFIED AND CHIP SEALED.
- CBR=7 ASSUMED UNLESS OTHERWISE NOTED.
- EXTENDED 1968
- AIP-001-1986, OVERLAY RUNWAY 12/30, TAXIWAY, AND APRON.
- AIP-002-1988, CONSTRUCT RUNWAY 2/20.
- AIP-003-1989, EXTEND ACCESS TAXILANES; REHABILITATE PORTION OF PARALLEL TAXIWAY.
- AIP-004-2002, MILL AND OVERLAY APRON (AP:02), TAXIWAY (TW:02), AND TAXILANES (TW:04); CRACK SEAL, FOG SEAL, AND REMARK RUNWAY 12/30 AND TAXIWAY (TW:01).
- AIP-005-2003, MILL AND OVERLAY APRON (AP:01); OVERLAY RUNWAY (RW02:03).
- AIP-008-2007, MILL, OVERLAY, AND GROOVE RUNWAY 12/30 (RW12:01, RW12:02); CONSTRUCT TAXIWAY (TW:05) AND TURNAROUND (TW:06).
- AIP-011, 2012, CONSTRUCT TAXIWAY (TW:07).
- AIP-012-2013, CRACK SEAL, FOG SEAL, AND REMARK ALL PAVEMENTS EXCEPT TW:07.
- AIP-017-2019, CRACK SEAL, SURFACE SEAL, REMARK ALL PAVEMENTS EXCEPT AP:02, TW:02, AND TW:04

Runway



RW02-03-18: L&T Cracking



RW12-02-21: Weathering

Taxiway



TW02-05: Raveling



TW-04-03: Bleeding

Apron



AP01-21: L&T Cracking



AP02-05: Patching

Re-Inspection Report

MDT SASP 2021

Generated Date 12/16/2021

Page 1 of 12

Network:	GDV	Name:	Dawson Community (Glendive) Airport		
Branch:	AP	Name:	Apron	Use:	APRON
		Area:	195,700 SqFt		
Section:	01	of 2	From:	STA 0+00A	To: STA 6+50A
			Last Const.:	8/2/2003	
Surface:	AAC	Family:	DEFAULT	Zone:	GLEN
		Category:	H		
Area:	145,700 SqFt	Length:	2,914 Ft	Width:	50 Ft
Slabs:		Slab Length:	Ft	Slab Width:	Ft
		Joint Length:	Ft		
Shoulder:		Street Type:	ACA	Grade:	0
		Lanes:	0		

Section Comments:

Work Date: 8/15/1986	Work Type: New Construction - Initial	Code: NU-IN	Is Major M&R: True
Work Date: 8/1/2003	Work Type: Cold Milling	Code: MI-CO	Is Major M&R: False
Work Date: 8/2/2003	Work Type: Overlay - AC Structural	Code: OL-AS	Is Major M&R: True
Work Date: 7/1/2020	Work Type: Surface Seal	Code: SS-LO	Is Major M&R: False
Work Date: 7/1/2020	Work Type: Crack Sealing - AC	Code: CS-AC	Is Major M&R: False

Last Insp. Date: 8/26/2021 **Total Samples:** 30 **Surveyed:** 5

Conditions: PCI: 79

Inspection Comments:

Sample Number: 03	Type: R	Area: 4998.00 SqFt	PCI: 86
Sample Comments:			
48	L & T CR	L	136.00 Ft
57	WEATHERING	L	4998.00 SqFt
Sample Number: 09	Type: R	Area: 4998.00 SqFt	PCI: 75
Sample Comments:			
48	L & T CR	L	245.00 Ft
48	L & T CR	M	20.00 Ft
57	WEATHERING	L	4998.00 SqFt
Sample Number: 15	Type: R	Area: 4998.00 SqFt	PCI: 75
Sample Comments:			
48	L & T CR	L	382.00 Ft
57	WEATHERING	L	4998.00 SqFt
Sample Number: 21	Type: R	Area: 4998.00 SqFt	PCI: 81
Sample Comments:			
48	L & T CR	L	235.00 Ft
57	WEATHERING	L	4998.00 SqFt
Sample Number: 27	Type: R	Area: 4806.00 SqFt	PCI: 77
Sample Comments:			
48	L & T CR	L	231.00 Ft
57	WEATHERING	L	4555.00 SqFt
57	WEATHERING	M	251.00 SqFt

Network:	GDV		Name:	Dawson Community (Glendive) Airport					
Branch:	AP	Name:	Apron	Use:	APRON	Area:	195,700 SqFt		
Section:	02	of 2	From:	STA 6+50A	To:	STA 9+00A	Last Const.:	8/1/2002	
Surface:	AC	Family:	DEFAULT	Zone:	GLEN	Category:	F	Rank:	P
Area:	50,000 SqFt	Length:	1,000 Ft	Width:	50 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACN	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2002	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Last Insp. Date:	8/26/2021	Total Samples:	12	Surveyed:	4				
Conditions:	PCI: 66								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5198.00 SqFt	PCI:	65		
Sample Comments:									
41	ALLIGATOR CR	L	40.00	SqFt					
48	L & T CR	L	161.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	M	5198.00	SqFt					
Sample Number:	05	Type:	R	Area:	5000.00 SqFt	PCI:	64		
Sample Comments:									
48	L & T CR	L	351.00	Ft					
48	L & T CR	M	100.00	Ft					
50	PATCHING	M	8.00	SqFt					
57	WEATHERING	M	4992.00	SqFt					
Sample Number:	08	Type:	R	Area:	4900.00 SqFt	PCI:	67		
Sample Comments:									
48	L & T CR	L	454.00	Ft					
48	L & T CR	M	75.00	Ft					
57	WEATHERING	M	4900.00	SqFt					
Sample Number:	11	Type:	R	Area:	6000.00 SqFt	PCI:	69		
Sample Comments:									
48	L & T CR	L	244.00	Ft					
48	L & T CR	M	40.00	Ft					
56	SWELLING	L	2.00	SqFt					
57	WEATHERING	M	6000.00	SqFt					

Network:	GDV		Name:	Dawson Community (Glendive) Airport					
Branch:	RW02	Name:	Runway 02-20	Use:	RUNWAY	Area:	174,000 SqFt		
Section:	03	of	1	From:	RWY 2-20 STA 0+00	To:	RWY 2-20 STA 30+00	Last Const.:	8/1/2003
Surface:	AC	Family:	DEFAULT	Zone:	GLEN	Category:	E	Rank:	P
Area:	174,000 SqFt	Length:	2,900 Ft	Width:	60 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	7/31/1988	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2003	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Work Date:	7/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	7/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	8/26/2021	TotalSamples:	36	Surveyed:	6				
Conditions:	PCI:	73							
Inspection Comments:									
Sample Number:	06	Type:	R	Area:	4800.00 SqFt	PCI:	76		
Sample Comments:									
48	L & T CR	L	339.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	12	Type:	R	Area:	4800.00 SqFt	PCI:	75		
Sample Comments:									
48	L & T CR	L	368.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	18	Type:	R	Area:	4800.00 SqFt	PCI:	69		
Sample Comments:									
48	L & T CR	L	250.00	Ft					
48	L & T CR	M	30.00	Ft					
48	L & T CR	H	30.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	24	Type:	R	Area:	4800.00 SqFt	PCI:	74		
Sample Comments:									
48	L & T CR	L	270.00	Ft					
48	L & T CR	M	30.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	30	Type:	R	Area:	4800.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	300.00	Ft					
48	L & T CR	M	15.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	36	Type:	R	Area:	4800.00 SqFt	PCI:	69		
Sample Comments:									
42	BLEEDING	N	40.00	SqFt					
48	L & T CR	L	314.00	Ft					
57	WEATHERING	L	4560.00	SqFt					
57	WEATHERING	M	240.00	SqFt					

Network:	GDV		Name:	Dawson Community (Glendive) Airport					
Branch:	RW12	Name:	Runway 12-30	Use:	RUNWAY	Area:	570,400 SqFt		
Section:	01	of	2	From:	RWY 30-12 STA 6+00	To:	RWY 30-12 STA 52+50	Last Const.:	8/1/2007
Surface:	AC	Family:	DEFAULT	Zone:	GLEN	Category:	H	Rank:	P
Area:	465,000 SqFt	Length:	4,650 Ft	Width:	100 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACH	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2007	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Work Date:	7/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	7/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	8/26/2021	TotalSamples:	92	Surveyed:	7				
Conditions:	PCI:	70							
Inspection Comments:									
Sample Number:	05	Type:	R	Area:	5000.00 SqFt	PCI:	68		
Sample Comments:									
48	L & T CR	L	500.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	19	Type:	R	Area:	5000.00 SqFt	PCI:	69		
Sample Comments:									
48	L & T CR	L	314.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	33	Type:	R	Area:	5000.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	341.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	47	Type:	R	Area:	5000.00 SqFt	PCI:	70		
Sample Comments:									
48	L & T CR	L	294.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	61	Type:	R	Area:	5000.00 SqFt	PCI:	71		
Sample Comments:									
48	L & T CR	L	264.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	75	Type:	R	Area:	5000.00 SqFt	PCI:	68		
Sample Comments:									
42	BLEEDING	N	12.00	SqFt					
48	L & T CR	L	302.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	89	Type:	R	Area:	5000.00 SqFt	PCI:	73		
Sample Comments:									

42	BLEEDING	N	20.00	SqFt
48	L & T CR	L	277.00	Ft
57	WEATHERING	L	4750.00	SqFt
57	WEATHERING	M	250.00	SqFt

Network:	GDV		Name:	Dawson Community (Glendive) Airport					
Branch:	RW12	Name:	Runway 12-30	Use:	RUNWAY	Area:	570,400 SqFt		
Section:	02	of 2	From:	RWY 30-12 STA 0+00/52+50	To:	RWY 30-12 STA 6+00/57+04	Last Const.:	8/1/2007	
Surface:	AC	Family:	DEFAULT	Zone:	GLEN	Category:	H	Rank:	P
Area:	105,400 SqFt	Length:	1,054 Ft	Width:	100 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACH	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2007	Work Type:	Overlay - AC Thin		Code:	OL-AT	Is Major M&R:	True	
Work Date:	7/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	7/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	8/26/2021	TotalSamples:	21	Surveyed:	4				
Conditions:	PCI:	71							
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5000.00 SqFt	PCI:	72		
Sample Comments:									
48	L & T CR	L	242.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	12	Type:	R	Area:	5000.00 SqFt	PCI:	65		
Sample Comments:									
48	L & T CR	L	450.00	Ft					
48	L & T CR	M	29.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	17	Type:	R	Area:	5000.00 SqFt	PCI:	74		
Sample Comments:									
42	BLEEDING	N	10.00	SqFt					
48	L & T CR	L	281.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					
Sample Number:	21	Type:	R	Area:	5000.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	340.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					

Network:	GDV		Name:	Dawson Community (Glendive) Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	287,015 SqFt		
Section:	01	of 6	From:	RUNWAY 12-30	To:	APRON	Last Const.: 8/1/2007		
Surface:	AC	Family:	DEFAULT	Zone:	GLEN	Category:	G	Rank:	P
Area:	31,000 SqFt	Length:	620 Ft	Width:	50 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACH	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	8/15/1986	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True		
Work Date:	8/1/2007	Work Type:	Overlay - AC Thin	Code:	OL-AT	Is Major M&R:	True		
Work Date:	7/1/2020	Work Type:	Crack Sealing - AC	Code:	CS-AC	Is Major M&R:	False		
Work Date:	7/1/2020	Work Type:	Surface Seal	Code:	SS-LO	Is Major M&R:	False		
Last Insp. Date:	8/26/2021	TotalSamples:	6	Surveyed:	3				
Conditions:	PCI:	75							
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5599.00 SqFt	PCI:	74		
Sample Comments:									
48	L & T CR	L	343.00	Ft					
57	WEATHERING	L	5319.00	SqFt					
57	WEATHERING	M	280.00	SqFt					
Sample Number:	04	Type:	R	Area:	5599.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	375.00	Ft					
57	WEATHERING	L	5319.00	SqFt					
57	WEATHERING	M	280.00	SqFt					
Sample Number:	06	Type:	R	Area:	5599.00 SqFt	PCI:	77		
Sample Comments:									
42	BLEEDING	N	4.00	SqFt					
48	L & T CR	L	281.00	Ft					
57	WEATHERING	L	5319.00	SqFt					
57	WEATHERING	M	280.00	SqFt					

Network: GDV **Name:** Dawson Community (Glendive) Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 287,015 SqFt

Section: 02 of 6 **From:** APRON **To:** RUNWAY 2-20 **Last Const.:** 8/1/2002

Surface: AC **Family:** DEFAULT **Zone:** GLEN **Category:** F **Rank:** P

Area: 38,000 SqFt **Length:** 950 Ft **Width:** 40 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/15/1986 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 8/1/2002 **Work Type:** Overlay - AC Thin **Code:** OL-AT **Is Major M&R:** True

Last Insp. Date: 8/26/2021 **Total Samples:** 8 **Surveyed:** 4

Conditions: PCI: 67

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 6996.00 SqFt **PCI:** 65

Sample Comments:

41 ALLIGATOR CR L 28.00 SqFt
48 L & T CR L 396.00 Ft
48 L & T CR M 125.00 Ft
57 WEATHERING M 6996.00 SqFt

Sample Number: 03 **Type:** R **Area:** 6996.00 SqFt **PCI:** 70

Sample Comments:

48 L & T CR L 401.00 Ft
48 L & T CR M 125.00 Ft
57 WEATHERING M 6996.00 SqFt

Sample Number: 05 **Type:** R **Area:** 6996.00 SqFt **PCI:** 66

Sample Comments:

42 BLEEDING N 4.00 SqFt
48 L & T CR L 330.00 Ft
48 L & T CR M 125.00 Ft
52 RAVELING M 5.00 SqFt
57 WEATHERING M 6991.00 SqFt

Sample Number: 07 **Type:** R **Area:** 6996.00 SqFt **PCI:** 70

Sample Comments:

48 L & T CR L 419.00 Ft
48 L & T CR M 100.00 Ft
57 WEATHERING M 6996.00 SqFt

Network:	GDV		Name:	Dawson Community (Glendive) Airport					
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	287,015 SqFt		
Section:	04	of 6	From:	T-2	To:	HANGARS	Last Const.:	11/1/2002	
Surface:	AAC	Family:	DEFAULT	Zone:		Category:		Rank:	P
Area:	52,850 SqFt	Length:	1,510 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/1/2002	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Last Insp. Date:	8/26/2021	TotalSamples:	11	Surveyed:	4				
Conditions:	PCI: 30								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	6000.00 SqFt	PCI:	62		
Sample Comments:									
42	BLEEDING	N	10.00	SqFt					
48	L & T CR	L	616.00	Ft					
48	L & T CR	M	150.00	Ft					
57	WEATHERING	M	6000.00	SqFt					
Sample Number:	03	Type:	R	Area:	5495.00 SqFt	PCI:	20		
Sample Comments:									
42	BLEEDING	N	4121.00	SqFt					
48	L & T CR	L	75.00	Ft					
48	L & T CR	M	30.00	Ft					
52	RAVELING	M	5.00	SqFt					
57	WEATHERING	L	5490.00	SqFt					
Sample Number:	07	Type:	R	Area:	5495.00 SqFt	PCI:	19		
Sample Comments:									
42	BLEEDING	N	5495.00	SqFt					
48	L & T CR	L	158.00	Ft					
48	L & T CR	M	50.00	Ft					
57	WEATHERING	M	5495.00	SqFt					
Sample Number:	09	Type:	R	Area:	5500.00 SqFt	PCI:	18		
Sample Comments:									
42	BLEEDING	N	4950.00	SqFt					
48	L & T CR	L	105.00	Ft					
48	L & T CR	M	30.00	Ft					
52	RAVELING	H	10.00	SqFt					
57	WEATHERING	M	5490.00	SqFt					

Network:	GDV	Name:	Dawson Community (Glendive) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	287,015 SqFt		
Section:	05	of 6	From:	RUNWAY 12-30	To:	RUNWAY 2-20	Last Const.: 8/1/2007		
Surface:	AAC	Family:	DEFAULT	Zone:	GLEN	Category:	D	Rank:	P
Area:	59,220 SqFt	Length:	1,692 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/1/2007	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	7/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	7/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	8/26/2021	TotalSamples:	12	Surveyed:	4				
Conditions:	PCI:	89							
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4935.00 SqFt	PCI:	88		
Sample Comments:									
48	L & T CR	L	85.00	Ft					
57	WEATHERING	L	4935.00	SqFt					
Sample Number:	04	Type:	R	Area:	4935.00 SqFt	PCI:	88		
Sample Comments:									
48	L & T CR	L	100.00	Ft					
57	WEATHERING	L	4935.00	SqFt					
Sample Number:	07	Type:	R	Area:	4935.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	36.00	Ft					
57	WEATHERING	L	4935.00	SqFt					
Sample Number:	10	Type:	R	Area:	4935.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	40.00	Ft					
57	WEATHERING	L	4935.00	SqFt					

Network: GDV **Name:** Dawson Community (Glendive) Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 287,015 SqFt

Section: 06 of 6 **From:** RUNWAY 12-30 **To:** JUGHANDLE **Last Const.:** 8/1/2007

Surface: AAC **Family:** DEFAULT **Zone:** GLEN **Category:** D **Rank:** P

Area: 20,545 SqFt **Length:** 587 Ft **Width:** 35 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/2007 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 7/1/2020 **Work Type:** Crack Sealing - AC **Code:** CS-AC **Is Major M&R:** False

Work Date: 7/1/2020 **Work Type:** Surface Seal **Code:** SS-LO **Is Major M&R:** False

Last Insp. Date: 8/26/2021 **TotalSamples:** 6 **Surveyed:** 3

Conditions: PCI: 75

Inspection Comments:

Sample Number: 02 **Type:** R **Area:** 4244.00 SqFt **PCI:** 70

Sample Comments:

48 L & T CR L 248.00 Ft

48 L & T CR M 62.00 Ft

57 WEATHERING L 4032.00 SqFt

57 WEATHERING M 212.00 SqFt

Sample Number: 04 **Type:** R **Area:** 3965.00 SqFt **PCI:** 71

Sample Comments:

48 L & T CR L 164.00 Ft

48 L & T CR M 75.00 Ft

57 WEATHERING L 3766.00 SqFt

57 WEATHERING M 199.00 SqFt

Sample Number: 06 **Type:** R **Area:** 5043.00 SqFt **PCI:** 81

Sample Comments:

48 L & T CR L 229.00 Ft

57 WEATHERING L 5043.00 SqFt

Network:	GDV	Name:	Dawson Community (Glendive) Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	287,015 SqFt		
Section:	07	of 6	From:	A-1	To:	T-6	Last Const.:	8/15/2012	
Surface:	AC	Family:	DEFAULT	Zone:	GLEN	Category:	D	Rank:	P
Area:	85,400 SqFt	Length:	2,440 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/15/2012	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	7/1/2020	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	7/1/2020	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	8/26/2021	TotalSamples:	18	Surveyed:	6				
Conditions:	PCI: 92								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	6758.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	49.00	Ft					
57	WEATHERING	L	6758.00	SqFt					
Sample Number:	05	Type:	R	Area:	6199.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	6199.00	SqFt					
Sample Number:	07	Type:	R	Area:	5985.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	25.00	Ft					
57	WEATHERING	L	5985.00	SqFt					
Sample Number:	09	Type:	R	Area:	5772.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5772.00	SqFt					
Sample Number:	13	Type:	R	Area:	5345.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5345.00	SqFt					
Sample Number:	17	Type:	R	Area:	4721.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	23.00	Ft					
57	WEATHERING	L	4721.00	SqFt					