


#### **CURRENT 2021 PAVEMENT CONDITION INDEX**

| Branch<br>ID | Section<br>ID | Branch Name  | Surface<br>Type | Section<br>Area (SF) | Approx. Age at Inspection | Last Major<br>Work Date | Last Inspection<br>Date | Pavement<br>Condition Index | PCI<br>Category |
|--------------|---------------|--------------|-----------------|----------------------|---------------------------|-------------------------|-------------------------|-----------------------------|-----------------|
| AP           | 02            | Apron        | AC              | 18,040               | 16.3                      | 8/1/2005                | 9/8/2021                | 94                          | Good            |
| AP           | 03            | Apron        | AC              | 15,600               | 16.3                      | 8/1/2005                | 9/8/2021                | 85                          | Satisfactory    |
| AP           | 11            | Apron        | AAC             | 54,954               | 16.3                      | 8/1/2005                | 9/8/2021                | 85                          | Satisfactory    |
| RW04         | 11            | Runway 04-22 | AAC             | 318,000              | 16.3                      | 8/1/2005                | 9/8/2021                | 77                          | Satisfactory    |
| TW           | 11            | Taxiway      | AC              | 62,575               | 16.3                      | 8/1/2005                | 9/8/2021                | 79                          | Satisfactory    |
| TW           | 20            | Taxiway      | AC              | 55,450               | 2.8                       | 1/1/2019                | 1/1/2019                | 100                         | Good            |

### AIRFIELD PAVEMENT WORK HISTORY

- AIP-001-1984, RECONSTRUCT PORTIONS OF RUNWAY AND SURFACE RUNWAY; REHABILITATE TAXIWAY AND APRON. AIP-004-2005, ALL NEW CONSTRUCTION: RECONSTRUCT RUNWAY 4/22 (R04:11), TAXIWAY (TW:11), AND APRONS (AP:11,AP:02).
- AIP-005-2014, CRACK SEAL, FOG SEAL, AND REMARK RUNWAY, TAXIWAY, AND APRONS.
   AIP-007-2019 CONSTRUCT TAXIWAY (TW:20), CRACK SEAL AND SEAL COAT AIRSIDE PAVEMENTS.

MONTANA AVIATION SYSTEM PLAN 2021 PAVEMENT CONDITION INDEXES
PREPARED FOR





Pavement Condition Index Map S69 - LINCOLN AIRPORT

## **Runway**



RW04-11-01: Overview



RW04-11-63: L&T Cracking



# **Taxiway**



TW11-12: Overview



TW11-15: L&T Cracking



## <u>Apron</u>



AP03-03: Depression



AP11-10: L&T Cracking



### **Re-Inspection Report**

MDT SASP 2021

WEATHERING

57

L

4510.00 SqFt

 Generated Date
 12/6/2021

Page 1 of 5

| Generated Dat   | e              |           | 12/6 | 5/2021    |             |             |             |             |        |           |            |           |              | rage ror       |
|-----------------|----------------|-----------|------|-----------|-------------|-------------|-------------|-------------|--------|-----------|------------|-----------|--------------|----------------|
| Network:        | S69            |           |      |           |             | Nar         | ne: Line    | coln Airpor | t      |           |            |           |              |                |
| Branch:         | AP             |           |      | Name:     | Apro        | n           |             | Use         | : AI   | PRON      | Area:      | 88        | 8,594 SqFt   |                |
| Section: 02     |                | of        | 3    |           | From:       | T-11        |             |             |        | To: SOU   | THWEST END |           | Last Const.: | 8/1/2005       |
| Surface: AC     |                | Family:   | DEF  | AULT      |             | Zon         | ne: LINC    |             |        | Category: | D          |           | Rank: P      |                |
| Area:           | 18,04          | 40 SqFt   |      | Length:   |             | 164 I       | Ft          | Width:      |        | 110 F     | t          |           |              |                |
| Slabs:          |                | Slab Leng | gth: |           | F           | t           | Slab Width: |             |        | Ft        | Joint      | Length:   | F            | <sup>2</sup> t |
| Shoulder:       |                | Street Ty | pe:  | ACN       |             |             | Grade: 0    |             |        |           | Lane       | es: 0     |              |                |
| Section Comm    | ents:          |           |      |           |             |             |             |             |        |           |            |           |              |                |
| Work Date: 8/   | /1/2005        | Wo        | rk T | ype: New  | v Construct | tion - Init | tial        |             | Code:  | NU-IN     | I          | s Major M | &R: True     |                |
| Work Date: 1/   | /1/2019        | Wo        | rk T | ype: Crac | ck Sealing  | - AC        |             |             | Code:  | CS-AC     | I          | s Major M | &R: False    |                |
| Work Date: 1/   | /1/2019        | Wo        | rk T | ype: Surf | face Seal   |             |             |             | Code:  | SS-LO     | I          | s Major M | &R: False    |                |
| Last Insp. Date | e: 9/8/2021    |           |      | Totals    | Samples:    | 4           |             | Surve       | yed: 3 | 3         |            |           |              |                |
| Conditions:     | <b>PCI:</b> 94 |           |      |           |             |             |             |             |        |           |            |           |              |                |
| Inspection Con  | nments:        |           |      |           |             |             |             |             |        |           |            |           |              |                |
| Sample Numbe    | er: 01         | Тур       | e:   | R         |             | Area:       | 4510        | 0.00 SqFt   |        | PCI:      | 94         |           |              |                |
| Sample Comm     | ents:          |           |      |           |             |             |             |             |        |           |            |           |              |                |
| 57 WEATH        | HERING         |           | L    | 4         | 4510.00     | ) SqFt      |             |             |        |           |            |           |              |                |
| Sample Numbe    | er: 02         | Тур       | e:   | R         |             | Area:       | 451         | 0.00 SqFt   |        | PCI:      | 94         |           |              |                |
| Sample Comm     | ents:          |           |      |           |             |             |             |             |        |           |            |           |              |                |
| 57 WEATH        | HERING         |           | L    | ı         | 4510.00     | ) SqFt      |             |             |        |           |            |           |              |                |
| Sample Number   | er: 04         | Тур       | e:   | R         |             | Area:       | 451         | 0.00 SqFt   |        | PCI:      | 94         |           |              |                |
| Sample Comm     | ents:          |           |      |           |             |             |             |             |        |           |            |           |              |                |
|                 |                |           |      |           |             |             |             |             |        |           |            |           |              |                |

| Network: S69               |                  | Name:             | Lincoln Airport |                |                       |
|----------------------------|------------------|-------------------|-----------------|----------------|-----------------------|
| Branch: AP                 | Name:            | Apron             | Use:            | APRON A        | rea: 88,594 SqFt      |
| Section: 03                | of 3             | From: T-11        |                 | To: HANGARS    | Last Const.: 8/1/2005 |
| Surface: AC                | Family: DEFAULT  | Zone:             |                 | Category:      | Rank: P               |
|                            | 600 SqFt Length: | 390 Ft            | Width:          | 40 Ft          | Naik. 1               |
| Slabs:                     | 1                |                   | Width:          | Ft 40 Ft       | Joint Length: Ft      |
|                            | Slab Length:     |                   |                 | rı             | 9                     |
| Shoulder:                  | Street Type:     | Grad              | le: 0           |                | Lanes: 0              |
| Section Comments:          |                  |                   |                 |                |                       |
| <b>Work Date:</b> 8/1/2005 | Work Type: New   | Construction - AC | Co              | de: NC-AC      | Is Major M&R: True    |
| <b>Work Date:</b> 1/1/2019 | Work Type: Surfa | ace Seal          | Co              | de: SS-LO      | Is Major M&R: False   |
| <b>Work Date:</b> 1/1/2019 | Work Type: Crac  | k Sealing - AC    | Co              | de: CS-AC      | Is Major M&R: False   |
| Last Insp. Date: 9/8/202   | 1 TotalS         | amples: 3         | Surveyed        | : 3            |                       |
| Conditions: PCI: 85        | 5                |                   |                 |                |                       |
| Inspection Comments:       |                  |                   |                 |                |                       |
| Sample Number: 01          | Type: R          | Area:             | 4810.00 SqFt    | PCI: 86        |                       |
| Sample Comments:           | • •              |                   |                 |                |                       |
| 48 L & T CR                | L                | 65.00 Ft          |                 |                |                       |
| 57 WEATHERING              | L                | 4570.00 SqFt      |                 |                |                       |
| 57 WEATHERING              | M                | 240.00 SqFt       |                 |                |                       |
| Sample Number: 02          | Type: R          | Area:             | 4820.00 SqFt    | <b>PCI:</b> 86 |                       |
| Sample Comments:           |                  |                   |                 |                |                       |
| 48 L & T CR                | L                | 70.00 Ft          |                 |                |                       |
| 57 WEATHERING              | L                | 4579.00 SqFt      |                 |                |                       |
| 57 WEATHERING              | M                | 241.00 SqFt       |                 |                |                       |
| Sample Number: 03          | Type: R          | Area:             | 4585.00 SqFt    | <b>PCI:</b> 84 |                       |
| Sample Comments:           |                  |                   |                 |                |                       |
| 45 DEPRESSION              | L                | 12.00 SqFt        |                 |                |                       |
| 48 L & T CR                | L                | 62.00 Ft          |                 |                |                       |
| 57 WEATHERING              | L                | 4356.00 SqFt      |                 |                |                       |
| 57 WEATHERING              | M                | 229.00 SqFt       |                 |                |                       |
|                            |                  |                   |                 |                |                       |

| Network: S69                     |                  | Name                      | e: Lincoln Airport |                 |               |                      |
|----------------------------------|------------------|---------------------------|--------------------|-----------------|---------------|----------------------|
| Branch: AP                       | Name             | : Apron                   | Use:               | APRON           | Area: 88,5    | 594 SqFt             |
| Section: 11                      | of 3             | From: APRON               |                    | <b>To:</b> T-11 | L             | ast Const.: 8/1/2005 |
| Surface: AAC                     | Family: DEFAUL   | Γ Zone:                   | : LINC             | Category: D     | R             | ank: P               |
| Area: 54,95                      | 54 SqFt Leng     | <b>gth:</b> 387 Ft        | Width:             | 142 Ft          |               |                      |
| Slabs:                           | Slab Length:     | Ft                        | Slab Width:        | Ft              | Joint Length: | Ft                   |
| Shoulder:                        | Street Type: ACN | I                         | Grade: 0           |                 | Lanes: 0      |                      |
| Section Comments:                |                  |                           |                    |                 |               |                      |
| Work Date: 8/1/2005              | Work Type:       | New Construction - Initia | .1 (               | Code: NU-IN     | Is Major M&   | R: True              |
| Work Date: 1/1/2019              | Work Type:       | Surface Seal              | (                  | Code: SS-LO     | Is Major M&   | R: False             |
| Work Date: 1/1/2019              | Work Type:       | Crack Sealing - AC        | (                  | Code: CS-AC     | Is Major M&   | R: False             |
| <b>Last Insp. Date:</b> 9/8/2021 | To               | talSamples: 12            | Survey             | ed: 4           |               |                      |
| Conditions: PCI: 85              |                  |                           |                    |                 |               |                      |
| Inspection Comments:             |                  |                           |                    |                 |               |                      |
| Sample Number: 04                | Type: R          | Area:                     | 4580.00 SqFt       | PCI: 87         | 1             |                      |
| Sample Comments:                 |                  |                           | _                  |                 |               |                      |
| 48 L & T CR                      | L                | 11.00 Ft                  |                    |                 |               |                      |
| 57 WEATHERING                    | L                | 4351.00 SqFt              |                    |                 |               |                      |
| 57 WEATHERING                    | M                | 229.00 SqFt               |                    |                 |               |                      |
| Sample Number: 06                | Type: R          | Area:                     | 4580.00 SqFt       | PCI: 88         | }             |                      |
| Sample Comments:                 |                  |                           |                    |                 |               |                      |
| 48 L & T CR                      | L                | 9.00 Ft                   |                    |                 |               |                      |
| 57 WEATHERING                    | L                | 4351.00 SqFt              |                    |                 |               |                      |
| 57 WEATHERING                    | M                | 229.00 SqFt               |                    |                 |               |                      |
| Sample Number: 10                | Type: R          | Area:                     | 4580.00 SqFt       | <b>PCI:</b> 79  | 1             |                      |
| Sample Comments:                 |                  |                           |                    |                 |               |                      |
| 48 L & T CR                      | L                | 116.00 Ft                 |                    |                 |               |                      |
| 48 L & T CR                      | M                | 6.00 Ft                   |                    |                 |               |                      |
| 57 WEATHERING                    | L                | 4351.00 SqFt              |                    |                 |               |                      |
| 57 WEATHERING                    | M                | 229.00 SqFt               |                    |                 |               |                      |
| Sample Number: 12                | Type: R          | Area:                     | 4580.00 SqFt       | PCI: 86         |               |                      |
| Sample Comments:                 |                  |                           |                    |                 |               |                      |
| 48 L & T CR                      | L                | 35.00 Ft                  |                    |                 |               |                      |
| 57 WEATHERING                    | -                | 10.51 00 0 5              |                    |                 |               |                      |

4351.00 SqFt 229.00 SqFt

L

M

57 57

WEATHERING

WEATHERING

| Notre    | wl. 940                  |                                       |           | Nome                        | . Lincoln Aima   | a+     |             |                                     |
|----------|--------------------------|---------------------------------------|-----------|-----------------------------|------------------|--------|-------------|-------------------------------------|
| Netwo    |                          |                                       |           | Name                        | : Lincoln Airpor |        |             |                                     |
| Branc    | h: RW04                  |                                       | Name:     | Runway 04-22                | Use              | : RU   | JNWAY       | <b>Area:</b> 318,000 SqFt           |
| Section  | n: 11                    | of 1                                  |           | From: STA. 22+              | +00 RWY 4/22     |        | To: STA. 6  | 4+40 RWY 4/22 Last Const.: 8/1/2005 |
| Surfac   | e: AAC F                 | amily: DE                             | FAULT     | Zone:                       | LINC             |        | Category: D | Rank: P                             |
| Area:    | 318,000 \$               | SqFt                                  | Length    | 4,240 Ft                    | Width:           |        | 75 Ft       |                                     |
| Slabs:   | 5                        | Slab Length:                          |           | Ft                          | Slab Width:      |        | Ft          | Joint Length: Ft                    |
| Should   | ler:                     | Street Type:                          | ACR       | •                           | Grade: 0         |        |             | Lanes: 0                            |
| Section  | n Comments:              |                                       |           |                             |                  |        |             |                                     |
| Work     | <b>Date:</b> 8/1/2005    | Work '                                | Tyne: Ne  | ew Construction - Initia    | 1                | Code:  | NU-IN       | Is Major M&R: True                  |
|          | <b>Date:</b> 6/1/2003    | · · · · · · · · · · · · · · · · · · · | Type: 14c | w construction initia       |                  |        |             | is major week. The                  |
| Work     | <b>Date:</b> 1/1/2019    | Work                                  | Гуре: Cr  | ack Sealing - AC            |                  | Code:  | CS-AC       | Is Major M&R: False                 |
| Work     | <b>Date:</b> 1/1/2019    | Work                                  | Гуре: Su  | rface Seal                  |                  | Code:  | SS-LO       | Is Major M&R: False                 |
| T and I  | non Data: 0/9/2021       |                                       | Tota      | 16 amples - 65              | S                |        | 7           |                                     |
|          | nsp. Date: 9/8/2021      |                                       | 10ta      | lSamples: 65                | Surve            | yed: ´ | /           |                                     |
| Condi    |                          |                                       |           |                             |                  |        |             |                                     |
|          | tion Comments:           |                                       |           |                             |                  |        |             |                                     |
| -        | e Number: 01             | Type:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI:        | 71                                  |
| Sampl    | e Comments:              |                                       |           |                             |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | L         | 228.00 Ft                   |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | M         | 60.00 Ft                    |                  |        |             |                                     |
| 57<br>57 | WEATHERING<br>WEATHERING |                                       | L<br>M    | 4325.00 SqFt<br>625.00 SqFt |                  |        |             |                                     |
|          | e Number: 12             | Type:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI:        | 77                                  |
| _        | e Comments:              | 1 y pc.                               |           | 711011                      | 1920.00 5411     |        | 101.        | -                                   |
| _        |                          |                                       | _         |                             |                  |        |             |                                     |
| 48<br>57 | L & T CR<br>WEATHERING   |                                       | L<br>L    | 321.00 Ft<br>4455.00 SqFt   |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | M         | 495.00 SqFt                 |                  |        |             |                                     |
| Sampl    | e Number: 25             | Type:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI:        | 78                                  |
| Sampl    | e Comments:              |                                       |           |                             | _                |        |             |                                     |
| 48       | L & T CR                 |                                       | L         | 225.00 Ft                   |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | L         | 4703.00 SqFt                |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | M         | 247.00 SqFt                 |                  |        |             |                                     |
| Sampl    | e Number: 37             | Туре:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI:        | 78                                  |
| Sampl    | e Comments:              |                                       |           |                             |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | L         | 218.00 Ft                   |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | L         | 4702.00 SqFt                |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | M         | 248.00 SqFt                 |                  |        |             |                                     |
| Sampl    | e Number: 49             | Type:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI: 8      | 32                                  |
| Sampl    | e Comments:              |                                       |           |                             |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | L         | 132.00 Ft                   |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | L         | 4702.00 SqFt                |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | M         | 248.00 SqFt                 |                  |        |             |                                     |
| _        | e Number: 61             | Type:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI: 8      | 31                                  |
| Sampl    | e Comments:              |                                       |           |                             |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | L         | 162.00 Ft                   |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | L         | 4702.00 SqFt                |                  |        |             |                                     |
| 57       | WEATHERING               |                                       | M         | 248.00 SqFt                 | 4050.00 C. F:    |        | DCI 2       | 76                                  |
| _        | e Number: 63             | Type:                                 | R         | Area:                       | 4950.00 SqFt     |        | PCI:        | /0                                  |
| Sampl    | e Comments:              |                                       |           |                             |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | L         | 88.00 Ft                    |                  |        |             |                                     |
| 48       | L & T CR                 |                                       | M         | 47.00 Ft                    |                  |        |             |                                     |
| 57<br>57 | WEATHERING<br>WEATHERING |                                       | L<br>M    | 4702.00 SqFt<br>248.00 SqFt |                  |        |             |                                     |
|          |                          |                                       |           |                             |                  |        |             |                                     |

| Network: S69                       |                  | Name                        | : Lincoln Airport |                |                                    |
|------------------------------------|------------------|-----------------------------|-------------------|----------------|------------------------------------|
| Branch: TW                         | Name:            | Taxiway                     | Use:              | TAXIWAY        | <b>Area:</b> 89,560 SqFt           |
| Section: 11                        | of 2             | From: R-1 STA               | 43+70             | To: R-1 STA.   | 64+40 <b>Last Const.:</b> 8/1/2005 |
| Surface: AC                        | Family: DEFAULT  | Zone:                       | LINC              | Category: D    | Rank: P                            |
| Area: 62,57:                       | 5 SqFt Length:   | 2,503 Ft                    | Width:            | 25 Ft          |                                    |
| Slabs:                             | Slab Length:     | Ft S                        | Slab Width:       | Ft             | Joint Length: Ft                   |
| Shoulder:                          | Street Type: ACR | (                           | Grade: 0          |                | Lanes: 0                           |
| Section Comments:                  |                  |                             |                   |                |                                    |
| Work Date: 8/1/2005                | Work Type: New   | Construction - Initial      | C                 | ode: NU-IN     | Is Major M&R: True                 |
| Work Date: 1/1/2019                | Work Type: Surf  | ace Seal                    | C                 | ode: SS-LO     | Is Major M&R: False                |
| Work Date: 1/1/2019                | Work Type: Crac  | ck Sealing - AC             | C                 | ode: CS-AC     | Is Major M&R: False                |
| Last Insp. Date: 9/8/2021          | Totals           | Samples: 17                 | Surveyo           | ed: 5          |                                    |
| Conditions: PCI: 79                |                  |                             |                   |                |                                    |
| Inspection Comments:               |                  |                             |                   |                |                                    |
| Sample Number: 06                  | Type: R          | Area:                       | 5000.00 SqFt      | PCI: 72        |                                    |
| Sample Comments:                   |                  |                             | •                 |                |                                    |
| 48 L & T CR                        | L                | 267.00 Ft                   |                   |                |                                    |
| 48 L & T CR                        | M                | 4.00 Ft                     |                   |                |                                    |
| 57 WEATHERING<br>57 WEATHERING     | L<br>M           | 4750.00 SqFt                |                   |                |                                    |
|                                    |                  | 250.00 SqFt                 | 5000.00 SqFt      | <b>PCI:</b> 81 |                                    |
| Sample Number: 07 Sample Comments: | Type: R          | Area:                       | 3000.00 SqFt      | FCI; 61        |                                    |
| _                                  |                  |                             |                   |                |                                    |
| 48 L&TCR                           | L                | 155.00 Ft                   |                   |                |                                    |
| 57 WEATHERING<br>57 WEATHERING     | L<br>M           | 4750.00 SqFt<br>250.00 SqFt |                   |                |                                    |
| Sample Number: 09                  | Type: R          | Area:                       | 5000.00 SqFt      | PCI: 76        |                                    |
| Sample Comments:                   | 1,100            | 1110111                     | 2000.00 241       | 1 01. 70       |                                    |
| _                                  | <b>T</b>         | 274.00 E                    |                   |                |                                    |
| 48 L & T CR<br>57 WEATHERING       | L                | 274.00 Ft<br>4750.00 SqFt   |                   |                |                                    |
| 57 WEATHERING                      | M                | 250.00 SqFt                 |                   |                |                                    |
| Sample Number: 12                  | Type: R          | Area:                       | 5000.00 SqFt      | PCI: 86        |                                    |
| Sample Comments:                   |                  |                             | •                 |                |                                    |
| 48 L & T CR                        | L                | 42.00 Ft                    |                   |                |                                    |
| 57 WEATHERING                      | L                | 4750.00 SqFt                |                   |                |                                    |
| 57 WEATHERING                      | M                | 250.00 SqFt                 |                   |                |                                    |
| Sample Number: 15                  | Type: R          | Area:                       | 3600.00 SqFt      | <b>PCI:</b> 83 |                                    |
| Sample Comments:                   |                  |                             |                   |                |                                    |
| 48 L & T CR                        | L                | 81.00 Ft                    |                   |                |                                    |
| 57 WEATHERING                      | L                | 3420.00 SqFt                |                   |                |                                    |
| 57 WEATHERING                      | M                | 180.00 SqFt                 |                   |                |                                    |