F STPP 72-1(1)10 CN 1016

December 2004

Appendix F - Programmatic Section 4(f) Evaluations



MONTANA DIVISION

"NATIONWIDE" PROGRAMMATIC SECTION 4(f) EVALUATION FOR HISTORIC BRIDGES

Project № STPP-F-72-1(1)10 (PPMS-OPX2 C#1016) Project Name: Belfry North EA Description: Clarks Fork "south" bridge, 24CB707/1144; three-span steel girder with concrete deck measuring 75.9 m (249 ft) long with a clear roadway width of 7.3 m (24 ft) constructed in 1939. See Attachment A for an expanded description. Location: On MT 72, 1.6 km (1 mile) north of the town of Belfry at RP 11.9. See Attachment B for map.

This proposed project requires use of a historic bridge structure that is on, or eligible-for listing on the NATIONAL REGISTER OF HISTORIC PLACES. A description and location map of this proposed bridge replacement project is attached. NOTE: Any response in a box will require additional information, individual evaluation/statement. result in an Consult the "Nationwide" Section 4(f) Evaluation procedures. X 1. Is the bridge a NATIONAL HISTORIC LANDMARK? 2. Have agreements been reached through procedures pursuant-to Section 106 of the National Historic Preservation Act with the following: STATE HISTORIC PRESERVATION OFFICE (SHPO)? ADVISORY COUNCIL ON HISTORIC PRESERVATION (ACHP)? 3. Any other agency/ies with jurisdiction at this location? a) If "YES" will additional approval(s) for this Section 4(f) application be required? b) List of agencies with jurisdiction at this location: USA - Corps of Engineers (Sections 10 & 404 permits) **USDA** - Forest Service USDA - Natural Resource Conservation Service (formerly SCS, FPPA) FEMA Regulatory Floodway (permit) MDFW&P - Parks Division (Fishing Access Site) MDFW&P - Wildlife Division (Management Areas: WMAs) MDFW&P - Fisheries Division (124SPA permit) MDNR&C - SELO (navigable rivers under state law) MDNR&C (irrigation systems) MDEQ - Permitting & Compliance Division (MPDES authorization) MDEQ - Planning, Prevention & Assistance Division (TMDLs) Other:

ALTERNATIVES & FINDINGS

EACH of the following ALTERNATIVES for this proposed project have been evaluated under *Section 106* of the *National Historic Preservation Act (NHPA,* **16 U.S.C. 470f**) to avoid the use of the historic bridge:

- 1. "Do Nothing."
- 2. Rehabilitate the existing bridge without affecting the historic integrity of the structure in accordance with the provisions of *Section 106* in the *NHPA*.
- 3. Construct the proposed bridge at a location where the existing historic structure's integrity will not be affected as determined by the provisions of the *NHPA*.

(ALTERNATIVES & FINDINGS - conclusion:)

The preceding **ALTERNATIVES** have been applied in accordance with this <u>PROGRAMMATIC SECTION 4(f)</u> EVALUATION, and are supported by **EACH** of the following **FINDINGS**:

	·	YES	NO
1.	The "Do Nothing" ALTERNATIVE has been evaluated, and has been found to ignore the basic transportation need at this location.	<u>X</u>	
	This ALTERNATIVE is neither feasible nor prudent for the following reasons: a) Maintenance — this ALTERNATIVE does not correct the structurally deficient condition and/or poor geometrics (clearances, approaches, visibility restrictions) found at the existing bridge. Any of these factors can lead-to a sudden catastrophic collapse, and/or a potential injury including loss of life. Normal maintenance will not change this situation. The bridge has a structural sufficiency rating of 47.4 and therefore is not considered structurally deficient.	<u> X</u>	
	b) Safety — this ALTERNATIVE also does not correct the situation that causes the existing bridge to be considered deficient (i.e., it is narrow). Because of these deficiencies, the existing bridge presents serious and unacceptable safety hazards to the travelling public and/or places intolerable restrictions (gross vehicle weight, height, and/or width) on transport. (Bridge is 6.4-m [21-ft] wide; applicable MDT standards provide for replacement of any bridge with a width less than 8.4 m [28 ft]).	<u>X</u>	
	A copy of the MDT Bridge Bureau's Inspection Report(s) is (are) attached.	<u>X</u>	
2.	The rehabilitation ALTERNATIVE has been evaluated with one or more of the following FINDINGS :		
	 a) The existing bridge's structural deficiency is such-that it cannot be rehabilitated to meet minimum acceptable load and traffic requirements without adversely affecting the structure's historic integrity. b) The existing bridge's geometrics (height, width) cannot be changed without adversely affecting the structure's historic integrity. c) This ALTERNATIVE does not correct the serious restrictions on visibility (approach geometrics, structural requirements) which also contributes to an unsafe condition at this location. 	<u>x</u>	<u>x</u> x
	Is this rehabilitation ALTERNATIVE therefore considered to be feasible and/ or prudent based on the preceding evaluations?		X
3.	The relocation ALTERNATIVE , in which the new bridge has been moved to a site that presents no adverse effect upon the existing structure has also been considered under the following FINDINGS :		
	 a) Terrain and/or local geology. The present structure is located at the only feasible and/or prudent site for a bridge on the existing route. Relocating to a new site — either up-, or downstream of the preferred location — will result in extraordinary bridge/approach engineering and associated construction costs. 		_ X _
	Local geologic conditions are such-that any other location in the general vicinity of the preferred site is not prudent.		<u></u>
	Any other location would cause extraordinary disruption to existing traffic patterns.		X
	b) Significant social, economic and/or environmental impacts. Locating the proposed bridge in other- than the preferred site would result in significant social/economic impacts such as the displacement of families, businesses, or severing of prime/unique farmlands.		X
	Significant environmental impacts such as the extraordinary involvement in wetlands, regulated floodplains, or habitat of threatened/endangered species are likely to occur in any location outside the preferred site.		<u>x</u>
	c) Engineering and economics. Where difficulty/ies associated with a new location are less-extreme		

than those listed above, the site may still not be feasible and prudent where costs and/or

	engineering difficulties reac	th extraordinary magnitudes. Does the ALTERNATE location result in		
		neering or construction costs (e.g.: longer span/approaches, etc.)?		<u>X</u>
	•	oric bridge may not be possible due-to either or both of the following: deteriorated beyond all reasonable possibility of rehabilitation for a		
	transportation or alternative			<u>X</u>
	no responsible party can be	located to maintain and preserve the historic structure.	<u>X</u> *	
feas		with the previously-listed FINDINGS it is neither cate the proposed bridge at a site other-than the described.	X	
ME	ASURES TO MININ	MIZE HARM		
to I		AMMATIC SECTION 4(f) EVALUATION applies only who een assured; a check in a box MAY void the Programm or will be required:		
			YES	NO
1.	Is the bridge being reha	abilitated?		<u> X</u>
	greatest extent possible safety, and load require	ic integrity of the structure being preserved to the e; consistent with unavoidable transportation needs, ements?		
	NOTE: If "NO", refer-to item 2.,	following, to determine <u>Programmatic</u> applicability.		
2.	The bridge is being reintegrity is affected. structure under HISTORI	eplaced, or rehabilitated to the point where historic Are adequate records being made of the existing IC AMERICAN ENGINEERING RECORD standards, or other ped through consultation with SHPO and the ACHP?	<u>X</u>	
		placed, is the existing structure being made available a responsible party to maintain and preserve same?	<u>X</u>	
	through the NHPA-Sec	adversely affected, has agreement been reached ction 106 process on these Measures to Minimize incorporated-into the proposed project) with the		
	SHPO? (Date: <u>5/11/19</u>	89 amended 2/27/92)	<u> </u>	
	ACHP? (Date: 6/1/1989			
	FHwA? (Date: <u>5/11/198</u>	.		
		rammatic Agreement (dated May 9, 1989) and signed/approved by these agencies is attached.	<u>X</u>	
<u>co</u>	ORDINATION			
		nal COORDINATION with the following agencies ject (other-than those listed previously):		
SHI	PO:	February 24, 2003 letter attached		
City	/County government:	Board of Commissioners, County of Carbon (June 30, 2	2004 letter a	attached)
Loc	al historical society:	N/A		
Adja	acent property owners:	Spauldings, Wolfes, Brown Trust (operated by Spauldin and at public meetings.	ngs) contac	ted by phone
Oth	ers:	USDOI - BLM		
This	s proposed project is al	so documented as an Environmental Assessment und	er the	

^{*}Unknown at this time. MDT needs to formally initiate the Adopt A Bridge process to determine if another owner can be located.
*** MDT coordination to be undertaken with these parties.

requirements of the National Environmental Policy Act (42 U.S.C. 4321, et seq.).

SUMMARY & APPROVAL

The proposed action meets all criteria regarding the required ALTERNATIVES. FINDINGS, and Measures to Minimize Harm, which will be incorporated into this proposed project. This proposed project therefore complies with the July 5, 1983 Programmatic Section 4(f) Evaluation by the U.S. DEPARTMENT OF TRANSPORTATION'S Federal Highway Administration.

This document is submitted pursuant to 49 U.S.C. 303 and in accordance with the provisions of 16 U.S.C. 470f.

Jean A. Riley, P.E.

₿∕ureau Chief

MDT Environmental Services Bureau

Approved

Federal Highway Administration

Date: 21 DEC 2004

Date: 12/20/04

"ALTERNATIVE ACCESSIBLE FORMATS OF THIS **DOCUMENT WILL BE PROVIDED ON REQUEST."**


Attachment A

Project Description


The Clarks Fork "south" bridge is located on the existing MT 72 alignment, approximately 1.6 km (1 mi) northeast of Belfry at RP 11.87. The structure was constructed in 1939 and has a 7.3-m (24-ft) clear roadway width. It has a sufficiency rating of 47.4. Although the bridge is in generally good condition for its age, it is narrow by MDT current standards. MDT standards indicate the need for replacement of any bridge narrower than 8.5 m (28 ft), and therefore, MDT would eventually expect to replace this bridge.

To improve safety within Belfry, specifically in front of the Belfry School, the Preferred Alternative (the Railroad Alignment Alternative) would reroute MT 72 to the west side of Belfry, which would result in crossing the Clarks Fork on a new alignment.


Therefore, the Preferred Alternative, the Railroad Alignment Alternative, does not directly impact the bridge because the alignment is relocated, and a new bridge would be constructed at the new location of the crossing of the Clarks Fork north of the existing crossing. The existing bridge could be left in place. However, with a new bridge, MDT would not continue to maintain the existing bridge. MDT will complete its Adopt a Bridge Program process to attempt to locate a new owner for the bridge. If no viable owner can be identified, the bridge will be removed to avoid safety problems.



Legend:



Map Location:



INITIAL ASSESSMENT FORM FOR STRUCTURE:

Page 1 of 7

Form: bms001c

Printed by: OPS\$U6628

P00072011+09041

Location: 1M N BELFRY Structure Name: none

General Location Data District Code, Number, Location: 05 Dist 5 **BILLINGS** Division Code, Location:51 **BILLINGS** County Code, Location: 009 CARBON City Code, Location: 00000 **RURAL AREA** Kind fo Hwy Code, Description: 3 3 State Hwy Signed Route Number: 00072 Str Owner Code, Description: 1 State Highway Agency State Highway Agency Maintained by Code, Description:1 Intersecting Feature: CLARKS FORK YELLOWSTONE Kilometer Post, Mile Post: 19.15 km 11.87 Structure on the State Highway System: Latitude: 45°09'18" **Construction Data** Structure on the National Highway System: Longitude: 109°00'18" Construction Project Number: S 320-B 1 Str Meet or Exceed NBIS Bridge Length: Construction Station Number: 10+92.00 Traffic Data Construction Drawing Number: 2124 Construction Year: 1939 Current ADT: 1,390 ADT Count Year: 2000 2 % Percent Trucks Reconstruction Year: 0

Structure Loading, Rating and Posting Data

Loading Data:

Design Loading :		2 M 13.5 (H 15)
Inventory Load, Design :	17.2 mton	2 AS Allowable Stress
Operating Load, Design :	40.8 mton	2 AS Allowable Stress
Posting:		5 At/Above Legal Loads

Rating Data:	Operating	Inventory	Posting
Truck Type 1:	-1	-1	
Truck Type 2:	-1	-1	
Truck Type 3:	65	-1	

Structure Roadway, Span and Clearance Data

Structure Deck, Roadway and Span Data:

Structure Length: 75.90 m

Number of Main Spans:

Number of Approach Spans:

Deck Area:

Deck Roadway Width:

Approach Roadway Width:

7.32 m

609.00 m sa

7.32 m

Structure Vertical and Horizontal Clearance Data:

Vertical Clearance Over the Structure:

99.99 m N Feature not hwy or RR

Reference Feature for Vertical Clearance: Vertical Clearance Under the Structure:

 $0.00 \, \text{m}$


Reference Feature for Lateral Underclearance:

N Feature not hwy or RR

Minimum Lateral Under Clearance Right: Minimum Lateral Under Clearance Left: 0.00 m 0.00 m

Structure Vertical and Horizontal Clearance Data By Span and Inventory Route:

	Span	Over / Under	Inventory	South, Ea	ast or Bi-direction	al Travel	North or West Travel			
Į	Group	Direction	Route	Direction	Vertical	Horizontal	Direction	Vertical	Horizontal	
	0	Route On Structure	P00072	Both	99.99 m	7.77 m	N/A			



Form: bms001c

INITIAL ASSESSMENT FORM FOR STRUCTURE:

Printed by: OPS\$U6628

Inspection Notes:

P00072011+09041

Structure Name: none

Location: 1M N BELFRY

Span Data Type: Main Group: 0 **Description:** Material Type Code, Description: 4 Steel continuous Median Code, Description: 0 No median Span Design Code, Description: 2 Stringer/Multi-beam or Girder NBI Main Span Flag: X NBI Approach Span Flag: 8.03 m Deck Structure Type: 1 Concrete Cast-in-Place Deck Surfacing Type: 1 Monolithic concrete (concurrently placed with structural deck) Deck Protection Type: 0 None 0.23 m 0.23 m Deck Membrain Type: 0 Skew Angle: 0 Element Inspection Data Element No. Smart Flag Qty 1 Pct 1 Qty 3 | Pct 3 Qty 2 Pct 2 Qty 4 Pct 4 Qty 5 Pct 5 Element Description Env Quantity Units Insp Each Pct Stat 1 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 5 12 Bare Concrete Deck X 544 sq.m. % % % % % Previous Inspection Notes: 05/01/1994 REFI 03/01/1996.-03/16/1998 - Minor scaling and moderate wear, transverse and random cracks-cracks with moderate efflorescence noted in soffit, also areas-UBLA of rust staining, delaminations, and spalling with exposed reinforcement at overhangs right and left. 03/22/2000 - Scaling and some minor spalling on deck surface with transverse cracking throughout. VCDV Inspection Notes: Element No. Smart Flag Qty 1 Pct 1 Qty 2 | Pct 2 Qty 3 Pct 3 Qty 4 Pct 4 Pct 5 Qty 5 Element Description Env Quantity Units Insp Each Pct Stat 1 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 5 107 Paint Stl Opn Girder 2 297 m. % % % % % Previous Inspection Notes: 05/01/1994 REFI 03/16/1998 - Paint beginning to fail, blistering and minor crevice corrsion typical at exterior connections and lower flange cover plates. Areas of UBLA blistering, peeling paint worse at Lt. interiors. Numerous areas of failed paint from shotgun blasts. Crevice corrosion present at lower flange. 03/22/2000 - Paint blistering is a few areas. No other changes from previous inspection.

INITIAL ASSESSMENT FORM FOR STRUCTURE:

Form: bms001c

Printed by: OPS\$U6628

P00072011+09041

Location: 1M N BELFRY Structure Name: none

Span Data

Group: 0 Type: Main Description:

Element Description															
181 90 m. % % % % % Previous Inspection Notes: 2 90 m. % % % % % % 2 90 m. % % % % % % 2 90 m. % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % % 2 90 m. % % % % % % % % 2 90 m. % % % % % % % % 2 90 m. % % % % % % % % % % 2 90 m. % % % % % % % % % % % % % % % % % %	Iement No.	Smart Flag	ATT I				Qty 1 Pct 1	Qty 2 F	ct 2	Qty 3	Pct 3	Qty 4	Pct 4	Qty 5	Pct
nt Vrt X-Frame 2 90 m. % % % % % % % % % % % % % % % % % %	lement Descript	ion	Env	Quantity	Units	Insp Each	Pct Stat 1	Pct Sta	2	Pct S	stat 3	Pct S	Stat 4	Pct 8	Stat 5
Previous Inspection Notes: 2/16/1989 - Cracks checked in vertical stiffners (previous reports), whice are actually the verticals making up the frame of the diaprams or efficil cross frames 4 cracks located measured marked at current termination. See notes on final page of this inspection for locations and easis. 3/22/2000 - Cracks or vertical members that attach to diaphragms at locations listed have continued to propagate with the exception of one. Span 1. Diaphragms themselves are fine inspection Notes: Itement No.	181				200	DAY I	90 10	0	0	0	The state of		1 0	NO.	200
revious Inspection Notes: 2/16/1998 - Cracks checked in vertical stiffners (previous reports), whice are actually the verticals making up the frame of the diaprams or effects cross frame; 4 cracks located measured marked at current termination. See notes on final page of this inspection for locations and sails. 3/22/2000 - Cracks or vertical members that attach to diaphragns at locations listed have continued to propagate with the exception of one image. Span 1. Diaphragms themselves are fine inspection Notes: Itement No.	nt Vrt X-Frame		2	90	m,		9/	The second second	%	mocs-error	%	NAME OF TAXABLE PARTY.	%	N CHARLES STREET	Property
etheal cross frames 4 cracks located measured marked at current termination. See notes on final page of this inspection for locations and etails. 3/2/2/2000 - Cracks on vertical members that attach to diaphragms at locations listed have continued to propagate with the exception of one is span 1. Diaphragms themselves are fine inspection Notes: Identification Continue Continu	revious Inspecti	on Notes :													
actions Spain 1 Disphragms themselves are fine	3/16/1998 - Crac	cks checked in v	ertical sti	finers (previ	ous re	parts) whice	are actually th	e verticals r	nakin	g up the	frame c	f the dia	prams o	DE LIGHTON	UBL
3/2/2000 - Cracks on vertical members that attach to diaphragms at locations listed have continued to propogate with the exception of one in Span I. Diaphragms themselves are fine inspection Notes: Clement No.	ertical cross fran	nes 4 cracks foc	ated mea	sured marke	ed at co	urrent termi	nation. See not	s on final p	age c	of this ins	spection	for loca	tions an	d	
Inspection Notes: Clement No. Smart Flag		cks on vertical m	embers t	hat attach to	diaph	ragms at lo	cations listed h	ava continue	d to	propagal	te with t	he excer	ction of	one.	VCD
Element No. Smart Flag Element Description	n Span 1. Djaph	ragms themselve	es are fin	e	774		Service Assistance	NAME OF TAXABLE PARTY.	-		23/4	1	100	2/07	The state of
Element Description	nspection Notes														
Element Description															
lement Description															
210 13 90 2 10 0 0 0 0 Conc Pier Wall 2 15 m. % % % % % Previous Inspection Notes : 5/01/1994 - 3/01/1996 - 3/16/1998 - Each has a vertical crack visable from banks, scaling at water line at approx center of wall and cap. Crack at pier 2 originates at laring anchorage 2nd left and that at pier 3 is approximate center line of wall. Both cracks go through entire cross section at wall cap and are excess of 1.5 mm. 3/22/2000 - Both piers have vertical cracks at midpier that extend across top of cap. Idement No. Smart Flag		-	الجوا	10 11	11.7					1000	WORLD		2000		Pct 5
Previous Inspection Notes: 5/01/1994 3/01/1995 3/16/1996 3/16/1996 Each has a vertical crack visable from banks, scaling at water line at approx center of wall and cap. Crack at pier 2 originates at laring anchorage. 7nd left and that at pier 3 is approximate center line of wall. Both cracks go through entire cross section of wall cap and are access of 1.5 mm. 3/22/2000 - Both piers have vertical cracks at midplier that extend, across top of cap. Inspection Notes: Seement No. Smart Flag Element Description Env. Quantity. Units. Insp. Each. Pct Stat. 1. Pct Stat. 2. Pct Stat. 3. Pct Stat. 4. Pct Stat. 2. 215 3/2 19 m. % % % Previous Inspection Notes:		ion	Env	Quantity	Units	Insp Each				120000	7.00				Stat 5
Previous Inspection Notes: 19							19	BEE AT	10	100		ME			
5/01/1998 - Each has a vertical crack visable from banks, scaling at water line at approx center of wall and cap. Crack at pier 2 originates at laring anchorage 2nd left and that at pier 3 is approximate center line of wall. Both cracks go through entire cross section at wall cap and are excess of 1.5 mm. 3/22/2000 - Both piers have vertical cracks at midpler that extend across top of cap. Inspection Notes: Consider the constant of the co	Conc Pier Wall		2	15	m.		9/		%		%		%		
301/1998 - Each has a vertical crack visable from banks, scaling at water line at approx center of wall and cap. Crack at pier 2 originates at laring anchorage. 2nd left and that at pier 3 is approximate center line of wall. Both cracks go through entire cross section of wall cap and are excess of 1.5 mm. 3/22/2000 - Both piers have vertical cracks at midpler that extend lacross top of cap. Inspection Notes: Itement No.					_										
3/16/1998 - Each has a vertical crack visable from banks, scaling at water line at approx center of wall and cap. Crack at pier 2 originales at laring anchorage 2nd left and that at pier 3 is approximate center line of wall. Both cracks go through entire cross section of wall cap and are excess of 1.5 mm. 3/22/2000 - Both piers have vertical cracks at midpler that extend across top of cap. Inspection Notes: Clement No.	revious Inspecti	on Notes :													
Taking anchorage 7nd left and that at pier 3 is approximate conter line of wall. Both cracks go through entire cross section of wall cap and are excess of 1.5 mm. 3/22/2000 Both piers have vertical cracks at midpler that extend across top of cap. Inspection Notes: Oty 1	THE COURSE OF THE PARTY OF THE PARTY.	on Notes :				2/2/2/2/2	KIRO MAN		V.F	2.02	1010	DE DE		Manuel I	RE
Taking anchorage 7nd left and that at pier 3 is approximate conter line of wall. Both cracks go through entire cross section of wall cap and are nexcess of 1.5 mm. 2022/2000 Both piers have vertical cracks at midpier that extend across top of cap. Inspection Notes: Clement No. Smart Flag Oty 1 Pct 1 Qty 2 Pct 2 Qty 3 Pct 3 Qty 4 Pct 4 Qty 5 Pct 2 Pct 3 Qty 4 Pct 4 Qty 5 Pct 3 Qty 4 Pct 5 Pct 5	5/01/1994 -	on Notes :													NO SOUTH
Significant No. Smart Flag Element No. Smart Flag Element Description Env Quantity Units Insp Each Pct Stat 1 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 5 Pct Stat	5/01/1994 - 3/01/1996 -		irack visa	able from ba	nks, so	aling at wa	ter line at appro	x center of	wall!	and cap	Crack	at pier 2	original	es al	YDN
State Stat	5/01/1994 - 3/01/1996 - 3/16/1998 - Eac Jaring anchorag	h has a vortical o	track visa at at pier	able from ba	nks, so	aling at wa	ter line at appro	x center of	wallf	and cap.	Crack 55 section	at pier 2 on of wa	original	es at d'are	YDN
Clement No. Smart Flag. Qty 1 Pct 1 Qty 2 Pct 2 Qty 3 Pct 3 Qty 4 Pct 4 Qty 5 Pct 2 Pct 2 Qty 3 Pct 3 Qty 4 Pct 4 Qty 5 Pct 2 Pct 2 Pct 2 Pct 2 Pct 2 Pct 3	05/01/1994 - 03/01/1996 - 03/16/1998 - Eac Jaring anchorag of excess of 1.5 n	h has a vertical of e 2nd left and th	at at pier	З із арргох	imate o	center line o	of wall. Both cra	x center of cks go thro	walll a	and cap.	Crack ss section	at pier 2 on of wa	original Il cap an	es al d'are	YDN UBL
Element Description	05/01/1994 - 03/01/1996 - 03/16/1998 - Eac laring anchorag flexcess of 1.5 in 03/22/2000 - Both	h has a vertical of e Znd left and th im. i piers have vert	at at pier	З із арргох	imate o	center line o	of wall. Both cra	x center of cks go thro	walli a	and cap.	Crack ss section	at pier 2 on of wa	original Il cap an	es al d'are	YDN UBL
Env Quantity Units Insp Each Pct Stat 1 Pct Stat 2 Pct Stat 3 Pct Stat 4 Pct Stat 2	5/01/1994 - (3/01/1996 - (3/16/1998 - Eac Jaring anchorag 1 excess of 1.5 n (3/22/2000 - Both	h has a vertical of e Znd left and th im. i piers have vert	at at pier	З із арргох	imate o	center line o	of wall. Both cra	x center of cks go thro	walli a	and cap.	Grack 53 section	at pier 2 on of wa	original Il cap an	es at d'are	REI YDN UBL VCD
Perent Description	5/01/1994 - 3/01/1996 - 3/16/1998 - Eac Jaring anchorag excess of 1.5 n 3/22/2000 - Both	h has a vertical of e Znd left and th im. i piers have vert	at at pier	З із арргох	imate o	center line o	of wall. Both cra	x center of cks go thro	walli a	and cap.	Crack	at pier 2 on of wa	onginal Il cap an	es al d'are	YDN UBL
215 19 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5/01/1994 - 3/01/1996 - 3/16/1998 - Eact Jaring anchorag (excess of 1.5 n 3/22/2000 - Both nspection Notes	h has a vertical of e 2nd left and th im. i piers have vert	at at pier	З із арргох	imate o	center line o	of wall. Both cra	cks go thro	igh ei	ntire cree	ss section	on of wa	II cap an	d'are	YDN UBL VCD
VConc Abutment 2 19 m. % % % % Vrevious Inspection Notes : 5/01/1994	5/01/1994 - 3/01/1996 - 3/16/1998 - Eact lating anchorag (excess of 1.5 in 3/22/2000 - Both inspection Notes	h has a vertical of 2nd left and thom. It piers have vert	at at pier	3 is approx	male o	center line o	Oty 1 Pct 1	cks go thro	igh ei	Oty 3	Pct 3	Oty 4	Pct 4	d are	YDN UBL VCD
Previous Inspection Notes : 5/01/1994 -	5/01/1994 - 3/01/1996 - 3/16/1998 - Eact laring anchorag 1 excess of 1.5 in 3/22/2000 - Both Inspection Notes	h has a vertical of 2nd left and thom. It piers have vert	at at pier	3 is approx	male o	center line o	Oty 1 Pct 1 Pct Stat 1	Qty 2 P	ct 2	Qty 3	Pct 3	Qty 4	Pct 4	d are	YDN UBL VCD
5/01/1994	5/01/1994 - 3/01/1996 - 3/16/1998 - Eac Jarring anchorag excess of 1.5 n 3/22/2000 - Both rispection Notes Element No.	h has a vertical of e Znd left and th im, i piers have vert : Smart Flag.	at at pier ical crack Env	3 is approx s at midpler	that e	center line o	Oty 1 Pct 1 Pct Stat 1	Qty 2 P	ct 2	Qty 3	Pct 3	Qty 4	Pct 4	d are Qty 5 Pct 5	YDN UBL VCD
\$2;(FXX) 등고 19:50 전 : 10 H :	5/01/1994 - 3/01/1996 - 3/16/1998 - Eac laring anchorag 1 excess of 1.5 n 3/22/2000 - Both Inspection Notes Element No.	h has a vertical of e Znd left and th im, i piers have vert : Smart Flag.	at at pier ical crack Env	3 is approx s at midpler	that e	center line o	Oty 1 Pct 1 Pct Stat 1	Qty 2 P	ct 2	Qty 3	Pct 3	Qty 4	Pct 4	d are Qty 5 Pct 5	YDN UBL VCD
	5/01/1994 - 3/01/1996 - 3/16/1998 - Eact laring anchorage excess of 1.5 in 3/22/2000 - Both inspection Notes Element No. Element Description 215 EVConc Abutment	h has a vertical of e Znd left and th im. i piers have vert : Smart Flag. Ion	at at pier ical crack Env	3 is approx s at midpler	that e	center line o	Oty 1 Pct 1 Pct Stat 1	Qty 2 P	ct 2	Qty 3	Pct 3	Qty 4	Pct 4	d are Qty 5 Pct 5	YDN UBL VCD
	5/01/1994 - 3/01/1996 - 3/01/1996 - 3/16/1998 - Eact aring anchorag excess of 1.5 in 3/22/2000 - Both inspection Notes Element No. Element Description 215 EVConc Abutment Previous Inspection S/01/1994 -	h has a vertical of e Znd left and th im. i piers have vert : Smart Flag. Ion	at at pier ical crack Env	3 is approx s at midpler	that e	center line o	Oty 1 Pct 1 Pct Stat 1	Qty 2 P	ct 2	Qty 3	Pct 3	Qty 4	Pct 4	d are Qty 5 Pct 5	VON UBL VCD Pct 5
	5/01/1994 - 3/01/1996 - 3/16/1998 - Eac Jaring anchorag 1 excess of 1.5 in 3/22/2000 - Both Inspection Notes Element No. Element Description 215 WConc Abutment Previous Inspection 5/01/1994 - 3/01/1996 -	h has a vertical of 2nd left and thom. I piers have vert Smart Flag. on	at at pier ical crack Env 2	3 is approx s at midpler Quantity	Units	ionter line o	Oty 1 Pct 1 Pct Stat 1 19 10	Oty 2 F Pct Stal	ct 2 2 0	Qty 3 Pct S	Pct 3 stat 3	Oty 4 Pot 5	Pct 4	d are Qty 5 Pct 5	YDN UBL VGD
3/22/2000 - Structurally line, debris atop caps	5/01/1994 - 3/01/1998 - Eact laring anchorag excess of 1.5 in 3/22/2000 - Both inspection Notes Element No. Element Description 215 WConc Abutment Previous Inspection 5/01/1994 - 3/01/1996 -	h has a vertical of 2nd left and thom. I piers have vert Smart Flag. on	at at pier ical crack Env 2	3 is approx s at midpler Quantity	Units	ionter line o	Oty 1 Pct 1 Pct Stat 1 19 10	Oty 2 F Pct Stal	ct 2 2 0	Qty 3 Pct S	Pct 3 stat 3	Oty 4 Pot 5	Pct 4	d are Qty 5 Pct 5	VCD VCD Pot 5 Stat 5
	5/01/1994 - 3/01/1996 - 3/01/1996 - 3/16/1998 - Eact aring anchorage excess of 1.5 in 3/22/2000 - Both Inspection Notes Element No. Element Description 215 R/Conc Abutment Previous Inspection 5/01/1994 - 3/01/1998 - Dirt.	on Notes :	at at pier ical crack Env 2	3 is approx s at midpler Quantity 19	Units	ionter line o	Oty 1 Pct 1 Pct Stat 1 19 10	Oty 2 F Pct Stal	ct 2 2 0	Qty 3 Pct S	Pct 3 stat 3	Oty 4 Pot 5	Pct 4	d are Qty 5 Pct 5	VCD VCD Pot 5 Stat 5
Inspection Notes:	05/01/1994 - 03/01/1998 - Eac laring anchorage of 1.5 in 03/22/2000 - Both Inspection Notes Element No. Element Description 215 R/Conc Abutment Previous Inspection Sign 13/01/1994 - 03/01/1998 - Birt 13/22/2000 - Stru	h has a vertical of and thom, a piers have vertical on Smart Flag on Notes :	at at pier ical crack Env 2	3 is approx s at midpler Quantity 19	Units	ionter line o	Oty 1 Pct 1 Pct Stat 1 19 10	Oty 2 F Pct Stal	ct 2 2 0	Qty 3 Pct S	Pct 3 stat 3	Oty 4 Pot 5	Pct 4	d are Qty 5 Pct 5	YD UB VC



INITIAL ASSESSMENT FORM FOR STRUCTURE:

Form: bms001c

Printed by: OPS\$U6628

P00072011+09041

Location: 1M N BELFRY Structure Name: none

Span Data

Group: 0 Type: Main Description:

Element Descript						Qty 1 Pct 1	Qty 2	Pct 2	Qty 3	Pct 3	Qty 4	Pct 4	Qty 5	Pct 5
ziement beschp	tion	Env	Quantity	Units	Insp Each	Pct Stat 1	Pct	Stat 2	Pct S	Stat 3	Pct S	Stat 4	Pct S	Stat 5
234						16 10	Q (1)	0	0		1,100	0		
R/Conc Cap		2	16	m.		9/	6	%		%		%		
Previous Inspect	tion Notes :													
05/01/1994	法基款基金	16.15		建 基金										REI
														YDN
03/16/1998 - Cra	icking in each vis	able from	the banks.	Cracks	at pier 2 o	riginate near b	earing a	nchorage	at 2nd I	earing f	rom left	Crack a	t pier 🐇	UBL
3 is close to cent 03/22/2000 - Ver	ter line, Cracks a rtical crack midca	t both go	inrough ine ntinues acro	enure ss top	cross secuc of cap. Co.	on of each cap. ndition presen	at both	piers.						VCD
Inspection Notes														" 00
	*							14 34						
Element No.	Smart Flag					Qty 1 Pct 1	Qty 2		Qty 3		Qty 4		Qty 5	Pct 5
Element Descrip	tion	Env	Quantity	Units	Insp Each	Pct Stat 1	ľ	Stat 2		Stat 3	Pct S	Stat 4	Pct S	Stat 5
304						18 - 8		2		l l				
Open Expansion) Joint	2	15	m.		9		%		%				
							ra un						EME AT 2	
03/01/1996 - 3/16/1998 - No and active moss	problems found growth, also imp hts working as int	on deck p acted with	ortions. Ext debris.	eriors o	f joints at ri	ght side of dec				prosion	with loss	of secti	on	YDN UBL
3/16/1998 - No and active moss	problems found of growth, also imports working as into	on deck p acted with	ortions. Ext debris.	eriors o	f joints at ri					rrosion	with loss	s of secti	on (YDN UBL
03/01/1996 -)/16/1998 - No and active moss 03/22/2000 - Joi	problems found of growth, also imports working as into	on deck p acted with	ortions. Ext debris.	eriors o	f joints at ri					rrosion	with loss	of section	on (YDN UBL
03/01/1996 -)/16/1998 - No and active moss 03/22/2000 - Joil Inspection Notes	problems found of growth, also imp his working as in s:	on deck p acted with	ortions. Ext debris.	eriors o	f joints at ri	ght side of dec	k are ex	hibiting s	evere co	# 71/4 # 71/4 # 12/4				YDN UBL VCD
03/01/1996)/16/1998 - No and active moss 03/22/2000 - Joil Inspection Notes	problems found of growth, also imports working as into as: Smart Flag	on deck p acted with	ortions. Ext debris.	eriors o	f joints at ri		k are ex	hibiting s	Qty 3	# 71/4 # 71/4 # 12/4	Qty 4	Pct 4	Ort 5	YDN UBL VCD Pct 5
03/01/1996 - 3/16/1998 - No and active moss 03/22/2000 - Joil	problems found of growth, also imports working as into as: Smart Flag	on deck p acted with tended on	ortions. Ext debris. roadway s	eriors o	f joints at ri	ght side of dec	Qty 2	Pct 2	Qty 3	Pct 3	Qty 4	Pd.4	Qty 5	YDN UBL VCD
03/01/1996 - J/16/1998 - No and active moss 03/22/2000 - Join Inspection Note:	problems found growth, also imports working as in s: Smart Flag	on deck p acted with tended on	ortions. Ext debris. roadway s	eriors o	f joints at ri	ght side of dec	Qty 2	Pct 2 Stat 2	Qty 3	Pct 3	Qty 4	Pd.4	Qty 5	YDN UBL VCD
03/01/1996 - J/16/1998 - No and active moss 03/22/2000 - Join Inspection Notes Element No. Element Descript 305 Assm Jt w/o Seal	problems found a growth, also imports working as in s: Smart Flag	on deck p acted with tended on Env	ortions. Ext n debris. I roadway si	eriors ourface.	f joints at ri	Qty 1 Pct 1 Pct Stat 1	Qty 2	Pct 2 Stat 2	Qty 3	Pct 3	Qty 4	Pd.4	Qty 5	YDN UBL VGD Pct 5
03/01/1996 -)/16/1998 - No and active moss 03/22/2000 * Join Inspection Notes Element No. Element Descript 305 Assm Jt w/o Seal	problems found a growth, also imports working as in s: Smart Flag	eaking a	Ortions, Ext a debris. Toadway si Quantity	eriors ourface.	f joints at ri	Qty 1 Pct 1 Pct Stat 1	Qty 2	Pct 2 Stat 2	Qty 3	Pct 3	Qty 4	Pd.4	Qty 5	YDN UBL VGD Pct 5
03/01/1996 -)/16/1998 - No and active moss 03/22/2000 * Join Inspection Notes Element No. Element Descript 305 Assm Jt w/o Seal	problems found of growth, also imports working as into second sec	eaking a	Ortions, Ext a debris. Toadway si Quantity	eriors ourface.	f joints at ri	Qty 1 Pct 1 Pct Stat 1	Qty 2	Pct 2 Stat 2	Qty 3	Pct 3	Qty 4	Pd.4	Qty 5	YDN UBL VGD Pct 5
03/01/1996.)/16/1998 - No and active moss 03/22/2000 - Join Inspection Note: Element No. Element Descript 305 Assm Jt w/o Seal Previous Inspection Seal 13/12/1998 - Abull 13/22/2000 - Moi	problems found of growth, also imports working as into second sec	eaking a	Ortions, Ext a debris. Toadway si Quantity	eriors ourface.	f joints at ri	Qty 1 Pct 1 Pct Stat 1	Qty 2	Pct 2 Stat 2	Qty 3	Pct 3	Qty 4	Pd.4	Qty 5	UBL

03/22/2000 - No change from previous inspection.

Inspection Notes:

INITIAL ASSESSMENT FORM FOR STRUCTURE:

Page 5 of 7

VCDV

Form: bms001c

P00072011+09041

Location: 1M N BELFRY

Structure Name : none

Span Data

Printed by: OPS\$U6628

Group:0		Тур	e : Main			De	script	on:							
Element No.	Smart Flag					Qty 1	Pct 1	Qty 2	Pct 2	Qty 3	Pct 3	Qty 4	Pct 4	Qty 5	Pct 5
Element Descripti	on	Env	Quantity	Units	Insp Each	Pct S	Stat 1	Pct S	Stat 2	Pct 8	Stat 3	Pct 8	Stat 4	Pct S	stat 5
311						1	90	1 614	10	14					
Moveable Bearing)	2	12	ea.			%		%	7.32	%				
Previous Inspecti	on Notes			_											
05/01/1994 -	1.111	16.重要							4114				4 (54)		RE
03/01/1996 -				14.4								44			YDN
03/16/1998 - Mini		Manager Harrison		and 4.	Paint syste	m begir	nning to 1	ail, bird	dropping	gs on ex	derior be	arings t	ypical.		UBL
03/22/2000 - No c	hange from pre	vious insp	ection.				人 主要是							13.1	VCD
Inspection Notes	:											AN COLONG BO MINEY COLOR WAS			
						-									
Element No.	Smart Flag					Qty 1	Pct 1	Qty 2	Pct 2	Qty 3	Pct 3	Qty 4	Pct 4	Ī	•
Element Descripti	on	Env	Quantity	Units	Insp Each	Pct S	Stat 1	Pct S	Stat 2		Stat 3		Stat 4	Pct S	Stat 5
313						4	90	LA ACC	10						
Fixed Bearing		2	4	ea.	: '		%	Carlot Sec	%		%				
Previous Inspection	on Notes :		- L		- h										
05/01/1994	公益 经公司						e ale of	15 色素	2 4 D L 4						RE
03/01/1996 -			建 集集员												YDN
3/16/1998 - Bird	droppings typic	al at exte	riors.												UBL
J3/22/2000 - No d	THE PARTY OF THE P		TYPE												VCD
Inspection Notes:					<u> </u>										VOL

	arte i i i i i i i i i i i i i i i i i i i		Nambury a stateman succe			*************************************								<u> 1189</u>	41 8
Element No.	Smart Flag					Qty 1	Pct 1	Qty 2	Pct 2	Qty 3	Pct 3	Qty 4	Pct 4	Qty 5	Pct 5
Element Descripti		Env	Quantity	Units	Insp Each		Stat 1		Stat 2		Stat 3		Stat 4		Stat 5
331			- Luci III.		mor zaon	142		- 7		4 (, 00	Barra (TOC	olal o
Conc Bridge Raili	no	2	149	m.			Service Accounts		List of the set			1.5. × 2725068			
		_	173				%	L	%	L _	%		%		
Previous Inspecti	on Notes														
05/01/1994 -		113 1	7 7 7 8	1157			1			525					RE
03/01/1996	Factor of the second				Tall										YDN
03/16/1998 - Som	e exposed reinf	orcing ste	el with light	, if any	corrosion.								11 - 1		UBL

INITIAL ASSESSMENT FORM FOR STRUCTURE:

Page 6 of 7

Form: bms001c

Printed by: OPS\$U6628

P00072011+09041

Location : 1M N BELFRY

Structure Name : none

Span Data

Group: 0 Type: Main Description:

Element Description 359 X Soffit Smart Flag	Env	Quantity 1		Insp Each	Pct S	Stat 1	Pct Stat 2	Pct Stat 3	Pct Stat 4	Pct Stat 5
Soffit Smart Flag		1			. 0) (Ġ			
		1				Market For	4	4 9 9	op 1 100	Q
Dravious Inspection Notes			ea.	X		%	%	%	%	
Previous Inspection Notes 03/16/1998 - Spalling on over	hangs with o	corroding rei	nforcer	ment. A few	/ transve	erse crac	ks with moderat	e efforescence	(through a counte	of JUBL
cold joints) with rust staining. 03/22/2000 - No change.										VCD
Inspection Notes:		\$ 0748; \$ 140, 140, 150, 150 Broad		and the same of th				of the contract of the contrac		
				-						

INITIAL ASSESSMENT FORM FOR STRUCTURE:

Page 7 of 7

Form: bms001c

Printed by: OPS\$U6628

P00072011+09041

Location: 1M N BELFRY

Structure Name : none

General Inspection Notes

01/01/1901 - Sufficiency Rating Calculation Accepted by ops\$u5963 at 3/10/97 14:39:01 Sufficiency Rating Calculation Accepted by ops\$u9004 at 2/19/97 12:40:49	YDNF
05/01/1994 - 03/16/1998 - Location and details of 5 cracks found in vertical stiffeners to date. #1) Span 1 Vertical stiffner interior face of left exterior girder, 3rd diaphragm AOL from abutment 1 3/16/98 measurement = 7.5 " 3/26/96 measurement = 7.375" Propagation = 0.125" #2) Span 1 Vertical stiffner interior face of right exterior girder, 3rd diaphragm AOL from abutment 1 3/16/98 measurement = 6.25" 3/26/96 measurement = 6.0" Propagation = 0.25" #3) Span 1 Vertical stiffner interior face of left exterior girder 2nd diaphragm AOL from abutment 1 3/16/98 measurement = 4.3125" 3/26/96 measurement = 4.3125 No Propagation #4) Span 2 Vertical stiffner interior face of right exterior girder 3rd diaphragm AOL from pier 2 3/16/98 measurement = 5"(to rivet below) 3/26/96 measurement = 4" Propagation = 1" #5) Span 2 Vertical stiffner interior face of right exterior girder 2nd diaphragm AOL from pier 2 3/16/98 measurement = 4.5" 3/26/96 measurement = 3.5" Propagation = 1" 03/22/2000 - Crack propagation monitoring. See above for locations.	REFI UBLA VCDV
#1) 3/98 inspection length 7 1/2" 3/00 inspection length 8 1/4" Propagation 3/4" #2) 3/98 inspection length 6 1/4" 3/00 inspection length 6 1/4" Propagation Unchanged #3) 3/98 inspection length 4 5/16" 3/00 inspection length 4 3/4" Propagation 7/16" #4) 3/98 inspection length 5 " 3/00 inspection length 6 " Propagation 1" #5) 3/98 inspection length 4 1/2" 3/00 inspection length 5 " Propagation 1/2" Under water type I completed on 1/20/00 attached to hard copy with photographs.	

PROGRAMMATIC AGREEMENT

Among the Federal Highway Administration (FHWA), the Montana State Historic Preservation Office (MSHPO), and the Advisory Council on Historic Preservation (ACHP), to develop a historic preservation plan to establish processes for integrating the preservation and use of historic roads and bridges with the mission and programs of the FHWA in a manner appropriate to the nature of the historic properties involved, the nature of the roads and bridges in Montana, and the nature of FHWA's mission to provide safe, durable and economical transportation.

WHEREAS, Congress has mandated that highway bridges be evaluated, and where found substandard, be rehabilitated or replaced and has provided funding for these purposes, to insure the safety of the traveling public (through the Highway Bridge Replacement and Rehabilitation Program); and

WHEREAS, the American Association of State Highway and Transportation.Officials (AASHTO) has standards regulating the construction and the rehabilitation of highways and bridges that must be met by the FHWA to insure the safety of the traveling public; and

WHEREAS, Congress declares it to be in the national interest to encourage the rehabilitation, reuse and preservation of bridges significant in American history, architecture, engineering and culture; and

WHEREAS, the FHWA proposes to make Federal funding available to the Montana Department of Highways (MDOH) for its ongoing program to construct and rehabilitate roads and bridges, and MDOH concurs in and accepts responsibilities for compliance with this Agreement; and

WHEREAS, the FHWA has determined that the construction and improvement of highways may have an effect on historic roads and bridges that are listed in the National Register of Historic Places, or may be determined eligible for listing, and have consulted with the ACHP and the MSHPO pursuant to Section 800.13 of the regulations (36CFR800) implementing Section 106 of the Nationa Historic Preservation Act (16 U.S.C. 470f); and

WHEREAS, the parties understand that not all historic roads and bridges fall under the jurisdiction or sphere of influence of the FHWA, and that to encourage other parties to participate in preservation efforts; an education to foster a preservation ethic is needed; and

NOW THEREFORE, FHWA, MSHPO, and ACHP agree, and MDOH concurs, that the following program to enhance the preservation potential of historic roads and bridges, and to promote management and public understanding of and appreciation for these cultural resources will be enacted in lieu of regular Section 106 procedures as applied to historic roads and bridges only.

Stipulations

The Federal Highway Administration will ensure that the following program is carried out:

The Federal Highway Administration, in cooperation with the Montana Department of Highways, will develop a preservation plan to ensure the preservation and rehabilitation of the states significant historic roads and bridges, and will develop an on-going educational program to interpret significant historic roads and bridges that illustrate the engineering, economic, and political development of roads in Montana. Specifically:

A. For Public Education

- MDOH will prepare technical documentation of the history of roads and road construction, and of the history of bridge building in the state, according to a format developed by MDOH in consultation with the MSHPO and in compliance with the Secretary of the Interior's Standards for Preservation Planning. From this documentation MDOH will prepare narrative histories suitable for publication for the general public. Draft copies of the documentation and the narrative histories will be submitted to the FHWA, MSHPO and a list of qualified reviewers to be determined by FHWA, MDOH and MSHPO by December 1, 1990, and 45 days will be allowed for reviewers to comment. MDOH will prepare final documentation and histories by May 1, 1991. Final copies will be distributed to the district, area, and field offices of the MDOH, to the County Commissioners, county road and bridge departments, and county historical societies, to the owners of significant roads and bridges identified in the documentation, to the Montana Historical Society Library and the Montana State Library, and to the general public as requested. .
- 2. MDOH will develop and make available to newspapers and publishers of historical and of engineering journals articles suitable for public information on historic roads and bridges and on their construction and continued significance.
- 3. MDOH will augment its historic sign program by developing interpretation for the traveling public at existing rest areas or pull-overs to explain Montana's road construction and bridge engineering. It will develop on-site interpretation for significant resources that can be viewed and appreciated by the public.
- 4. By April 15, 1990 MDOH will develop and circulate a traveling exhibit that portrays the history of the development of transportation in Montana.
- 5. By December 1, 1991 MDOH will develop and circulate a public program (slide/tape or video) of approximately 20 minutes, suitable for use at public or organization gatherings, classrooms, etc.

B. For Historic Road and Bridge Preservation

1. The FHWA, in co-operation with the MDOH, will prepare a plan for the preservation of significant and representative road segments and bridge types around the state as identified in the research in part A. of this Agreement. The Historic Preservation Plan (HPP) will be presented to the FHWA, MSHPO, the ACHP and list of qualified reviewers by September 1, 1991, and 45 days comment period will be

EV:1:by:cm:255/cc-2

allowed for discussion and adoption. FHWA will work to resolve disagreement on the proposed HPP. If agreement cannot be reached by December 1, 1991, all FHWA undertakings affecting historic roads and bridges will again become subject to 36 CFR 800 procedures.

The HPP for historic roads and bridges shall be prepared in accordance with the following guidelines:

- a. The essential purpose of the HPP will be to establish processes for integrating the preservation and use of historic roads and bridges with the mission and programs of the FHWA and the MDOH in a manner appropriate to the nature of the historic properties involved, the nature of the roads and bridges in Montana, and the nature of FHWA's mission, to provide safe, durable and economical transportation;
- In order to facilitate such integration, the HPP, including all maps and graphics, will be made consistent with the Federal Aid road and bridge numbering systems;
- c. The HPP will be prepared in consultation with the owners, managers, caretakers, or administrators of historic roads and bridges, including county governments, city governments, federal agencies, and private individuals or corporations, and with interested parties or organizations, including the American Society of Civil Engineers - Montana Section, and the Montana Society of Engineers;
- d. The HPP will be prepared with reference to the <u>Secretary of Interior's Standards and Guidelines for Preservation Planning</u> (48 FR 44716-20); and
- e. The HPP will be prepared by or under the supervision of an individual who meets, or individuals who meet, at a minimum, the "professional qualifications standards" for historian and archaeologist in the Secretary of the Interior's Professional Qualifications Standards (48 FR 44738-9).
- The contents of the HPP will be developed in conjunction with the MSHPO, and will include, but not be limited to, a schedule for the anticipated implementation of the various elements, plus the formulation and presentation of programs to:
 - a. Preserve historic bridges that do not meet safety rating standards by rehabilitation in a manner that would preserve important historic features while meeting as many AASHTO standards as can be reasonably met;
 - b. When a historic bridge must be replaced, give full consideration and demolition savings to reuse of the historic bridge in place by another party.
 - c. When a historic bridge must be replaced and in place preservation is not feasible, give full consideration and

EV:1:by:cm:255/cc-3

- financial assistance to relocating and rehabilitating the historic bridge as a part of the replacement project;
- d. Develop and implement a program to encourage relocation and reuse of bridges of historic age that cannot be preserved in place or used on another location by the state or county:
- e. Provide a financial incentive by offering demolition savings on all relocation and reuse of bridges of historic age;
- f. Develop a list of historic roads and bridges that can be preserved. The list should include the variety available to reflect Montana highway construction history, while considering current condition and use. The list should be presented to and discussed with managing units to solicit their cooperation and/or participation in the preparation of the HPP; and
- g. Devise a program to pursue the preservation of the state's representative and outstanding examples of road and bridge technology. A list of historic roads and bridges that shall be preserved will be developed to implement this program, given currently known commitments to do so by property managers and subject to change by obtaining future commitments for other properties covered by this Agreement.
- 3. The HPP will not include information developed in Part A. above, narrative histories, but will be guided by and used in conjunction with Part A. above, and will be distributed to the same parties.
- 4. MDOH will prepare a report annually on its implementation of the HPP and provide this report to the FHWA, the SHPO, and the ACHP for review, comment, and consultation as needed.

C. Other Legal and Administrative Concerns

- 1. FHWA will continue to inventory, evaluate, seek determinations of eligibility, and fully comply with 36 CFR 800 for all undertakings with the potential to affect historic properties besides roads and bridges which are hereby excluded from such consideration.
- 2. The MSHPO, and the ACHP may monitor FHWA and MDOH activities to carry out this PA, by notifying FHWA in writing of their concerns and requesting such information as necessary to permit either or both MSHPO and ACHP to monitor the compliance with the terms of this Agreement. FHWA will cooperate with the SHPO, and the ACHP in carrying out their monitoring and review responsibilities.
- 3. FHWA will carry out the existing MOA's to preserve or record historic bridges that are now scheduled for replacement.
- 4. If a dispute arises regarding implementation of this PA, FHWA will consult with the objecting party to resolve the dispute. If any consulting party determines that the dispute cannot be resolved, FHWA will request further comments of the ACHP.

EV:1:by:cm:255/cc-4

5. During any resolution of disagreements on the PA, and/or in the event MDOH does not carry out the terms of the PA, FHWA will carry out the procedures outlined in 36 CFR 800 for all undertakings otherwise covered by the agreement.

Execution of this PA evidences that FHWA has afforded the ACHP a reasonable opportunity to comment on FHWA's program to construct and improve Montana highways when those undertakings affect historic roads and bridges, and that FHWA has taken into account the effects of these undertakings on significant historic roads and bridges.

BY: FEDERAL HIGHWAY ADMINISTRATION

Logar K Scott	5-11-89
Roger K. Scott	Date
Division Administrator	

BY: MONTANA STATE HISTORIC PRESERVATION OFFICER-

man	ا ما	heel.		5 - 11 -	89
Marcella Sh	erfy, MSHPC	T &	Date	•	

BY: ADVISORY COUNCIL ON HISTORIC PRESERVATION

Robert & Bush	1-1-89	
That is I nest	<u>u</u> - / - /	
Executive Director	Date	

CONCUR

BY: MONTANA DEPARTMENT OF HIGHWAYS

Atestica & Kologi May 11. 19 89
Stephen Kologi, P.E., Chief Date Date Preconstruction Bureau

Amendment To The Programmatic Agreement Regarding Historic Roads and Bridges In Montana.

We are hereby amending the following stipulations in the Programmatic Agreement.

A. For Public Education

- 1. In the third sentence December 1, 1990 becomes December 1, 1992. In the fourth sentence, May 1, 1991 becomes May 1, 1993.
- 5. December 1, 1991 becomes December 1, 1993.
- B. For Historic Road and Bridge Preservation
 - 1. September 1, 1991 becomes September 1, 1993 and December 1, 1991 becomes December 1, 1993.

By: Federal Highway Administration
DATE 02-27-92
Hank Honeywell, Division Administrator
By: Montana State Historic Preservation Officer
Marcella Sherfy, Montana State Historic Preservation Officer
By: Advisory Council On Historic Preservation
Robert D. Bush, Executive Director DATE 3-14-92
By: Montana Department of Transportation

Vinson, . Environmental and Hazardous Waste Bureau



2701 Prospect Avenue PO Box 201001 Helena MT 59620-1001 David A. Galt, Director Judy Martz, Governor

2003022503

February 24, 2003

Mark Baumler
State Historic Preservation Office
1410 8th Avenue
P.O. Box 201202
Helena, MT 59620-1202

Subject

4

F 72-1(1)10 Belfry - North Control No. 1016 gorel
motor update
Belfry-North

ALEMAN ST

Enclosed is the updated cultural resource report, CRABS and site forms for the above project in Carbon County. The MDT submitted the original cultural resource report to your office in 1989. I submitted site forms for additional properties in Belfry in the early 1990s. Eight sites have been previously determined eligible within the Belfry – North project corridor. They are: the First Presbyterian Church of Belfry (24CB678), the Clark's Fork River Bridge (24CB707/1144), the residence at the Middlesworth Farmstead (24CB1145), the Montana, Wyoming & Southern Railway (MW&S) Shop (24CB1146), the MW&S Depot (24CB1148), the Sand Creek Canal (24CB1150), the Golden Ditch (24CB1152), and the Dry Creek Canal (24CB1154). A Determination of Effect for these properties was submitted to your office in June, 1992 and a Memorandum of Agreement implemented in July, 1992.

The 2002 cultural resource survey recorded an additional 18 sites distributed in five parcels in the project area. RTI recommends two sites eligible for the NRHP: the Holland Lumber & Hardware Store (24CB1803) and the Kose Grocery (24CB1813). We agree with the recommendations and request your concurrence. RTI also noted the presence of the Youst Ditch (24CB1817) in the project area. It is covered under a programmatic agreement.

If you have any questions, please contact me at 444-6258

Jon Axline, Historian Environmental Services CONCUR MONTANA SHPQ

DATE IMO 03 SIGNED

Enclosures

Bruce Barrett, Billings District Administrator Carl Peil, P.E., Preconstruction Bureau Gordon Stockstad, Resources Section

file: MDT/2003

Environmental Services Unit Phone: (406) 444–7228 Fax: (406) 444–7245

CC:

Web Page: www.mdt.state.mt.us Road Report: (800) 226-7623 TTY: (800) 335-7592



BOARD of COMMISSIONERS

COUNTY OF CARBON • STATE OF MONTANA

Post Office Box 887 Red Lodge, MT 59068

Phone: (406) 446-1595 Fax: (406) 446-2640

June 30, 2004

Debra Perkins-Smith Consultant Project Manager David Evans and Associates, Inc. 1331 Seventeenth Street, Suite 900 Denver, CO 80202 REC'D JUL 0 2 2004

Subject: MT 72 BELFRY-North EA F STPP 72-1(1)10 CN 1016

DRAFT EA FOR COOPERATING AGENCY REVIEW

Ms. Perkins-Smith:

After reviewing your EA for the Belfry Road, I concur with your plan with the following conditions:

Carbon County will not take on any new roads with the exception of that portion of State Highway 72 that lies within the town of Belfry proper, ending at Bearcreek Lane Carbon County is not responsible for the construction or expense of extending Public or Private Roads to connect them with the new proposed road.

Carbon County will accept extensions of existing County Roads, which are necessary to connect with the realignment, based upon a County Review.

The County will not accept extensions of private roads as their responsibility.

Any portion of the existing Highway 72 that is not a part of the proposed realignment, will not be accepted by Carbon County without an individual review and approval of each separate portion.

Work with landowners to insure a private crossing where the stream, known as Bear Creek, intersects the existing Highway MT 72, just north of Belfry MT.

Carbon County will not accept any new bridges.

Respectfully

Albert H. Brown

Carbon County Commissioner

PO Box 887

Red Lodge MT 59068 Phone: (406) 446-1595

MONTANA DIVISION

"NATIONWIDE" SECTION 4(f) EVALUATION FOR MINOR IMPACTS ON

HISTORIC SITES EXCLUDING HISTORIC BRIDGE REPLACEMENTS

Project № **STTP-F-72-1(1)10**, (PPMS-OPX2 C1016)

Project Name: Belfry North

Description: Dry Creek Canal (24CB1154), circa 1893. Canal crosses existing MT 72 three times with a bridge at RP 14.51, a culvert at RP 16.48, and a culvert at RP 19.40. The canal is approximately 11.3 km (+/- 7 mi) long.

Location: The canal runs along MT 72 between Belfry and Bridger in Carbon County, Montana. The canal's first crossing of MT 72 at RP 14.51 occurs approximately 6.4 km (4 mi) north of Belfry, just north of the Clarks Fork Yellowstone River.

NOTE: Any response in a box will require additional information,

	and may result in an individual evalu	ation/s	statemer	ıt
	Consult the "Nationwide" Section 4(f) Evaluat:	ion pro	cedures	•
		YES	<u>NO</u>	
1.	Is the 4(f) site adjacent-to/crossed-by the existing highway?	<u>X</u>		
2.	Does the proposed project require the removal or alteration of historic structures, and/or objects?		<u>_X</u>	
	The reconstruction and widening of MT 72 will require replacement of one existing bridge and two culverts with new structures. The existing structures are not historic and are considered an element of the roadway infrastructure and not part of the canal. The widening of MT-72 would result in more of the canal being incorporated into the roadway infrastructure at these transverse crossings. The remainder of the 12 km (\pm 7.5 mi) canal would not be impacted.			
3.	Does the proposed project disturb or remove archaeological resources which are important to preserve in-place rather than to recover?		<u>x</u>	
4.	Is the impact on the $4(f)$ site considered minor (i.e.: no effect; or no adverse effect)?	<u>X</u>		
	The impact is considered minor (No Effect).			
5.	Has the State Historic Preservation Office (SHPO) agreed in writing with the assessment of impacts, and the proposed mitigation?	<u>X</u>		
	Yes. MDT sent Determination of Effect letter to SHPO Nov. 24, 2003. On Dec. 9, 2003, SHPO concurred with MDT there was No Effect.			
6.	Is the proposed action under an Environmental Impact Statement (E.I.S.)?		<u>X</u>	

7.	Is the proposed project on a new location?		<u>X</u>
	The proposed project in this location follows the existing alignment.		
8.	The Scope-of-Work for the proposed project is one of the following: a) Improved traffic operation; b) Safety improvements; c) 3R; d) Bridge replacement on essentially the same alignment; or e) Addition of lanes.	<u>x</u>	
<u>AL</u>	TERNATIVES CONSIDERED		
1.	The "do-nothing" ALTERNATIVE has been evaluated, and is <u>not</u> considered to be feasible and prudent. Do-nothing alternative does not address project purpose and need to improve safety and therefore is not prudent.	<u>x</u>	
2.	An ALTERNATIVE has been evaluated which improves the highway without any <i>4(f)</i> impacts, and is also <u>not</u> considered to be feasible and prudent.		<u>x</u>
3.	An ALTERNATIVE on a new location avoiding the <i>4(f)</i> site has been evaluated, and is <u>not</u> considered to be feasible and prudent.	<u>x</u>	
(A	LTERNATIVES CONSIDERED - conclusion:)	YES	<u>NO</u>
\ <u>/\</u>	Descriptions of ALTERNATIVES 2. and 3. are as-follows:/attached.	_ X _	
	2. Alternative 2: "No 4(f) Impacts"		
	An alternative to improve the highway except at the Section 4(f) crossing of the historic canals and the Clark's Fork South bridge would not improve safety because these areas are narrow, therefore this alternative is not prudent.		
	3. Alternative 3: "Avoiding the 4(f) site"		
	An alternative outside the corridor would avoid the historic canal. This alternative was considered but is not prudent because it would not improve safety of the existing MT-72. Another alternative was considered that would have avoided one of the crossings. This alternative referred to as the Bluff Bypass Without River Crossing, was identified in Belfry-North EA. This bluff alternative was eliminated because it did not meet the project goal to improve MT-72 at a reasonable cost. Therefore, this alternative was not prudent.		
MI	NIMIZATION OF HARM		
1.	The proposed project includes all possible planning to minimize harm.	<u>X</u>	
2.	Measures to minimize harm include the following:		

- 2 -

At the crossings of the Dry Creek Canal, maintaining the highway on the existing alignment minimizes impacts to the Dry Creek Canal because the impact is occurring at an existing disturbed area of the

canal. If the crossing were to occur on a new alignment, a previously undisturbed area of the canal would be impacted and greater rechanneling of the canal may be needed, resulting in a greater impact.

Minimizing right-of-way, if it does not reduce safety, will be considered during final design to minimize impacts at the canal crossings.

The proposed fill slopes will be kept to the minimum allowed under current MDT design standards for the depth-of-fill needed.

COORDINATION

1.	The proposed p	project has been COORDINATED with the following:
	a) SHPO	<u>x</u>
		espondence related to Dry Creek Canal: Feb. 24, 2003; Determination of No Effect on: Concurred on Dec. 9, 2003)
	b) ADVISORY C	OUNCIL ON HISTORIC PRESERVATION (ACHP, on: June 10, 1991)
	c) Property ow	ner
		nal's adjacent property owners who were contacted in October 2002 include Bruce Giest Karl Graham, and Roger Webber as well as the Dry Creek Canal Company.
	List:	Federal agencies US Army Corps of Engineers Carbon County Commissioners
2.	No. of the prece	eding had the following comment(s) regarding this proposed project, and/or the mitigation:
	For item #1.a),	SHPO concurred with the findings for the proposed project's effects (if any) to this site on Dec. 9, 2003. (see attached copies of Dec. 9, 2003 letter to-same "/"Determination of Effect").
	new crossing's Floodplain Adr	DINATION is pending with those preceding agencies listed-under item #1.d), and (for the permits) with both the county's Federal Emergency Management Agency regulatory ninistrator and the U.S. ARMY's Corps of Engineers. This proposed project is also an Environmental Assessment under National Environmental Policy Act (42 U.S.C. 4321, ments.

SUMMARY

The required **ALTERNATIVES** have been evaluated and the proposed project meets all the criteria in the "Nationwide Programmatic" *Section 4(f)* evaluation approved on December 23, 1986. This <u>Programmatic Evaluation</u> includes all possible planning to minimize harm that will be incorporated in this proposed project.

APPROVAL

This document is both submitted pursuant-to 49 U.S.C. 303, and in accordance with the provisions of 16 U.S.C. 470f.

_____ Date: <u>/2/20/07</u>

dean A. Riley, P.E.

Bureau Chief

MDT Environmental Services Bureau

Approved: Date Dec 2009

Federal Highway Administration

"ALTERNATIVE ACCESSIBLE FORMATS OF THIS DOCUMENT WILL BE PROVIDED ON REQUEST."

AWGNOW

2003112507.

Montana Department of Transportation

David A. Galt, Director

DEC 1 1 2003

2701 Prospect Avenue PO Box 201001 Helena MT 59620-1001

DATE 9 DECOS SIGNED

Ç!

ACTED EIL E TOCCA

HALLER HOUSE AND THE

November 24, 2003

CONCUR

COPY MO

MONTANA SHPO

Mark Baumler, Ph.D.

State Historic Preservation Office

1410 8th Avenue P O Box 201202

Helena, MT 59620-1202

Subject:

F STPP 72-1(1)0

Belfry - North Control No. 1016 DECETYPED IN NOV 25 2003

BY:____

Dear Mark:

Enclosed is an addendum to the cultural resource survey, CRABS and site forms for the above project. This report is an addendum to the February, 2003 report and concerns an alternative alignment recently developed near the junction of Montana Highway 72 and US Highway 310 on Ridgeway lane. This letter will also address a change in the design at the Montana, Wyoming & Southern Railroad Shop (24CB1146).

In the enclosed report, RTI recorded two additional historic sites within the APE for the proposed new alignment. One site, the Jennings Homestead (24CB1848) is recommended eligible for the National Register of Historic Places. We agree with that recommendation and request your concurrence. A third site, the Sarah Strong Farmstead (24CB1683) was recorded as part of the MDT's Bridger — South [NH 4-1(16)13] project and your office concurred in its ineligibility to the National Register on May 20, 2002. The Sand Creek Canal (24CB1150) was previously determined eligible for the National Register. If or when the revised alignment is approved, a Determination of Effect will be submitted to your office.

On June 30, 1992, your office concurred that the proposed Belfry – North project would have an Adverse Effect to the MW&S Shop (24CB1146). That determination was based on the assumption at the time that the proposed railroad grade alignment would result in the demolition of the structure. That Adverse Effect concurrence was restated in the amended Determination of Effect for this project on September 23, 2003. Since then, however, we have been working with the consultant to minimize the impact to the historic property. Consequently, an alternative has been proposed that would extend the curb and gutter section within the community of Belfry about 1,000-feet northward to encompass the old railroad shop. This would result in the minimization of the slopes and an offset of 5± feet to avoid the building. The roadway would be 32± feet in width and include two 12-foot driving lanes and two 4-foot shoulders in addition to the curb and gutter. Importantly, with this revision it would not be necessary to remove the MW&S Railroad Shop. Based on this modification of the design, we have revised our former

F.10: MUT/2003

Environmental Services Unit Phone: (406) 444-7228 Fax: (406) 444-7245

Web Page: www.mdl.stata.mt.us Rosd Report: (800) 225-7623 TTY: (800) 335-7592 Determination of Effect for this property. We have now determined that the proposed project would have No Adverse Effect to 24CB1146. Instead of being demolished, the building would remain in place and unaltered. The characteristics that make the site eligible for the NRHP would be perpetuated. It would not be isolated from its environment or suffer from neglect as a result of the project. It would not be demolished and the setting would largely remain intact. The MDT has, moreover, already conducted HABS-level photography of the site and completed other measures designed to mitigate the impacts to the site. The MDT would still install an historical marker along the proposed alignment between the shop and the MW&S Depot (24CB1148) within the community of Belfry. We feel this proposed option is a good alternative to the demolition of the historic building. We request your concurrence.

There are also two irrigation ditches on this project that are located within the Area of Potential Effect for this proposed project: the Sand Creek Canal (24CB1150) and the Dry Creek Canal (24CB1154). Montana Highway 72 crosses 24CB1150 twice at MP 19.88 and MP 20.42. Under the proposed project, the existing timber bridge would be removed and new concrete box culverts installed to replace them. The existing canal alignment would be perpetuated and the ditch would not be widened or re-channeled to accommodate the new structure. The highway crosses 24CB1154 three times at MPs 14.51, 16.48, and 19.40 (only the crossing at 14.51 is on a bridge). All three crossings would be replaced by box culverts (16.48 and 19.40 are already box culverts). The existing canal alignment would be perpetuated and there would be no widening or rechanneling to accommodate the new crossings. Based on this information, we have determined that the proposed project would have No Effect to the Sand Creek Canal (24CB1150) and the Dry Creek Canal (24CB1154). We request your concurrence.

If you have any questions, please contact me at 444-6258.

Jon Axline, Historian Environmental Services

Attachment

ce: Bruce Barrett, Billings District Administrator Carl Peil, P.E., Preconstruction Bureau Jean Riley, P.E., Engineering Section Bonnie Steg, Resources Section 2701 Prospect Avenue PO Box 201001 Helena MT 59620-1001

2003022503

February 24, 2003

Mark Baumler
State Historic Preservation Office
1410 8th Avenue
P.O. Box 201202
Helena, MT 59620-1202

Subject:

F 72-1(1)10 Belfry - North Control No. 1016 MDT north upday of Belly-North Upday of Ses

Enclosed is the updated cultural resource report, CRABS and site forms for the above project in Carbon County. The MDT submitted the original cultural resource report to your office in 1989. I submitted site forms for additional properties in Belfry in the early 1990s. Eight sites have been previously determined eligible within the Belfry – North project corridor. They are: the First Presbyterian Church of Belfry (24CB678), the Clark's Fork River Bridge (24CB707/1144), the residence at the Middlesworth Farmstead (24CB1145), the Montana, Wyoming & Southern Railway (MW&S) Shop (24CB1146), the MW&S Depot (24CB1148), the Sand Creek Canal (24CB1150), the Golden Ditch (24CB1152), and the Dry Creek Canal (24CB1154). A Determination of Effect for these properties was submitted to your office in June, 1992 and a Memorandum of Agreement implemented in July, 1992.

The 2002 cultural resource survey recorded an additional 18 sites distributed in five parcels in the project area. RTI recommends two sites eligible for the NRHP: the Holland Lumber & Hardware Store (24CB1803) and the Kose Grocery (24CB1813). We agree with the recommendations and request your concurrence. RTI also noted the presence of the Youst Ditch (24CB1817) in the project area. It is covered under a programmatic agreement.

If you have any questions, please contact me at 444-6258.

Jon Axline, Historian Environmental Services

CONCUR MONTANA SHPO

DATE IMO 03 SIGNED

Enclosures

Bruce Barrett, Billings District Administrator Carl Peil, P.E., Preconstruction Bureau

Gordon Stockstad, Resources Section

file: MDT/2003

Environmental Services Unit Phone: (406) 444–7228 Fax: (406) 444–7245

cc:

Web Page: www.mdt.state.mt.us Road Report: (800) 226-7623 TTY: (800) 335-7592



Claudia Nissley, Director Advisory Council on Historic Preservation 730 Simms Street, Suite 450 Golden, CO 80401

Dear Ms. Nissley:

Subject: F 72-1(13)0 Belfry - North

The Federal Highway Administration intends to assist Montana Department of Highways (MDOH) with the reconstruction of Montana Highway 72 between Belfry and Bridger in Carbon County, Montana. As presently conceived, the project will reconstruct and widen approximately 11.1 miles of roadway. The proposed project will also include the construction of approximately 3,500 feet of new roadway. Six sites have been determined eligible for the National Register of Historic Places (NRHP) by the MDOH and Montana State Historic Preservation Office (SHPO) under Criterion A and C. The sites are: the Sand Creek Irrigation Canal (24CB1150), Golden Irrigation Ditch (24CB1152), Dry Creek Irrigation Canal (24CB1154), Craftsman residence at the Middleworth Farmstead (24CB1145), the abandoned Montana, Wyoming & Southern (M.W. & S.) Railroad Depot (24CB1148) and Shop (24CB1146).

The proposed Belfry - North project will have an adverse effect on two of the NRHP-eligible sites: the M.W. & S. depot and shop. Impact to the sites will be the construction of a new 36-foot wide roadway on the old M.W. & S. Railroad grade.

This letter is to inquire if you wish to be involved in the consultation process during which alternatives to the planned action will be examined and mitigation measures will be identified.

Sincerely,

Original Signed by
DAVID C. MILLER
David C. Miller
Planning & Prog. Development Engineer

cc. State - Edrie Vinson cc. SHPO

MONTANA DIVISION

"NATIONWIDE" SECTION 4(f) EVALUATION FOR MINOR IMPACTS ON

HISTORIC SITES EXCLUDING HISTORIC BRIDGE REPLACEMENTS

Project № **STTP-F-72-1(1)10**, (PPMS-OPX2 C1016)

Project Name: Belfry North

Description: Sand Creek Canal (24CB1150), circa 1893. Canal crosses existing MT 72 two times with a bridge at RP 19.88 and a bridge at RP 20.42. The canal is approximately 12.1 km (+/- 7.5 mi) long.

Location: The canal runs along MT 72 between Belfry and Bridger in Carbon County, Montana. The canal's first crossing of MT 72 at RP19.88 occurs approximately 2.7 km (1.7 mi) south of the US 310 intersection with MT 72, south of Bridger.

NOTE: Any response in a box will require additional information, and may result in an individual evaluation/statement. Consult the "Nationwide" Section 4(f) Evaluation procedures. 1. Is the 4(f) site adjacent-to/crossed-by the existing highway? Χ 2. Does the proposed project require the removal or alteration of historic structures, and/or objects? X The reconstruction and widening of MT 72 will require replacement of two existing bridges over the canal with new structures. The existing bridges are not historic and are considered an element of the roadway infrastructure and not part of the canal. The widening of MT-72 would result in more of the canal being incorporated into the roadway infrastructure at these transverse crossings. The remainder of the 12 km (\pm 7.5 mi) canal would not be impacted. 3. Does the proposed project disturb or remove archaeological resources which are important to preserve in-place rather than to recover? Χ 4. Is the impact on the 4(f) site considered minor (i.e.: no effect; or no adverse effect)? The impact is considered minor (No Effect). 5. Has the State Historic Preservation Office (SHPO) agreed in writing with the assessment of impacts, and the proposed mitigation? Yes. MDT sent Determination of Effect letter to SHPO Nov. 24, 2003. On Dec. 9, 2003, SHPO concurred with MDT there was No Effect. 6. Is the proposed action under an Environmental Impact Statement (E.I.S.)?

7.	ls t	he proposed project on a new location?		<u>X</u>	
	The	e proposed project in this location follows the existing alignment.			
8.	a) b) c) d)	e Scope-of-Work for the proposed project is one of the following: Improved traffic operation; Safety improvements; 3R; Bridge replacement on essentially the same alignment; or Addition of lanes.	<u>x</u>		
<u>AL</u>	ΤE	RNATIVES CONSIDERED			
1.		e "do-nothing" ALTERNATIVE has been evaluated, and is <u>not</u> considered be feasible and prudent.	<u>X</u>		
		nothing alternative does not address project purpose and need to prove safety and therefore is not prudent.			
2.		ALTERNATIVE has been evaluated which improves the highway without \underline{a} 4(f) impacts, and is also <u>not</u> considered to be feasible and prudent.		<u>X</u>	
3.		ALTERNATIVE on a new location avoiding the 4(f) site has been cluated, and is <u>not</u> considered to be feasible and prudent.	<u>X</u>		
			YES	NO	
(<u>Al</u>	_TE	RNATIVES CONSIDERED - conclusion:)			
		scriptions of ALTERNATIVES 2. and 3. are as-follows:/attached.	<u>X</u>		
	2.	Alternative 2: "4(f) Impacts"			
		An alternative to improve the highway except at the Section 4(f) crossing of the historic canals and the Clark's Fork South bridge would not improve safety because these areas are narrow, therefore this alternative is not prudent.			
	3.	Alternative 3: "Avoiding the 4(f) site"			
		An alternative outside the corridor would avoid the historic canal. This alternative was considered but is not prudent because it would not improve safety of the existing MT-72.			
MI	NIN	IIZATION OF HARM			
1.	The	e proposed project includes all possible planning to minimize harm.	<u>X</u>		
2.	Measures to minimize harm include the following:				
	The preferred alternative (Modified Existing Alignment) would have fewer impacts on the Sand Creek Canal than the Ridgeway Lane Alternatives which would have required more rechanneling of the canal. Therefore, the preferred alternative would minimize impacts compared to these other alternatives.				
At the crossings of the Sand Creek Canal, maintaining the highway on the existing alignment n impacts to the Sand Creek Canal because the impact is occurring at an existing disturbed area canal. If the crossing were to occur on a new alignment, a previously undisturbed area of the be impacted and greater rechanneling of the canal may be needed, resulting in a greater impact.			ea of the canal would		

Minimizing right-of-way, if it does not reduce safety, will be considered during final design to minimize impacts at the canal crossings.

The proposed fill slopes will be kept to the minimum allowed under current MDT design standards for the depth-of-fill needed.

COORDINATION

1.	The proposed project has been COORDINATED with the following:			
	a) SHPO	<u>X</u>		
	(Dates of correspondence related to Sand Creek Canal: Feb. 24, 2003; Determ Nov. 24, 2003. Concurred on Dec. 9, 2003)	ination	of No Effect on	
	b) ADVISORY COUNCIL ON HISTORIC PRESERVATION (ACHP, on: June 10, 1991)	<u>X</u>		
	c) Property owner:	X		
	Some of the canal's adjacent property owners who were contacted in October 2002 include William Meinhardt and Harold Peterson as well as the Sand Creek Canal Company.			
	d) Local/State/Federal agencies List: US Army Corps of Engineers Carbon County Commissioners	<u>X</u>		

2. No. of the preceding had the following comment(s) regarding this proposed project, and/or the mitigation:

For item #1.a), SHPO concurred with the findings for the proposed project's effects (if any) to this site on Dec. 9, 2003. (see attached copies of Dec. 9, 2003 letter to-same "/"Determination of Effect").

Further <u>COORDINATION</u> is pending with those preceding agencies listed-under item #1.d), and (for the new crossing's permits) with both the county's Federal Emergency Management Agency regulatory Floodplain Administrator and the U.S. ARMY's Corps of Engineers. This proposed project is also documented as an Environmental Assessment under *National Environmental Policy Act* (42 U.S.C. 4321, et seq.) requirements.

SUMMARY

The required **ALTERNATIVES** have been evaluated and the proposed project meets all the criteria in the "Nationwide Programmatic" *Section 4(f)* evaluation approved on December 23, 1986. This <u>Programmatic Evaluation</u> includes all possible planning to minimize harm that will be incorporated in this proposed project.

APPROVAL

This document is both submitted pursuant-to 49 U.S.C. 303, and in accordance with the provisions of 16 U.S.C. 470f.

Date: 12/20/04

Jean A. Riley, P.E.

Rureau Chief

MDT Environmental Services Bureau

Approved

Federal Highway Administration Date: 21 DEC 2004

"ALTERNATIVE ACCESSIBLE FORMATS OF THIS DOCUMENT WILL BE PROVIDED ON REQUEST."

2003112507

Montana Department of Transportation DEC 1 1 2003

2701 Prospect Avenue PO Box 201001 Helena MT 59620-1001 Judy Martz, Governor

PROPERTY

November 24, 2003

Mark Baumler, Ph.D.

CONCUR

MASTER FI COPY

MONTANA SHPO

DATE 9 DECOS SIGNED

State Historic Preservation Office 1410 8th Avenue P O Box 201202 Helena, MT 59620-1202

Subject:

F STPP 72-1(1)0

Belfry - North Control No. 1016

BY:____

Dear Mark:

Enclosed is an addendum to the cultural resource survey, CRABS and site forms for the above project. This report is an addendum to the February, 2003 report and concerns an alternative alignment recently developed near the junction of Montana Highway 72 and US Highway 310 on Ridgeway lane. This letter will also address a change in the design at the Montana, Wyoming & Southern Railroad Shop (24CB1146).

In the enclosed report, RTI recorded two additional historic sites within the APE for the proposed new alignment. One site, the Jennings Homestead (24CB1848) is recommended eligible for the National Register of Historic Places. We agree with that recommendation and request your concurrence. A third site, the Sarah Strong Farmstead (24CB1683) was recorded as part of the MDT's Bridger – South [NH 4-1(16)13] project and your office concurred in its ineligibility to the National Register on May 20, 2002. The Sand Creek Canal (24CB1150) was previously determined eligible for the National Register. If or when the revised alignment is approved, a Determination of Effect will be submitted to your office.

On June 30, 1992, your office concurred that the proposed Belfry – North project would have an Adverse Effect to the MW&S Shop (24CB1146). That determination was based on the assumption at the time that the proposed railroad grade alignment would result in the demolition of the structure. That Adverse Effect concurrence was restated in the amended Determination of Effect for this project on September 23, 2003. Since then, however, we have been working with the consultant to minimize the impact to the historic property. Consequently, an alternative has been proposed that would extend the curb and gutter section within the community of Belfry about 1,000-feet northward to encompass the old railroad shop. This would result in the minimization of the slopes and an offset of 5± feet to avoid the building. The roadway would be 32± feet in width and include two 12-foot driving lanes and two 4-foot shoulders in addition to the curb and gutter. Importantly, with this revision it would not be necessary to remove the MW&S Railroad Shop. Based on this modification of the design, we have revised our former

161 7003

Environmental Services Unit Phone: (406) 444-7228 (406) 444-7245

Web Page: www.mdt.state.mt.us Road Report: (800) 226-7823 TTY: (800) 335-7592 Determination of Effect for this property. We have now determined that the proposed project would have No Adverse Effect to 24CB1146. Instead of being demolished, the building would remain in place and unaltered. The characteristics that make the site eligible for the NRHP would be perpetuated. It would not be isolated from its environment or suffer from neglect as a result of the project. It would not be demolished and the setting would largely remain intact. The MDT has, moreover, already conducted HABS-level photography of the site and completed other measures designed to mitigate the impacts to the site. The MDT would still install an historical marker along the proposed alignment between the shop and the MW&S Depot (24CB1148) within the community of Belfry. We feel this proposed option is a good alternative to the demolition of the historic building. We request your concurrence.

There are also two irrigation ditches on this project that are located within the Area of Potential Effect for this proposed project: the Sand Creek Canal (24CB1150) and the Dry Creek Canal (24CB1154). Montana Highway 72 crosses 24CB1150 twice at MP 19.88 and MP 20.42. Under the proposed project, the existing timber bridge would be removed and new concrete box culverts installed to replace them. The existing canal alignment would be perpetuated and the ditch would not be widened or re-channeled to accommodate the new structure. The highway crosses 24CB1154 three times at MPs 14.51, 16.48, and 19.40 (only the crossing at 14.51 is on a bridge). All three crossings would be replaced by box culverts (16.48 and 19.40 are already box culverts). The existing canal alignment would be perpetuated and there would be no widening or rechanneling to accommodate the new crossings. Based on this information, we have determined that the proposed project would have No Effect to the Sand Creek Canal (24CB1150) and the Dry Creek Canal (24CB1154). We request your concurrence.

If you have any questions, please contact me at 444-6258.

Jon Axline, Historian
Environmental Services

Attachment

cc: Bruce Barrett, Billings District Administrator Carl Peil, P.E., Preconstruction Bureau Jean Riley, P.E., Engineering Section Bonnie Steg, Resources Section 2701 Prospect Avenue PO Box 201001 Helena MT 59620-1001

2003022507

February 24, 2003

Mark Baumler
State Historic Preservation Office
1410 8th Avenue
P.O. Box 201202
Helena, MT 59620-1202

Subject

F 72-1(1)10 Belfry - North Control No. 1016 mot north updated
Belfry-North Updated
Belfry-North

Enclosed is the updated cultural resource report, CRABS and site forms for the above project in Carbon County. The MDT submitted the original cultural resource report to your office in 1989. I submitted site forms for additional properties in Belfry in the early 1990s. Eight sites have been previously determined eligible within the Belfry – North project corridor. They are: the First Presbyterian Church of Belfry (24CB678), the Clark's Fork River Bridge (24CB707/1144), the residence at the Middlesworth Farmstead (24CB1145), the Montana, Wyoming & Southern Railway (MW&S) Shop (24CB1146), the MW&S Depot (24CB1148), the Sand Creek Canal (24CB1150), the Golden Ditch (24CB1152), and the Dry Creek Canal (24CB1154). A Determination of Effect for these properties was submitted to your office in June, 1992 and a Memorandum of Agreement implemented in July, 1992.

The 2002 cultural resource survey recorded an additional 18 sites distributed in five parcels in the project area. RTI recommends two sites eligible for the NRHP: the Holland Lumber & Hardware Store (24CB1803) and the Kose Grocery (24CB1813). We agree with the recommendations and request your concurrence. RTI also noted the presence of the Youst Ditch (24CB1817) in the project area. It is covered under a programmatic agreement.

If you have any questions, please contact me at 444-6258

Jon Axline, Historian Environmental Services

CONCUR MONTANA SHPQ

Enclosures

Bruce Barrett, Billings District Administrator Carl Peil, P.E., Preconstruction Bureau

Gordon Stockstad, Resources Section

file: MDT/2003

Environmental Services Unit Phone: (406) 444-7228 Fax: (406) 444-7245


cc:

An Equal Opportunity Employer

DATE MEN 03 SIGNED

Web Page: www.mdt.state.mt.us Road Report: (800) 226-7623 TTY: (800) 335-7592 HOMA: 10 T T T T 13 1991

HELENA, MONTANA



Claudia Nissley, Director Advisory Council on Historic Preservation 730 Simms Street, Suite 450 Golden, CO 80401

Dear Ms. Nissley:

Subject: F 72-1(13)0 Belfry - North

The Federal Highway Administration intends to assist Montana Department of Highways (MDOH) with the reconstruction of Montana Highway 72 between Belfry and Bridger in Carbon County, Montana. As presently conceived, the project will reconstruct and widen approximately 11.1 miles of roadway. The proposed project will also include the construction of approximately 3,500 feet of new roadway. Six sites have been determined eligible for the National Register of Historic Places (NRHP) by the MDOH and Montana State Historic Preservation Office (SHPO) under Criterion A and C. The sites are: the Sand Creek Irrigation Canal (24CB1150), Golden Irrigation Ditch (24CB1152), Dry Creek Irrigation Canal (24CB1154), Craftsman residence at the Middleworth Farmstead (24CB1145), the abandoned Montana, Wyoming & Southern (M.W. & S.) Railroad Depot (24CB1148) and Shop (24CB1146).

The proposed Belfry - North project will have an adverse effect on two of the NRHP-eligible sites: the M.W. & S. depot and shop. Impact to the sites will be the construction of a new 36-foot wide roadway on the old M.W. & S. Railroad grade.

This letter is to inquire if you wish to be involved in the consultation process during which alternatives to the planned action will be examined and mitigation measures will be identified.

Sincerely,

Original Signed by
DAVID C. MILLER
David C. Miller
Planning & Prog. Development Engineer

cc. State - Edrie Vinson

cc. SHPO